

MAINTAINING TRAFFIC (LANES OPEN DURING HOLIDAYS OR SPECIAL EVENTS)

NO WORK SHALL BE PERFORMED AND THE SAME NUMBER OF LANES AS WERE AVAILABLE AT THE START OF THE PROJECT SHALL BE OPEN TO TRAFFIC DURING THE FOLLOWING DESIGNATED HOLIDAYS OR EVENTS:

CHRISTMAS	FOURTH OF JULY
NEW YEAR'S	LABOR DAY
MEMORIAL DAY	THANKSGIVING

THE PERIOD OF TIME THAT THE LANES ARE TO BE OPEN DEPENDS ON THE DAY OF THE WEEK ON WHICH HOLIDAY OR EVENT FALLS. THE FOLLOWING SCHEDULE SHALL BE USED TO DETERMINE THIS PERIOD:

DAY OF HOLIDAY OR EVENT	TIME ALL LANES MUST BE OPEN TO TRAFFIC
SUNDAY	12:00N FRIDAY THROUGH 6:00 AM MONDAY
MONDAY	12:00N FRIDAY THROUGH 6:00 AM TUESDAY
TUESDAY	12:00N MONDAY THROUGH 6:00 AM WEDNESDAY
WEDNESDAY	12:00N TUESDAY THROUGH 6:00 AM THURSDAY
THURSDAY	12:00N WEDNESDAY THROUGH 6:00 AM FRIDAY
THANKSGIVING	6:00 AM WEDNESDAY THROUGH 6:00 AM MONDAY
FRIDAY	12:00N THURSDAY THROUGH 6:00 AM MONDAY
SATURDAY	12:00N FRIDAY THROUGH 6:00 AM MONDAY

NO EXTENSIONS OF TIME SHALL BE GRANTED FOR DELAYS IN MATERIAL DELIVERIES, UNLESS SUCH DELAYS ARE INDUSTRY WIDE, OR FOR LABOR STRIKES, UNLESS SUCH STRIKES ARE AREA WIDE.

SHOULD THE CONTRACTOR FAIL TO MEET ANY OF THESE REQUIREMENTS, THE CONTRACTOR SHALL BE ASSESSED A DISINCENTIVE IN THE AMOUNT OF \$100 FOR EACH MINUTE THE ABOVE DESCRIBED LANE CLOSURE RESTRICTION ARE VIOLATED.

COORDINATION WITH ADJACENT PROJECTS

THE CONTRACTOR SHALL COORDINATE WORK WITH ODOT AND THE CONTRACTORS ON THE ADJACENT PROJECTS. FAY-753-0.55 PID: 096313 AND HIG-41-8.67 PID: 110836. COORDINATION SHALL BE MADE TO PREVENT CONFLICTING ADVANCE WARNING SIGNS, CONFLICTING DETOUR ROUTES, OVERLAPING/CONFLICTING LANE CLOSURES, AND TO ENSURE THAT A MINIMUM DISTANCE OF 2 MILES BETWEEN ADJACENT LANE CLOSURES IS MAINTAINED. THIS IS NOT AN EXHAUSTIVE LIST OF COORDINATION ITEMS THAT MAY NEED TO BE RESOLVED BETWEEN PROJECTS. THE DEPARTMENT RESERVES THE RIGHT TO DECIDE WHICH PROJECT'S ACTIVITIES TAKE PRECEDENCE. PROJECTS THAT HAVE ACTIVITIES DELAYED DUE TO CONFLICTS WILL CONSIDER THIS AN EXCUSABLE, NON-COMPENSABLE DELAY PER 108.06.B. ON PROJECTS THAT HAVE ACTIVITIES DELAYED DUE TO CONFLICTS WHERE THE CONTRACTOR FAILED TO MEET THE NOTIFICATION REQUIREMENTS, THE DELAYS SHALL NOT BE CONSIDERED EXCUSABLE OR COMPENSABLE.

ATTENDANCE AT DEPARTMENT ORDERED TRAFFIC COORDINATION MEETINGS BETWEEN ADJACENT PROJECTS SHALL BE CONSIDERED MANDATORY FOR EACH PROJECT'S SUPERINTENDENT AND WORKSITE TRAFFIC SUPERVISOR (WTS)*, AND INCIDENTAL TO THE LUMP SUM MAINTENANCE OF TRAFFIC PAYMENT ITEM 614.

*IF REQUIRED BY THE PROJECT

DETOUR SIGNING

SIZE AND PLACEMENT OF DETOUR SIGNS (M4-9) SHOULD FOLLOW THE REQUIREMENTS OF THE ODOT SECTION 6F.03, SECTION 2A.11 AND TABLE 6F.01. DETOUR SIGNING SHALL PROVIDE DRIVERS ADEQUATE TIME TO CLEARLY READ THE SIGNS AND MAKE THE PROPER DECISIONS AT EACH REQUIRED TURNING MOVEMENT. THE DESIGNATED DETOUR ROUTE SHALL BE SIGNED IN ACCORDANCE WITH THE REQUIREMENTS BELOW:

- APPROXIMATELY 1500 FEET PRIOR TO TIP OF THE PAINTED GORE AT AN INTERCHANGE WHEN EXITING A HIGH SPEED (45 MPH OR HIGHER) FACILITY.
- AT OR NEAR THE EXISTING SIGN IN THE GORE OF AN INTERCHANGE RAMP.
- AT OR NEAR THE FIRST EXISTING LANE ASSIGNMENT SIGN ON AN INTERCHANGE EXIT RAMP.
- AT OR NEAR THE EXISTING LANE ASSIGNMENT SIGN OR EXISTING ROUTE MARKER AT THE END OF AN EXIT RAMP.
- APPROXIMATELY 500 FEET PRIOR TO A REQUIRED TURN AT AN INTERSECTION NOT CONTROLLED BY A STOP SIGN (FOR 45 MPH OR HIGHER ONLY).
- AT OR NEAR THE EXISTING LANE ASSIGNMENT SIGN OR EXISTING ROUTE MARKER AT AN INTERSECTION.
- EVERY TWO MILES ALONG A TANGENT SECTION BETWEEN TURNING MOVEMENTS OUTSIDE A CITY.
- EVERY TWO BLOCKS ALONG A TANGENT SECTION BETWEEN TURNING MOVEMENTS WITHIN A CITY.
- AT ANY OTHER INTERSECTION OR DECISION POINT WHERE THE DETOUR ROUTE IS CONTRARY TO THE NORMAL, EXPECTED TURNING MANEUVER OR OTHERWISE UNCLEAR.

DETOUR SIGNS SHALL BE PLACED, WHEN POSSIBLE, NEXT TO BUT NOT BLOCKING EXISTING ROUTE MARKERS OR LANE ASSIGNMENT SIGNS. DETOUR SIGNS SHALL NOT OBSCURE OR BE OBSCURED BY OTHER EXISTING OR TEMPORARY SIGNS.

DETOUR SIGNS SHALL BE ERECTED AND/OR UNCOVERED PRIOR TO THE ROAD OR RAMP BEING CLOSED TO TRAFFIC BUT NO EARLIER THAN FOUR HOURS PRIOR TO THE CLOSURE. DETOUR SIGNS SHALL BE COVERED AND/OR REMOVED NO LATER THAN FOUR HOURS FOLLOWING THE ROAD OR RAMP RE-OPENING TO TRAFFIC.

PAYMENT FOR ACCEPTED QUANTITIES WILL BE MADE AT THE CONTRACT UNIT PRICE. PAYMENT SHALL BE FOR ALL MATERIALS, LABOR, INCIDENTALS AND EQUIPMENT FOR FURNISHING, PROPER SIGN PLACEMENT AND SIZING, TIMELY ERECTING AND/OR UNCOVERING OF SIGNS, MAINTAINING SIGNS, AND TIMELY COVERING AND/OR REMOVING SIGNS AND SUPPORTS.

THE FOLLOWING ESTIMATED QUANTITIES HAVE BEEN CARRIED TO THE GENERAL SUMMARY:

ITEM 614, DETOUR SIGNING LUMP SUM

DROP-OFFS IN WORK ZONES

THE DROP-OFF ADJACENT TO THE TRAVEL LANE SHALL MEET THE CRITERIA OUTLINED IN STANDARD DRAWING MT-101.90. NO ADDITIONAL COMPENSATION SHALL BE MADE FOR MATERIALS, LABOR OR EQUIPMENT NECESSARY TO MEET THE REQUIREMENTS OF MT-101.90.

LAW ENFORCEMENT OFFICER (WITH PATROL CAR) FOR ASSISTANCE DURING CONSTRUCTION OPERATIONS

USE OF LEOS BY CONTRACTORS OTHER THAN THE USES SPECIFIED BELOW WILL NOT BE PERMITTED AT PROJECT COST UNLESS PRIOR APPROVAL HAS BEEN OBTAINED FROM THE PROJECT ENGINEER. LAW ENFORCEMENT OFFICERS (LEOS) SHOULD NOT BE USED WHERE THE ODOT INTENDS THAT FLAGGERS BE USED. IN ADDITION TO THE REQUIREMENTS OF CMS 614 AND THE OHIO MANUAL OF UNIFORM TRAFFIC CONTROL DEVICES (OMUTCD), A UNIFORMED LAW ENFORCEMENT OFFICER WITH AN OFFICIAL PATROL CAR (CAR WITH TOP-MOUNTED EMERGENCY FLASHING LIGHTS AND COMPLETE MARKINGS OF THE APPROPRIATE LAW ENFORCEMENT AGENCY) SHOULD BE PROVIDED FOR THE FOLLOWING TRAFFIC CONTROL TASKS:

* THE USE OF A LAW ENFORCEMENT OFFICER WITH PATROL CAR IS REQUIRED IF THE CONTRACTOR TURNS THE INTERSECTION SIGNALS OFF OR PUTS THE INTERSECTION IN FLASHING OPERATION, AND WHEN THE LEO DIRECTS TRAFFIC THROUGH THE INTERSECTION CONTRARY TO THE SIGNAL DISPLAY.

LAW ENFORCEMENT OFFICERS SHOULD NOT FORSAKE THEIR TRAFFIC CONTROL RESPONSIBILITIES TO CHASE MOTORISTS FOR ROUTINE TRAFFIC VIOLATIONS. HOWEVER, IF THE MOTORISTS ACTIONS ARE CONSIDERED TO BE RECKLESS, THEN PURSUIT OF THE MOTORIST MAY BE ACCEPTABLE.

THE LEOS WORK AT THE DIRECTION OF THE CONTRACTOR. THE CONTRACTOR IS RESPONSIBLE FOR SECURING THE SERVICES OF THE LEO'S AND COMMUNICATING THE INTENTIONS OF THE PLANS WITH RESPECT TO DUTIES OF THE LEO. THE ENGINEER SHALL HAVE FINAL CONTROL OVER THEIR RESPECTIVE DUTIES, PLACEMENT AND WILL RESOLVE ANY ISSUES BETWEEN THE TWO PARTIES THAT MAY ARISE. THE CONTRACTOR SHALL MAKE ARRANGEMENTS FOR THE SERVICES WITH:

THE OHIO HIGHWAY PATROL 1-614-466-2660

THE LEO SHOULD REPORT IN TO THE CONTRACTOR PRIOR TO THE START OF THE SHIFT, IN ORDER TO RECEIVE INSTRUCTIONS REGARDING SPECIFIC WORK ASSIGNMENTS DURING THE SHIFT. THE CONTRACTOR SHALL PROVIDE THE LEO WITH A TWO-WAY COMMUNICATION DEVICE WHICH SHALL BE RETURNED TO THE CONTRACTOR AT THE END OF THE SHIFT.

ENSURE PROVIDED LEOS HAVE BEEN TRAINED APPROPRIATE TO THE JOB DECISIONS THEY ARE REQUIRED TO MAKE WHILE ON THE PROJECT, IN ACCORDANCE WITH C&MS 614.03.

LAW ENFORCEMENT OFFICERS (WITH PATROL CAR) REQUIRED BY THE TRAFFIC MAINTENANCE TASKS ABOVE SHALL BE PAID FOR ON A UNIT PRICE (HOURLY) BASIS UNDER ITEM 614, LAW ENFORCEMENT OFFICER WITH PATROL CAR. THE FOLLOWING ESTIMATED QUANTITIES HAVE BEEN CARRIED TO THE GENERAL SUMMARY.

ANY ADDITIONAL COSTS (ADMINISTRATIVE OR OTHERWISE) INCURRED BY THE CONTRACTOR TO OBTAIN THE SERVICES OF A L.E.O. ARE INCLUDED WITHIN THE BID UNIT PRICE FOR ITEM 614, LAW ENFORCEMENT OFFICER WITH PATROL CAR. THE HOURS PAID SHALL INCLUDE ANY MINIMUM SHOW-UP TIME REQUIRED BY THE LAW ENFORCEMENT AGENCY INVOLVED.

THE FOLLOWING ESTIMATED QUANTITIES HAVE BEEN PROVIDED:

ITEM 614, LAW ENFORCEMENT OFFICER WITH PATROL CAR FOR ASSISTANCE 40 HOUR

DESIGNATED LOCAL DETOUR ROUTE

IN ADDITION TO THE OFFICIAL, SIGNED DETOUR ROUTE, A LOCAL ROUTE HAS BEEN DETERMINED TO BE THE SECONDARY, UNSIGNED DETOUR ROUTE OR "DESIGNATED LOCAL DETOUR ROUTE." THIS ROUTE IS SHOWN ON SHEET NUMBER 9 & 10. DURING THE TIME THAT TRAFFIC IS DETOURED, THE CONTRACTOR SHALL MAINTAIN THIS ROUTE IN A CONDITION WHICH IS REASONABLY SMOOTH AND FREE FROM HOLES, RUTS, RIDGES, BUMPS, DUST AND STANDING WATER. ONCE THE DETOUR IS REMOVED AND TRAFFIC RETURNED TO ITS NORMAL PATTERN, THE DESIGNATED LOCAL DETOUR ROUTE SHALL BE RESTORED TO A CONDITION THAT IS EQUIVALENT TO THAT WHICH EXISTED PRIOR TO ITS USE FOR THIS PURPOSE. ALL SUCH WORK SHALL BE PERFORMED WHEN AND AS DETERMINED BY THE ENGINEER. ODOT PROJECT ENGINEER SHALL BE NOTIFIED BEFORE ANY TRAFFIC IS DETOURED SO THAT A VIDEO RECORD OF THE UNSIGNED DETOUR ROUTE CAN BE TAKEN BY ODOT.

THE FOLLOWING ESTIMATED QUANTITIES ARE PROVIDED FOR USE AS DETERMINED BY THE ENGINEER TO MAINTAIN AND SUBSEQUENTLY RESTORE THE DESIGNATED LOCAL DETOUR ROUTE.

ITEM 407, TACK COAT 128 GALLON

ITEM 441, ASPHALT CONCRETE SURFACE COURSE, TYPE 1, (448), PG64-22 50 CUBIC YARD

ITEM 614, ASPHALT CONCRETE FOR MAINTAINING TRAFFIC 50 CUBIC YARD

ITEM 642, CENTER LINE, TYPE 1 0.6 MILE

P:\ADP\2018\307601_FAY-41-0047 & 0232_PID_98139\98139\Design\roadway\sheet\98139CG002.dgn 5/25/2021 1:16:14 PM jhartfield

SHEET NUMBER														PARTICIPATION		ITEM	ITEM EXT.	GRAND TOTAL	UNIT	DESCRIPTION	SEE SHEET NO.
8	16	18	38	45	48	49	01/STR/CV	02/STR/PV													
PAVEMENT																					
	11							11	251	01001	11	SY	PARTIAL DEPTH PAVEMENT REPAIR (441), AS PER PLAN	5							
	397							112	285	252	01500	397	FT	FULL DEPTH PAVEMENT SAWING							
	213							213	254	01000	213	SY	PAVEMENT PLANING, ASPHALT CONCRETE, 1 1/4"								
	61							61	254	01000	61	SY	PAVEMENT PLANING, ASPHALT CONCRETE, 1 3/4"								
	134							79	55	301	46000	134	CY	ASPHALT CONCRETE BASE, PG64-22							
	98	2						56	44	304	20000	100	CY	AGGREGATE BASE							
	125							64	61	407	20000	125	GAL	NON-TRACKING TACK COAT							
	64							64		411	10000	64	CY	STABILIZED CRUSHED AGGREGATE							
	63							33	30	441	50000	63	CY	ASPHALT CONCRETE SURFACE COURSE, TYPE 1, 448, PG64-22							
	82							82	SPECIAL	690E12060	82	SY	PAVEMENT OVERLAY FABRIC COMPOSITE	6							
TRAFFIC CONTROL																					
								34.6	11.8	22.8	630	03100	34.6	FT	GROUND MOUNTED SUPPORT, NO. 3 POST						
								18.3	4.0	14.3	630	80100	18.3	SF	SIGN, FLAT SHEET						
								4	2	2	630	84900	4	EACH	REMOVAL OF GROUND MOUNTED SIGN AND DISPOSAL						
								4	2	2	630	86002	4	EACH	REMOVAL OF GROUND MOUNTED POST SUPPORT AND DISPOSAL						
								0.02	0.02	0.04	644	00104	0.04	MILE	EDGE LINE, 6"						
								0.01	0.01	0.02	644	00300	0.02	MILE	CENTER LINE						
								22		22	644	00500	22	FT	STOP LINE						
RETAINING WALLS																					
								LS		503	21320	LS	UNCLASSIFIED EXCAVATION, INCLUDING ROCK								
			69	2				71		503	31100	71	CY	ROCK EXCAVATION							
			5,100					5,100		509	10000	5,100	LB	EPOXY COATED REINFORCING STEEL							
			16					16		511	46010	16	CY	CLASS QC1 CONCRETE, RETAINING/WINGWALL NOT INCLUDING FOOTING							
			32					32		511	46511	32	CY	CLASS QC1 CONCRETE, FOOTING, AS PER PLAN	37						
			4					4		511	46610	4	CY	CLASS QC1 CONCRETE, HEADWALL							
			84					84		512	10050	84	SY	SEALING OF CONCRETE SURFACES (NON-EPOXY)							
			298					298		512	33000	298	SY	TYPE 2 WATERPROOFING							
			84					84		512	33010	84	SY	TYPE 3 WATERPROOFING							
			52					52		516	13600	52	SF	1" PREFORMED EXPANSION JOINT FILLER							
			10					10		518	21200	10	CY	POROUS BACKFILL WITH GEOTEXTILE FABRIC							
MAINTENANCE OF TRAFFIC																					
	128							128		407	10000	128	GAL	TACK COAT							
	50							50		441	50000	50	CY	ASPHALT CONCRETE SURFACE COURSE, TYPE 1, (448), PG64-22							
	40							38	2	614	11110	40	HR	LAW ENFORCEMENT OFFICER WITH PATROL CAR FOR ASSISTANCE							
								LS		614	12420	LS		DETOUR SIGNING							
	50							50		614	13000	50	CY	ASPHALT CONCRETE FOR MAINTAINING TRAFFIC							
	0.6							0.6		642	00300	0.6	MILE	CENTER LINE, TYPE 1							
INCIDENTALS																					
								LS	LS	614	11000	LS		MAINTAINING TRAFFIC							
								3		619	16010	3	MNTH	FIELD OFFICE, TYPE B							
								LS	LS	623	10000	LS		CONSTRUCTION LAYOUT STAKES AND SURVEYING							
								LS	LS	624	10000	LS		MOBILIZATION							

GENERAL SUMMARY

FAY-41-00.47 / 02.32