OHIO DEPARTMENT OF TRANSPORTATION

Asbestos Inspection Reporting Form

Date: 5/12/2026

County: Franklin

Route: Watkins Road over U.S. 33

Section: 24.56

PID: 125600

Requesting ODOT District Office: 06

Regulating OEPA District Office and Address


Central Office
Lazarus Government Center
West Town Street, Suite 700
Columbus, Ohio 43215
614.644.3020

Date of the Asbestos Inspection: 04/23/2026

Name and Address of the company conducting the asbestos inspection

EMH&T
5500 New Albany Rd.
Columbus, OH 43054

Bryan Lombard, Certification Number: ES35323



Name, signature, and asbestos hazard evaluation number of the person writing the report

Description sampling locations and how each location was determined (use additional pages if needed)

Blue Paint (01, 02, 03, 04, 05)

Black/Gray Caulk (06, 07, 08)

Gray Caulk (09, 10, 11)

Name, signature, and asbestos hazard evaluation number of each person who selected samples from the structure (use additional pages if needed)

Name	Signature	Asbestos Evaluation #
Bryan Lombard	Bryan Lombard	ES35323

Supporting Information

Laboratory Analytical Report

Blueprint, diagram or written description with the following:

- Type, location and amount of confirmed regulated asbestos containing material
- Location and collection date of each bulk sample
- Location and amounts of suspected asbestos containing material, both friable and non-friable

NOTE: The OEPA Notification of Demolition and Renovation Form with the appropriate Sections I, II, III, IV, VI and VII must be completed by the licensed asbestos hazard evaluation specialist and included with the report submission to ODOT prior to submission to OEPA or the local air authority with jurisdiction.

OEPA Notification of Demolition and Renovation Form

Work on projects cannot begin until 10 working days after a COMPLETE original notification form, **including payment**, is submitted to Ohio EPA. Instructions and a worksheet for fee calculation are available at ***epa.ohio.gov/asbestos***. This form can be completed, and payment made, at ***ebiz.epa.ohio.gov***. Questions? ***asbestos@epa.ohio.gov*** or (614) 466-0061.

State of Ohio
Environmental Protection Agency
Asbestos Program

Asbestos Hazard Evaluation Specialist

Bryan
Lombard



DOB: 10/16/77

Card not Valid if Altered

Ohio Environmental Protection Agency

EMH&T
5500 New Albany Road
Columbus OH 43054

Certification Number	Expiration Date
ES35323	5/24/26

Laboratory Analytical Report

EMSL Analytical, Inc.

3410 Winnetka Avenue North New Hope, MN 55427
Tel/Fax: (763) 449-4922 / (763) 449-4924
http://www.EMSL.com / minneapolislab@emsl.com

EMSL Order:	352603486
Customer ID:	EMHT29
Customer PO:	
Project ID:	

Attention:	Bryan Lombard EMH&T 5500 New Albany Road Columbus, OH 43054	**Phone:**	(614) 775-4517
		Fax:	
		Received Date:	04/27/2026 9:50 AM
		Analysis Date:	05/10/2026 - 05/11/2026
		Collected Date:	
Project:	FRA-33-2456		

Test Report: Asbestos Analysis of Bulk Materials via AHERA Method 40CFR 763 Subpart E Appendix E supplemented with EPA 600/R-93/116 using Polarized Light Microscopy

			Non-Asbestos		Asbestos
Sample	**Description**	**Appearance**	**% Fibrous**	**% Non-Fibrous**	**% Type**
01 *352603486-0001*	Girder - Blue Paint	White/Red/Blue Non-Fibrous Homogeneous		100% Non-fibrous (Other)	None Detected
02 *352603486-0002*	Girder - Blue Paint	White/Red/Blue Non-Fibrous Homogeneous		100% Non-fibrous (Other)	None Detected
03 *352603486-0003*	Girder - Blue Paint	White/Red/Blue Non-Fibrous Homogeneous		100% Non-fibrous (Other)	None Detected
04 *352603486-0004*	Girder - Blue Paint	White/Red/Blue Non-Fibrous Homogeneous		100% Non-fibrous (Other)	None Detected
05 *352603486-0005*	Girder - Blue Paint	Red/Various/Blue Non-Fibrous Homogeneous		100% Non-fibrous (Other)	None Detected
06 *352603486-0006*	Parapet - Black Caulk	Gray/Black Non-Fibrous Homogeneous		100% Non-fibrous (Other)	None Detected
07 *352603486-0007*	Parapet - Black Caulk	Gray/Black Non-Fibrous Homogeneous		100% Non-fibrous (Other)	None Detected
08 *352603486-0008*	Parapet - Black Caulk	Gray/Black Non-Fibrous Homogeneous		100% Non-fibrous (Other)	None Detected
09 *352603486-0009*	Parapet Joint Expansion - Gray Caulk	Gray Non-Fibrous Homogeneous		100% Non-fibrous (Other)	None Detected
10 *352603486-0010*	Parapet Joint Expansion - Gray Caulk	Gray Non-Fibrous Homogeneous		100% Non-fibrous (Other)	None Detected
11 *352603486-0011*	Parapet Joint Expansion - Gray Caulk	Gray Non-Fibrous Homogeneous		100% Non-fibrous (Other)	None Detected


Initial report from: 05/11/2026 18:10:52

EMSL Analytical, Inc.
3410 Winnetka Avenue North New Hope, MN 55427
Tel/Fax: (763) 449-4922 / (763) 449-4924
http://www.EMSL.com / minneapolislab@emsl.com

EMSL Order:	352603486
Customer ID:	EMHT29
Customer PO:	
Project ID:	

Analyst(s)

Jillian Kipp (4)
Nicholas Asuncion (7)



Mark Erickson, Laboratory Manager
or Other Approved Signatory

EMSL maintains liability limited to cost of analysis. Interpretation and use of test results are the responsibility of the client. This report relates only to the samples reported above, and may not be reproduced, except in full, without written approval by EMSL. EMSL bears no responsibility for sample collection activities or analytical method limitations. The report reflects the samples as received. Results are generated from the field sampling data (sampling volumes and areas, locations, etc.) provided by the client on the Chain of Custody. Samples are within quality control criteria and met method specifications unless otherwise noted. The above analyses were performed in general compliance with Appendix E to Subpart E of 40 CFR (previously EPA 600/M4-82-020 "Interim Method") but augmented with procedures outlined in the 1993 ("final") version of the method. This report must not be used by the client to claim product certification, approval, or endorsement by NVLAP, NIST or any agency of the federal government. Non-friable organically bound materials present a problem matrix and therefore EMSL recommends gravimetric reduction prior to analysis. Unless requested by the client, building materials manufactured with multiple layers (i.e. linoleum, wallboard, etc.) are reported as a single sample. Estimation of uncertainty is available on request.

Samples analyzed by EMSL Analytical, Inc. New Hope, MN NVLAP Lab Code 200019-0; Colorado AL-24478

Initial report from: 05/11/2026 18:10:52

OrderID: 352603486

Asbestos Chain of Custody (Air, Bulk, Soil)

EMSL ANALYTICAL, INC.
TESTING LABS • PRODUCTS • TRAINING

EMSL Order Number / Lab Use Only: 352603486

200 Route 130 North
Cinnaminson, NJ 08077
PHONE (800) 220-3675
EMAIL CinnAslab@EMSL.com

If Bill-To is the same as Report-To leave this section blank. Third-party billing requires written authorization.

Customer Information		Billing Information	
Customer ID:		Billing ID:	
Company Name:	EMH+T	Company Name:	SAME
Contact Name:	Bryan Lambard	Billing Contact:	
Street Address:	5500 NEW ALBANY ROAD	Street Address:	
City, State, Zip:	Columbus, OH 43054	Country: U.S.	City, State, Zip: Country:
Phone:	614-775-4517		Phone:
Email(s) for Report:	blambard@emht.com		Email(s) for Invoice: accountspayable@emht.com

Project Information

Project Name/No:	FRA-33-2456	Purchase Order:	
EMSL LIMS Project ID: (If applicable, EMSL will provide)		US State where samples collected:	State of Connecticut (CT) must select project location: ☐ Commercial (Taxable) ☐ Residential (Non-Taxable)
Sampled By Name:	Bryan Lambard	Sampled By Signature:	No. of Samples in Shipment:

Turn-Around-Time (TAT)

☐ 3 Hour ☐ 4-4.5 Hour AHERA ONLY ☐ 6 Hour ☐ 24 Hour ☐ 32 Hour ☐ 48 Hour ☐ 72 Hour ☐ 96 Hour ☐ 1 Week ☒ 2 Week

TEM Air 3-6 Hour, please call ahead to schedule. 32 Hour TAT available for select tests only; samples must be submitted by 11:30 am.

Test Selection

PCM Air
- ☐ NIOSH 7400
- ☐ NIOSH 7400 w/ 8hr. TWA

PLM - Bulk (reporting limit)
- ☒ PLM EPA 600/R-93/116 (<1%)
- ☐ PLM EPA NOB (<1%)
- ☐ POINT COUNT
  - ☐ 400 (<0.25%) ☐ 1,000 (<0.1%)
- POINT COUNT w/ GRAVIMETRIC
  - ☐ 400 (<0.25%) ☐ 1,000 (<0.1%)
- ☐ NIOSH 9002 (<1%)
- ☐ NYS 198.1 (Friable - NY)
- ☐ NYS 198.6 NOB (Non-Friable - NY)
- ☐ NYS 198.8 (Vermiculite SM-V)

TEM - Air
- ☐ AHERA 40 CFR, Part 763
- ☐ NIOSH 7402
- ☐ EPA Level II
- ☐ ISO 10312*

TEM - Bulk
- ☐ TEM EPA NOB
- ☐ NYS NOB 198.4 (Non-Friable-NY)
- ☐ TEM EPA 600/R-93/116 w Milling Prep (0.1%)

Other Test (please specify)

TEM - Settled Dust
- ☐ Microvac - ASTM D5755
- ☐ Wipe - ASTM D6480
- ☐ Qualitative via Filtration Prep
- ☐ Qualitative via Drop Mount Prep

Soil - Rock - Vermiculite (reporting limit)*
- ☐ PLM EPA 600/R-93/116 with milling prep (<0.25%)
- ☐ PLM EPA 600/R-93/116 with milling prep (<0.1%)
- ☐ TEM EPA 600/R-93/116 with milling prep (<0.1%)
- ☐ TEM Qualitative via Filtration Prep
- ☐ TEM Qualitative via Drop Mount Prep

*Please call with your project-specific requirements.

☐ Positive Stop - Clearly Identified Homogeneous Areas (HA) | Filter Pore Size (Air Samples) ☐ 0.8um ☐ 0.45um

Sample Number	Sample Location / Description	Volume, Area or Homogeneous Area	Date / Time Sampled (Air Monitoring Only)
01-05	GIRDER / BLUE PAINT		
06-08	Parapet/BLACK CAULK		
09-011	Parapet Joint Expansion/Gray Caulk		

Special Instructions and/or Regulatory Requirements (Sample Specifications, Processing Methods, Limits of Detection, etc.)

Method of Shipment:		Sample Condition Upon Receipt:	
Relinquished by:	Date/Time: 4-23-26/10:58	Received by:	Date/Time: 4/24/26 9:50
Relinquished by:	Date/Time:	Received by:	Date/Time


Controlled Document - COC-05 Asbestos R16 10/26/2021

☐ AGREE TO ELECTRONIC SIGNATURE (By checking, I consent to signing this Chain of Custody document by electronic signature.)

EMSL Analytical, Inc.'s Laboratory Terms and Conditions are incorporated into this Chain of Custody by reference in their entirety. Submission of samples to EMSL Analytical, Inc. constitutes acceptance and acknowledgment of all terms and conditions by Customer.

414 022300 3916

Bridge Asbestos Inspection Sample Diagram



EMH&T
Engineers • Surveyors • Planners • Scientists
5500 New Albany Road, Columbus, OH 43054
Phone: 614.775.4500 Toll Free: 888.775.3648
emht.com

CITY OF COLUMBUS, FRANKLIN COUNTY, OHIO

FRA-33-24.56 (PID 125600) SFN 2501899
Bridge Asbestos Inspection Sample Diagram

N

Ohio Notification of Demolition and Renovation Form

Notification of Demolition and Renovation/Abatement

Section 1: General Information

Division of Air Pollution Control

Work on projects cannot begin until 10 working days after a COMPLETE original notification form, **including payment**, is submitted to Ohio EPA. Instructions and a worksheet for fee calculation are available at ***epa.ohio.gov/asbestos***. This form can be completed, and payment made, at ***ebiz.epa.ohio.gov***. Questions? ***asbestos@epa.ohio.gov*** or (614) 466-0061.

Ohio EPA Use Only	Notification #:	Postmarked: / /	Received: / /	☐ Hand-Delivered

1) Notification Information (Check all that apply)

☒ Original	☐ Revision # (count):	☐ Installation	☐ Emergency	☐ Annual	☐ Cancellation	**Project County:** Franklin
☐ NESHAP Residential Exemption						

2) Owner, Asbestos Abatement Contractor, Billing and Fire Department Information **Revised?** ☐

Owner		
Name: ODOT District 6		Is this a company? ☒ Yes ☐ No
Address: 400 E William Street	Contact Person: Richard Ortman, District Bridge Engineer	
City: Delaware	State: Ohio	Zip: 43015 -
Email: Donald.Ortman@dot.ohio.gov	Phone: (740) 833 - 8256	Fax: ( ) -
Asbestos Abatement Contractor (if applicable)		
Name:	License #: AC	Expiration Date: / /
Address:	Contact Person:	
City:	State:	Zip: -
Email:	Phone: ( ) -	Fax: ( ) -
Billing Contact (Entity paying for original notification)		
Is this contact associated with the ☒ Owner, ☐ Asbestos Abatement Contractor, or ☐ Demolition Contractor (if not installation)?		
Address:	Contact Person:	
City:	State:	Zip: -
Email:	Phone: ( ) -	Fax: ( ) -
Fire Department (if applicable)		
Name:		
Address:	Contact Person:	
City:	State:	Zip: -
Email:	Phone: ( ) -	Fax: ( ) -

3) Ohio Asbestos Hazard Evaluation Specialist and Evaluation Procedure **Revised?** ☐

Evaluation Specialist: Bryan Lombard	Certification #: ES 35323	Expiration Date: 05 / 24 / 2027

Procedure, including analytical methods, employed to detect the presence of and to estimate the quantity of regulated asbestos-containing material (RACM) and Category I and Category II non-friable asbestos-containing material: ☒ PLM ☐ Point Count ☐ TEM ☐ Other Method (Explain Below):

4) Procedures to be followed should unexpected RACM be discovered (check all that apply) **Revised?** ☐

☒ Stop work and keep wet	☒ Evacuate area	☒ Demarcate area	☒ Contact licensed abatement contractor
☒ Contact district office/local air authority			
☐ Other (Explain):			

5) Planned Demolition (check all that apply) **Revised?** ☐

Describe demolition work to be performed and method(s) to be employed, including demolition techniques to be used:
☐ Implosion ☐ Fire Training ☐ Wet Methods ☐ Manual Demolition ☐ Mechanical Demolition ☐ Other (Explain):

Mail completed form and payment to:
Ohio EPA, DAPC – Asbestos
P.O. Box 1049, Columbus, OH 43216-1049

Notification of Demolition and Renovation/Abatement

Section 1: General Information

Continued

Description of affected facility components (include attachment if necessary): No components affected

(Revised 4/19) **Page 1 of** _____

6) Asbestos Description and Engineering Controls (if asbestos is being abated) **Revised?** ☐

For the material listed in each project, describe the type(s) of ACM to be abated, engineering controls and work practices to be used to minimize emissions and ensure proper waste handling:					
Type of ACM to be abated:	☐ Surfacing	☐ Mechanical	☐ Other		
Engineering Controls:	☐ Wet Methods	☐ Glove Bag	☐ NPE	☐ AFD	☐ Other:
Work Practices:	☐ Intact Removal	☐ Manual	☐ Mechanical	☐ Other:	

7) Asbestos Waste Transporter (if applicable) **Revised?** ☐

Transporter #1 Name:		
Address:	Contact Person:	
City:	State:	Zip: -
Email:	Phone: ( ) -	Fax: ( ) -
Transporter #2 Name (if applicable):		
Address:	Contact Person:	
City:	State:	Zip: -
Email:	Phone: ( ) -	Fax: ( ) -

8) Asbestos Waste Disposal Site (if applicable) **Revised?** ☐

Name:		
Address:	Contact Person:	
City:	State:	Zip: -
Email:	Phone: ( ) -	Fax: ( ) -

9) Emergency Demolition (complete if you checked "Emergency" above and "Demolition" for any project) **Revised?** ☐

A copy of the issued order, including the following information, **must be attached** to this notification.	
Government Official Issuing Order:	Title:
Agency:	Authority of Order (Citation of Code):
Date of Order: / /	Demolition Date: / /

10) Emergency Renovation/Abatement (complete if you checked "Emergency" above and "Renovation/Abatement" for any project) **Revised?** ☐

Date of Emergency: / /	Time of Emergency: : ☐ a.m. ☐ p.m.
Description of Sudden, Unexpected Event:	
Explanation of how the event caused unsafe conditions or equipment damage:	

11) Attestation **Revised?** ☐

In accordance with Ohio Administrative Code rule 3745-20-03(A)(4)(p), I certify that at least one person trained as required by paragraph (B) of rule 3745-20-04 of the Administrative Code will supervise the stripping and removal described by this notification. I acknowledge that the submission of false or misleading statements is prohibited by law and I certify that facts contained in this notification are true, accurate, and complete.	
Signature:	Date: / /
Name:	Title:
Organization:	

Mail completed form and payment to:
Ohio EPA, DAPC – Asbestos
P.O. Box 1049, Columbus, OH 43216-1049

Notification of Demolition and Renovation/Abatement

Section 1: General Information

Continued

Notification of Demolition and Renovation/Abatement

Section 2: Project Address Specific Information

Division of Air Pollution Control

Please complete Section 2 for the address included with this notification. If the project is an "Installation" per OAC 3745-20, complete a separate Section 2 page for each address associated with this notification.

Ohio EPA Use Only | Project ID #:

A. Facility Description **Revised?** ☐

Building Name (if applicable): FRA-33-24.56	Site Location (specific): Watkins Road over U.S. 33	
Address: 39.903031, -82.902236 / SFN 2501899		
City: Columbus	State: OH	Zip: 43207 -
Building Size (square feet): 11,706	No. of Floors: 1	Age: 57
Present Use: Public Roadway	Prior Use: Public Roadway	

B. Type of Operation (check all that apply) **Revised?** ☐

☒ Demolition ☐ Renovation/Abatement – Type: ☐ Removal ☐ Repair ☐ Encapsulation ☐ Enclosure

C. Asbestos Present (check one) **Revised?** ☐

☐ Yes ☒ No ☐ No, previously abated Year Abated:

D. Approximate Amount of Asbestos-Containing Materials (complete table below and Section 1 #6 if asbestos is present) **Revised?** ☐

	Material to be Removed			Material NOT to be Removed	
		Non-friable Asbestos-Containing Material		Non-friable Asbestos-Containing Material	
	RACM	Category I	Category II	Category I	Category II
Pipes (linear feet)					
Surface area on other facility components (ft^2)					
Volume if length or area cannot be measured (ft^3)					

E. Asbestos Abatement Schedule and Abatement Specialist (original notification is required 10 working days prior to the start of work) **Revised?** ☐

Setup Date: / /		Abatement Date: / /			Complete Date: / /		
(Shift 1) Time start/end on site	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday	Sunday
Abatement Specialist Name:		Certification #: AS			Expiration Date: / /		
(Shift 2) Time start/end on site	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday	Sunday
Abatement Specialist Name:		Certification #: AS			Expiration Date: / /		

F. Demolition Contractor (if applicable) **Revised?** ☐

Name:		
Address:	Contact Person:	
City:	State:	Zip: -
Email:	Phone: ( ) -	Fax: ( ) -

G. Demolition Schedule (original notification is required 10 working days prior to the start of work) **Revised?** ☐

Start Date: / /	Complete Date: / /

H. Project Hold **Revised?** ☐

Asbestos Abatement Offsite/On Hold as of Date: / /	Asbestos Abatement On Site/Off Hold, Work Resume Date: / /
Demolition Offsite/On Hold as of Date: / /	Demolition On Site/Off Hold, Work Resume Date: / /