

STATE OF OHIO
DEPARTMENT OF HIGHWAYS
TESTING LABORATORY

LOG OF BORING

CO., RT. NO., SEC. FRA-40-12.82 BRIDGE NO. FRA-40-1334
REAR ABUTMENT SOUTH INNERBELT UNDER FOURTH STREET
 LOCATION: T.H. 1 B STA. 51+36 OFFSET 37' RT FED. NO. _____

ELEV.	DEPTH	NO. BLOWS	SAMPLE NO.	DESCRIPTION
752.9	0			
	2			
	4			
747.9	6	17/42	21530	Brown Silty Sandy Gravel W/Stone Fragts.
	8			
742.9	10			
	12	25/35	21531	Gray Silty Sandy Gravel
740.4	14	20/36	21532	Gray Gravelly Sandy Silt
737.9	16	24/36	21533	Gray Gravelly Sandy Silt
735.4	18			
	20	24/49	21534	Gray Gravelly Sandy Silt
732.9	22	36/46	21535	Gray Sandy Gravel
730.4	24	9/14	21536	Gray Sandy Gravel
727.9	26	43/60	21537	Gray Sandy Gravel
725.4	28	39/56	21538	Gray Gravelly Sand
722.9	30			
	32	43/70	21539	Gray Gravelly Sand
	34			
717.9	36	50/65	21540	Gray Sandy Gravel