





Client: ODOT/District 6  
Project: FRA-70 Project 4B  
Subject: Wall 4W13 Design  
Sections up to 22.5 feet tall.

Job No.: 2015370  
Page No.: 1 Of 3  
Designed: RSN Date: 5/16/2018  
Checked: MOJ Date: 7/11/2022

#### Force and Moment Arm Calculations (Continued):

Area 9 = $0.5 \times \gamma_s \times W_{w1} \times H_{w1} =$	$0.5 \times 0.120 \text{ kcf} \times$	$1.94 \text{ ft.} \times$	$22.50 \text{ ft.} \times$	$1.00 \text{ ft.} =$	<b>2.62 kips</b>	
Arm 9 = $W_{toe} + W_w + W_{w1} \times 2/3 =$	$4.00 \text{ ft.} +$	$1.50 \text{ ft.} +$	$1.94 \text{ ft.} \times$	$\times 2.00 / 3.00 =$	<b>6.79 ft.</b>	
Area 10 = $0.5 \times \gamma_s \times (S_a \times W_{h1}) \times W_h =$	$0.5 \times 0.120 \text{ kcf} \times$	$(0.00 \times$	$10.00 \text{ ft.}) \times$	$10.00 \text{ ft.} \times$	$1.00 \text{ ft.} =$	<b>0.00 kips</b>
Arm 10 = $W_F - W_h / 3 =$	$15.50 \text{ ft.} -$	$10.00 \text{ ft.} /$	$3.00 =$		<b>12.17 ft.</b>	
Area 11 = $F_d =$	$0.00 \text{ kips}$				<b>0.00 kips</b>	
Surcharge on Heel = $\gamma_{soil} \text{ LLS} \times W_h \times H_s =$	$0.125 \text{ kcf} \times$	$10.00 \text{ ft.} \times$	$2.00 \text{ ft.} \times$	$1.00 \text{ ft.} =$	<b>2.50 kips</b>	
Arm for Heel Surcharge = $W_F - W_h / 2 =$	$15.50 \text{ ft.} -$	$10.00 \text{ ft.} /$	$2.00 =$		<b>10.50 ft.</b>	
Surcharge on Toe = $\gamma_{soil} \text{ LLS} \times W_{toe} \times H_{toe} =$	$0.125 \text{ kcf} \times$	$4.00 \text{ ft.} \times$	$4.70 \text{ ft.} \times$	$1.00 \text{ ft.} =$	<b>2.35 kips</b>	
Arm for Toe Surcharge = $W_{toe} / 2 =$	$4.00 \text{ ft.} /$	$2.00 =$			<b>2.00 ft.</b>	

#### Check Bearing Pressure:

per BDM 307.1.5 and LRFD 11.6.3.2.

Factored Bearing Resistance = **17.47 ksf**

Maximum Strength Load Pressures:

Bearing pressure at Toe = **5.67 ksf** **OK**

Bearing pressure at Heel = **5.67 ksf** **OK**

#### Check Eccentricity:

per BDM 307.1.4 and LRFD 11.6.3.3.

Maximum Allowable  $e = B/3 =$  **5.17 ft**

Controlling Eccentricity = **2.32 ft** **OK**

#### Check Sliding:

per BDM 307.1.3 and LRFD 11.6.3.6.

Resistance factor,  $\phi_T$  (Sliding) = **1.00** LRFD Table 11.5.7-1

Resistance factor,  $\phi_{wp}$  (Passive pressure) = **0.50** LRFD Table 10.5.5.2.2-1

Sliding Resistance:

Unfactored Horizontal Sliding Resistance = **41.42 kips**

Factored Horizontal Sliding Resistance = **41.42 kips**

Passive Resistance on Footing Toe:

Unfactored Passive Resistance = **0.00 kips**

Factored Passive Resistance = **0.00 kips**

Passive Resistance on Footing Key or Sheet Piling (Below bottom of Footing):

Vertical Projection Below Footing = **0.00 ft**

Pressure at Bottom of Footing ( $P_d$ ) = **2.16 ksf**

Pressure at Bottom of Disturbance ( $P_d$ ) = **0.96 ksf**

Pressure at Bottom of Key or Sheet Piling = **2.16 ksf**

Unfactored Passive Resistance = **0.00 kips**

Factored Passive Resistance = **0.00 kips**

Total Factored Resisting Force = **41.42 kips**

Driving Force = **22.88 kips** **OK**

#### Check Settlement:

Service Bearing Capacity = **5.88 ksf**

Service Bearing Pressure at Toe = **3.95 ksf** **OK**

Service Bearing Pressure at Heel = **3.95 ksf** **OK**

#### Summary of Load Effects:

STRENGTH I  
SERVICE I

MAX. BEARING PRESSURE	MIN. BEARING PRESSURE	ECCENTRICITY MAX. LF	ECCENTRICITY MIN. LF	SLIDING FORCES MAX. LF	VERTICAL FORCES MIN. LF
5.67	5.67	1.76	2.32	22.88	47.65
3.95	3.95	1.38	N/A	14.89	47.01

#### Load Modification Factors:

LRFD 1.3.3, LRFD 1.3.4, LRFD 1.3.5, & BDM 1001

Ductility  $\eta_D =$  **1.00** (use 1.00 for all limit states)

Redundancy  $\eta_R =$  **1.00** (use 1.00 for redundant structures and 1.05 for non-redundant structures)

Operational importance  $\eta_I =$  **1.00** (use 1.00 for all limit states)



Client: ODOT/District 6  
Project: FRA-70 Project 4B  
Subject: Wall 4W13 Design  
Sections up to 22.5 feet tall.

Job No.: 2015370  
Page No.: 1 Of 3  
Designed: RSN Date: 5/16/2018  
Checked: MOJ Date: 7/11/2022

### STRENGTH I Load Combination

#### Sliding Forces & Overturning Moments

1.50\*EH+1.75\*LS(H). Ignores resisting moments from passive force on toe/key/sheeting, which is conservative.

ΣM about point "A"

Area/Force	Unfactored Load	Load Factor	Force (k)	Moment Arm (ft)	Moment (k-ft)	Max. Load Factor
6 (Horizontal comp.)	12.72	1.50	19.09	8.67	165.42	
7	2.17	1.75	3.80	13.00	49.37	
Σ Sliding Forces, F <sub>s</sub> =			22.88 kips	Σ Overturning Moments =		
				214.79 k*ft.		

#### Vertical Forces & Resisting Moments

1.5\*DC+1.35\*EV+1.75\*LS<sub>v</sub> (Max.) 0.9\*DC+1.0\*EV (Min.)

ΣM about point "A"

Area/Force		Force (k)		Max. Load Factor		Force (k)		Min. Load Factor	Force (k)	Moment Arm (ft)	Moment (k-ft)	Max. Load Factor	Moment (k-ft)	Min. Load Factor	Moment (k-ft)	
1		5.85		1.25		7.31		0.90	5.27	4.75	34.73		25.01			
2		4.88		1.25		6.09		0.90	4.39	10.50	63.98		46.07			
3		2.10		1.25		2.63		0.90	1.89	2.00	5.25		3.78			
8		3.27		1.25		4.09		0.90	2.94	6.15	25.12		18.08			Dead Loads From Concrete
4		21.77		1.35		29.39		1.00	21.77	11.47	337.04		249.66			Dead Loads
5 (Max.)		1.20		1.35		1.62		1.00	1.20	2.00	3.24		2.40			From Soil (Do not include 5 (Min.) and 5 (Max.) simultaneously)
5 (Min.)		1.20		1.35		1.62		1.00	1.20	2.00	3.24		2.40			
6 (Vertical comp.)		4.63		1.50		6.95		1.50	6.95	15.50	107.68		107.68			
9		2.62		1.35		3.53		1.00	2.62	6.79	23.98		17.76			
10		0.00		1.35		0.00		1.00	0.00	12.17	0.00		0.00			
Surcharge on Heel		2.50		1.75		4.38		0.00	0.00	10.50	45.94		0.00			
Surcharge on Toe		2.35		1.75		4.11		0.00	0.00	2.00	8.23		0.00			External Loads
DC		0.70		1.25		0.88		0.90	0.63	4.71	4.14		2.98			
Σ Vert. Forces =			70.97 kips	Σ Vert. Forces =			47.65 kips	Σ Resist. Moments =			659.34 k*ft.	473.43 k*ft.				

Note: Calculations for each controlling load case are not necessarily shown below, but have been included in the design checks.

Max. Load Factor Calculations (Worst case bearing pressure shown.)		Min. Load Factor Calculations (Worst case eccentricity shown.)	
Overturning Moment = Σ Overturning Moments =	214.79 k-ft.	Overturning Moment = Σ Overturning Moments =	214.79 k-ft.
Resisting Moment = Σ Max. Resisting Moments =	659.34 k-ft.	Resisting Moment = Σ Min. Resisting Moments =	473.43 k-ft.
Net Moment = Resisting Moment - Overturning Moment =	444.55 k-ft.	Net Moment = Resisting Moment - Overturning Moment =	258.64 k-ft.
Total Vertical Force (TVF) = Σ Vert. Forces =	70.97 kips	Total Vertical Force (TVF) = Σ Vert. Forces =	47.65 kips
Dist. from Point A (Ā) = Net. Moment / TVF =	6.26 ft.	Dist. from Point A (Ā) = Net. Moment / TVF =	5.43 ft.
Eccentricity "e" = (0.5*W <sub>t</sub> ) - Ā =	1.49 ft.	Eccentricity "e" = (0.5*W <sub>t</sub> ) - Ā =	2.32 ft.
Maximum Bearing Pressure = TVF/(Wf-2*e) =	5.67 ksf		
Minimum Bearing Pressure = TVF/(Wf+2*e) =	5.67 ksf		

### SERVICE I Load Combination

#### Sliding Forces & Overturning Moments

1.0\*EH+1.0\*LS<sub>H</sub>. Ignores resisting moments from passive force on toe/key/sheeting, which is conservative.

ΣM about point "A"

Area/Force	Unfactored Load	Load Factor	Force (k)	Moment Arm (ft)	Moment (k-ft)	Max. Load Factor
6 (Horizontal comp.)	12.72	1.00	12.72	8.67	110.28	
7	2.17	1.00	2.17	13.00	28.21	
Σ Sliding Forces, F <sub>s</sub> =			14.89 kips	Σ Overturning Moments =		
				138.49 k*ft.		

#### Vertical Forces & Resisting Moments

1.0\*DC+1.0\*EV+1.0\*LS<sub>v</sub>

ΣM about point "A"

Area/Force	Unfactored Load	Load Factor	Force (k)	Moment Arm (ft)	Moment (k-ft)	
1	5.85	1.00	5.85	4.75	27.79	
2	4.88	1.00	4.88	10.50	51.19	Dead Loads From Concrete
3	2.10	1.00	2.10	2.00	4.20	
8	3.27	1.00	3.27	6.15	20.09	
4	21.77	1.00	21.77	11.47	249.66	Dead Loads
5 (Max.)	1.20	1.00	1.20	2.00	2.40	From Soil (Do not include 5 (Min.) and 5 (Max.) simultaneously)
5 (Min.)	1.20	1.00	1.20	2.00	2.40	
6 (Vertical comp.)	4.63	1.00	4.63	15.50	71.79	
9	2.62	1.00	2.62	6.79	17.76	
10	0.00	1.00	0.00	12.17	0.00	
Surcharge on Heel	2.50	1.00	2.50	10.50	26.25	
Surcharge on Toe	2.35	1.00	2.35	2.00	4.70	External Loads
DC	0.70	1.00	0.70	4.71	3.32	
Σ Vert. Forces =			51.86 kips	Σ Resisting Moments =		
				479.15 k*ft.		

Note: Calculations for each controlling load case are not necessarily shown below, but have been included in the design checks.

Calculations for worst case bearing pressure shown.	
Overturning Moment = Σ Overturning Moments =	138.49 k-ft.
Resisting Moment = Σ Max. Resisting Moments =	479.15 k-ft.
Net Moment = Resisting Moment - Overturning Moment =	340.65 k-ft.
Total Vertical Force (TVF) = Σ Vert. Forces =	51.86 kips
Dist. from Point A (Ā) = Net. Moment / TVF =	6.57 ft.
Eccentricity "e" = (0.5*W <sub>t</sub> ) - Ā =	1.18 ft.
Maximum Bearing Pressure = TVF/(Wf-2*e) =	3.95 ksf
Minimum Bearing Pressure = TVF/(Wf+2*e) =	3.95 ksf

- Where the wall is supported by a soil foundation:  
the vertical stress shall be calculated assuming a linearly distributed pressure over an effective base area as shown in Figure 11.6.3.2-1.
- Where the wall is supported by a rock foundation:  
the vertical stress shall be calculated assuming a linearly distributed pressure over an effective base area as shown in Figure 11.6.3.2-2. If the resultant is within the middle one-third of the base:  
$$\sigma_{max} = \frac{2 \Sigma V}{3[(B/2) - e]} \quad (11.6.3.2-4)$$
  
where the variables are as defined in Figure 11.6.3.2-2. If the resultant is outside the middle one-third of the base:  
$$\sigma_{min} = 0 \quad (11.6.3.2-5)$$
  
where the variables are as defined in Figure 11.6.3.2-2.
- The vertical stress shall be calculated as follows:  
$$\sigma_v = \frac{\Sigma V}{B - 2e} \quad (11.6.3.2-1)$$
  
$$\sigma_{max} = \frac{\Sigma V}{B} \left( 1 + 6 \frac{e}{B} \right) \quad (11.6.3.2-2)$$
  
$$\sigma_{min} = \frac{\Sigma V}{B} \left( 1 - 6 \frac{e}{B} \right) \quad (11.6.3.2-3)$$