

STATE OF OHIO DEPARTMENT OF TRANSPORTATION

JAC-JACKON LAKE STATE PARK JEFFERSON TOWNSHIP

JACKSON COUNTY

INDEX OF SHEETS:

TITLE SHEET	1
SCHEMATIC PLAN	2
TYPICAL SECTIONS	3
GENERAL NOTES	4
MAINTENANCE OF TRAFFIC	5
GENERAL SUMMARY	6
PAVEMENT CALCULATIONS	7- <i>8</i>
PAVEMENT MARKINGS	9
GUARDRAIL CALCULATIONS	10
PLAN DETAIL SHEETS	11-12

DESIGN EXCEPTIONS

NONE (ODNR PROJECT)

RM-6.1.



					SUPPLEMENTAL SPECIFICATIONS		SPECIAL PROVISIONS				
	BP-3.1	01/17/20	MT-97.10	4/19/19	TC-41.20	10/18/13 RM-6.	1 07/18/	14	800-2020 4/17/	20	
			MT-97.12		TC-41.50	10/18/13			832 10/19/	/18	
			MT-101.60		TC-42.20	10/18/13				_	
ENGINEERS SEAL:			MT-105.10	1/17/20	TC-52.10	10/18/13				-	
COREY LEE COTTRELL E-61885 NOTAL ENTITIES NED: Corry L. Cottrelle TE: 10/15/2020											

 \bigcirc

 \bigcirc

 \bigcirc

 \bigcirc

PROJECT DESCRIPTION

THE RESURFACING OF JACKSON LAKE STATE PARK, JACKSON CO. TREATMENT SHALL BE $1\frac{1}{2}$ 441 ASPHALT CONCRETE INTERMEDIATE COURSE, TYPE 1, (448). PARTIAL DEPTH PAVEMENT REPAIRS ARE TO BE MADE ON THE CAMPGROUND ROADS.

EARTH DISTURBED AREAS

PROJECT EARTH DISTURBED AREA: N/A ACRES MAINTENANCE PROJECT ESTIMATED CONTRACTOR EARTH DISTURBED AREA: N/A ACRES MAINTENANCE PROJECT NOTICE OF INTENT EARTH DISTURBED AREA: N/A A MAINTENANCE PRO

2019 SPECIFICATIONS

THE STANDARD SPECIFICATIONS OF THE STATE OF OHIO. DEPARTMENT OF TRANSPORTATION. INCLUDING SUPPLEMENTAL SPECIFICATIONS LISTED IN THE PLANS AND CHANGES LISTED IN THE PROPOSAL SHALL GOVERN THIS IMPROVEMENT.

4: N/A ACRES NANCE PROJECT	PID NO.	109375	
STATE OF INCLUDING ED IN THE DSAL SHALL	CONSTRUCTION PROJECT NO.		
	RAILROAD INVOLVEMENT	NONE	
DECLARE THAT NOT REQUIRE VAY AND THAT SAFETY OF PLANS AND	C-JACKSON LAKE	STATE PAR	
	AL (1	

∢

Ľ

ш

Δ

ш

ш 1

z o

ž

NS	

I HEREBY APPROVE THESE PLANS AND DECLARE T THE MAKING OF THIS IMPROVEMENT WILL NOT REQ THE CLOSING TO TRAFFIC OF THE HIGHWAY AND TH PROVISIONS FOR THE MAINTENANCE AND SAFETY C TRAFFIC WILL BE AS SET FORTH ON THE PLANS A ESTIMATES.

APPROVED _____ DATE 10-15-2020 __ DISTRICT DEPUTY DIRECTOR

APPROVED_ DATE_

DIRECTOR, DEPARTMENT OF TRANSPORTATION

UTILITIES

THERE ARE NO EXISITING OVERHEAD OR UNDERGROUND UTILITIES SHOWN ON THIS PLAN. DUE TO THE NATURE OF THE WORK REQUIRED BY THIS PROJECT, NO UTILITY CONFLICTS ARE ANTICIPATED. HOWEVER, IT IS THE RESPONSIBILITY OF THE CONTRACTOR TO CONTACT OHIO 811 (OUPS) FOR FIELD MARKINGS TO IDENTIFY POTENTIAL UTILITY CONFLICTS.

GENERAL

 \bigcirc

 \bigcirc

QUANTITIES IN THESE PLANS ARE APPROXIMATE FROM FIELD AND AERIAL CADD MEASUREMENTS BUT FINAL WORK AND QUANTITIES WILL BE AS DIRECTED BY THE ENGINEER AND/OR ODNR PERSONNEL.

WINDOW CONTRACT TABLE

DESCRIPTION OF CRITICAL WORK	CALENDAR DAYS TO COMPLETE
ALL WORK ON PROJECT	21 DAYS

NOTIFICATION

THE OHIO DEPARTMENT OF NATURAL RESOURCES (ODNR) SHALL BE CONTACTED FOURTEEN (14) DAYS PRIOR TO THE PRECONSTRUCTION MEETING. THE LOCAL ODNR CONTACTS ARF:

ERIC EVANOO OHIO DEPARTMENT OF NATURAL RESOURCES DIVISION OF ENGINEERING 2045 MORSE RD., BLDG E-3 COLUMBUS, OH 43229 614-265-6957 eric.evanoo@dnr.state.oh.us

STEPHEN RIST OHIO DEPARTMENT OF NATURAL RESOURCES DIVISION OF FORESTRY 360 E. STATE ST. ATHENS, OH 45701 740-272-8519 stephen.rist@dnr.state.oh.us

SPECIAL NOTE:

THERE WILL BE AN INTERIM COMPLETION DATE OF MAY 15TH, 2021.

PROFILE AND ALIGNMENT

PLACE THE PROPOSED PAVEMENT TO FOLLOW THE ALIGNMENT AND PROFILE OF THE EXISTING PAVEMENT. PLACE THE PROPOSED ASPHALT CONCRETE, TYPE 1, (448), PG64-22 OVERLAY AS SHOWN ON THE TYPICAL SECTIONS.

SPECIAL NOTE:

RAILROAD SIGNS ON S.R. 93 S.L.M. 6.69 NORTH OF OAK HILL NEED TO BE REMOVED. THE RAILROAD IS NO LONGER THERE OR OPERATIONAL.

ITEM 448 - ASPHALT CONCRETE INTERMEDIATE COURSE, TYPE 1, PG64-22, AS PER PLAN (SPOT LEVELING)

THIS MATERIAL IS TO BE PLACED AS A SEPARATE LEVELING OPERATION AS DIRECTED BY THE ENGINEER TO CORRECT IRREGULARITIES IN THE EXISTING PAVEMENT CROSS SECTION AND PROFILE PRIOR TO PLACEMENT OF THE SURFACE COURSE. FOR ESTIMATING PURPOSES ONLY, THE PLAN USES A 0.5" DEPTH FOR THIS COURSE.

ESTIMATED QUANTITIES HAVE BEEN PROVIDED FOR THE FOLLOWING WORK:

ITEM 407, TACK COAT FOR INTERMEDIATE COURSE 501 GAL.


ITEM 448, ASPHALT CONCRETE INTERMEDIATE COURSE, TYPE 1, PG64-22, AS PER PLAN

245 CU. YD.

ITEM SPECIAL - CONCRETE PARKING BLOCK ITEM SPECIAL - PARKING BLOCK REMOVED ITEM SPECIAL - PARKING BLOCK REMOVED AND RESET

PARKING BLOCKS SHALL BE AS PER ODOT STANDARD DRAWING RM-6.1. PAYMENT FOR THE ABOVE ITEMS SHALL BE MADE AT THE UNIT PRICE PER EACH, AND SHALL INCLUDE ALL LABOR, TOOLS, EQUIPMENT, MATERIALS AND INCIDENTALS NECESSARY TO PERFORM THE WORK.

ITEM 251 - PARTIAL DEPTH PAVEMENT REPAIR, AS PER PLAN



TYPE 2, IN ONE LIFT. _____/ THE FOLLOWING ESTIMATED QUANTITIES HAVE BEEN INCLUDED AND CARRIED TO THE GENERAL SUMMARY FOR USE AS DIRECTED BY THE ENGINEER:

ITEM 251 PARTIAL DEPTH PAVEMENT REPAIR (441), AS PER PLAN

01/STR/PV TOTALS: 2500 SY

 \bigcirc

 \bigcirc

CALCULATED ZDH CHECKED CLC
S
GENERAL NOTES
DAC-JACKSON LAKE STATE PARK

				SH	IEET NU	JM.						PART.			ITEM	GRAND		
		4	5			7	8	9	10		01/NFA/PV			ITEM	ЕХТ	TOTAL	UNIT	
						2					2			631	94490	2	EACH	REMOVAL, MISC.:S.R. 93 N RAILROAD SIGN
	-								21 150		21 150			203 606	40000 13050	21 150	CY FT	BORROW GUARDRAIL, TYPE 5A
									2		2			606	25000	2	EACH	ANCHOR ASSEMBLY, TYPE A
~									4		4			614	13314	4		BARRIER REFLECTOR, TYPE 3, BIDIRECTIONA
\bigcirc																		
		2,500									2,500			251	01001	2,500	SY	PARTIAL DEPTH PAVEMENT REPAIR (441), AS
		501				501	523				1,525			407	20000	1,525	GAL	NON-TRACKING TACK COAT
		245				245	256				501			441	50000 50201	501 245	CY	ASPHALT CONCRETE SURFACE COURSE, TYPE
		245				225					245 225			441 452	12010	245	CY SY	ASPHALT CONCRETE INTERMEDIATE COURSE, 8″ NON-REINFORCED CONCRETE PAVEMENT, C
						84					84			SPECIAL	20253010	84	EACH	PARKING BLOCK REMOVED AND RESET
\bigcirc						10 45					10 45			SPECIAL 630	20253000 89812	10 45	EACH EACH	PARKING BLOCK REMOVED AND REPLACED REMOVAL OF WOOD POLE AND DISPOSAL
0						10					10				00012	10	Entern	
								0.1						0.40	50010	0.1	5400	
								24 5			24 5			642 642	50010 01300	24 5	EACH EACH	PAVEMENT MARKING, MISC.: CAMP SITE NUMB LANE ARROW, TYPE 1
								2,054			2,054			642	01200	2,054	FT	PARKING LOT STALL MARKING, TYPE 1
	(enb							1			1			642	01702	1	EACH	HANDICAP SYMBOL MARKING, TYPE 1
																		M/
I			4								4			614	12460	4	EACH	WORK ZONE MARKING SIGN
	≥⊲																	
											LS			614	11000	LS		MAINTAINING TRAFFIC
	:53:04										LS			624	10000	LS		MOBILIZATION
	° •																	
	502																	
	12/																	
1																		
	+ 0																	
i	She																	
	սճը																	
	00																	
	99																	
	9375																	
	0																	
	6+00																	
\bigcirc	she																	
	ζ <u></u>																	
	A D D D D D D D D D D D D D D D D D D D																	
1																		
	sigr																	
	AKE																	
0	1-N0																	
Ŭ	Č Č																	
	937!											l						
	2																	
	0+0											<u> </u>						
!	C+D																	
	oje																	
1																		
													•	•				•

DESCRIPTION	SEE Sheet No.	CALCULATED ZDH CHECKED CLC
ROADWAY		
	4	
NAL		
S PER PLAN	4	
PE 1, (448), PG64-22, 1.5"		
E, TYPE 1, (448), AS PER PLAN, (SPOT LEVELING)	4	
, CLASS QC 1P		
		۲×
		SUMMARY
TRAFFIC CONTROL MBERS, 1' STENCILS		Š
MBERS, I STENULS		5
		D
		S
MAINTENANCE OF TRAFFIC		GENERAL
		Å
INCIDENTALS		Ш
		Z
		ш
		G
		111
		L A K E K
		A
		ON L PARK
		s c
		JAC-JACKSON State par
		U F
		<u>م</u> ۲
		ا ^ن ن
		Ā
		ר
		$\overline{6}$
		$\left(\begin{array}{c} 0\\ 12\end{array}\right)$