

TYPICAL SECTION LEGEND ID
 THICKNESS, T (IN.) / APPLICATION RATE, R (GAL./SY)
 ITEM NO.

| ROUTE | STATION | | SIDE | TYPICAL SECTION | LENGTH, L (FT) | WIDTH 1 (FT) | WIDTH 2 (FT) | AVERAGE WIDTH, W (FT) | SURFACE AREA, A (SF) (L*W) | CADD MEASURED AREA, A (SF) | 5 | 5 | 3 | 13 | 13 | 13 | 13 | 4 | 14 | 7 | 3 | |
|---------------|----------|----------|------|------------------------------|----------------|--------------|--------------|-----------------------|----------------------------|----------------------------|---------------------|---------------|---------------------------------------|---------------------------------------|---------------------------------------|---------------------------------------|---------------------------------------|----------------|-----------|------------------------------|---|-----------|
| | | | | | | | | | | | 202E23000 | 204E10000 | 204E45000 | 301E56000 | 301E56000 | 301E56000 | 301E56000 | 301E56000 | 304E20000 | 407E10000 | 411E10000 | 441E70101 |
| | | | | | | | | | | | 202 | 204 | 204 | 301 | 301 | 301 | 301 | 301 | 304 | 407 | 411 | 441 |
| | FROM | TO | | | | | | | | PAVEMENT REMOVED | SUBGRADE COMPACTION | PROOF ROLLING | ASPHALT CONCRETE BASE, PG64-22, (#49) | ASPHALT CONCRETE BASE, PG64-22, (#49) | ASPHALT CONCRETE BASE, PG64-22, (#49) | ASPHALT CONCRETE BASE, PG64-22, (#49) | ASPHALT CONCRETE BASE, PG64-22, (#49) | AGGREGATE BASE | TACK COAT | STABILIZED CRUSHED AGGREGATE | ASPHALT CONCRETE SURFACE COURSE, TYPE 1, (#49), AS PER PLAN | |
| | | | | | | | | | | | SY | SY | HOURL | CY | BEGIN | END | AVG. IN. | CY | CY | GAL | CY | CY |
| KING MEMORIAL | 26+40.00 | 27+84.92 | LT | ASPHALT PAVEMENT REMOVED | 144.92 | 10.67 | 10.69 | 10.68 | 1547.75 | | 171.97 | | | | | | | | | | | |
| KING MEMORIAL | 26+40.00 | 27+84.92 | RT | ASPHALT PAVEMENT REMOVED | 144.92 | 10.56 | 10.83 | 10.70 | 1549.92 | | 172.21 | | | | | | | | | | | |
| KING MEMORIAL | 32+20.03 | 33+67.00 | LT | ASPHALT PAVEMENT REMOVED | 146.97 | 11.96 | 12.68 | 12.32 | 1810.67 | | 201.19 | | | | | | | | | | | |
| KING MEMORIAL | 32+20.03 | 33+67.00 | RT | ASPHALT PAVEMENT REMOVED | 146.97 | 11.93 | 10.13 | 11.03 | 1621.08 | | 180.12 | | | | | | | | | | | |
| KING MEMORIAL | 26+40.00 | 26+63.86 | LT | FULL DEPTH - NO CURB | 23.86 | 10.67 | 10.00 | 10.34 | 246.59 | | | 27.40 | 0.01 | 3.81 | | | | 4.57 | 3.29 | | | 2.28 |
| KING MEMORIAL | 26+40.00 | 26+63.86 | LT | ASPH BASE STEP | 23.86 | 0.33 | 0.33 | 0.33 | 7.87 | | | 0.87 | 0.00 | 0.12 | | | | 0.15 | 0.05 | | | |
| KING MEMORIAL | 26+40.00 | 26+63.86 | LT | AGG BASE STEP | 23.86 | 0.50 | 0.50 | 0.50 | 11.93 | | | 1.33 | 0.00 | | | | | 0.22 | | | | |
| KING MEMORIAL | 26+40.00 | 26+63.86 | LT | SUBGRADE COMPACTION | 23.86 | 0.67 | 0.67 | 0.67 | 15.99 | | | 1.78 | 0.00 | | | | | | | | | |
| KING MEMORIAL | 26+63.86 | 27+28.91 | LT | FULL DEPTH - NO CURB | 65.05 | 10.00 | 10.00 | 10.00 | 650.50 | | | 72.28 | 0.04 | 10.04 | | | | 12.05 | 8.67 | | | 6.02 |
| KING MEMORIAL | 26+63.86 | 27+28.91 | LT | ASPH BASE STEP | 65.05 | 0.33 | 0.33 | 0.33 | 21.47 | | | 2.39 | 0.00 | 0.33 | | | | 0.40 | 0.14 | | | |
| KING MEMORIAL | 26+63.86 | 27+28.91 | LT | AGG BASE STEP | 65.05 | 0.50 | 0.50 | 0.50 | 32.52 | | | 3.61 | 0.00 | | | | | 0.60 | | | | |
| KING MEMORIAL | 26+63.86 | 27+28.91 | LT | SUBGRADE COMPACTION | 65.05 | 0.67 | 0.67 | 0.67 | 43.58 | | | 4.84 | 0.00 | | | | | | | | | |
| KING MEMORIAL | 27+28.91 | 27+46.17 | LT | FULL DEPTH - NO CURB | 17.26 | 10.00 | 10.00 | 10.00 | 172.60 | | | 19.18 | 0.01 | | 5.00 | 11.20 | 8.10 | 4.32 | 3.20 | 4.60 | | 1.60 |
| KING MEMORIAL | 27+28.91 | 27+46.17 | LT | ASPH BASE STEP 1 | 17.26 | 0.33 | 0.33 | 0.33 | 5.70 | | | 0.63 | 0.00 | | 5.00 | 11.20 | 8.10 | 0.14 | 0.11 | 0.11 | | |
| KING MEMORIAL | 27+28.91 | 27+46.17 | LT | ASPH BASE STEP 2 | 17.26 | 0.50 | 0.50 | 0.50 | 8.63 | | | 0.96 | 0.00 | | 0.00 | 5.60 | 2.80 | 0.07 | 0.16 | 0.06 | | |
| KING MEMORIAL | 27+28.91 | 27+46.17 | LT | AGG BASE STEP | 17.26 | 0.50 | 0.50 | 0.50 | 8.63 | | | 0.96 | 0.00 | | | | | 0.16 | | | | |
| KING MEMORIAL | 27+28.91 | 27+46.17 | LT | SUBGRADE COMPACTION | 17.26 | 0.17 | 0.17 | 0.17 | 2.93 | | | 0.33 | 0.00 | | | | | | | | | |
| KING MEMORIAL | 27+46.17 | 27+48.39 | LT | FULL DEPTH - CURBED SHOULDER | 2.22 | 13.50 | 13.50 | 13.50 | 29.97 | | | 3.33 | 0.00 | | 11.20 | 12.00 | 11.60 | 1.07 | 0.55 | 0.80 | | 0.28 |
| KING MEMORIAL | 27+46.17 | 27+48.39 | LT | ASPH BASE STEP (CURB) | 2.22 | 0.83 | 0.83 | 0.83 | 1.84 | | | 0.20 | 0.00 | | 2.20 | 3.00 | 2.60 | 0.01 | 0.03 | 0.01 | | |
| KING MEMORIAL | 27+46.17 | 27+48.39 | LT | AGG BASE STEP (CURB) | 2.22 | 0.50 | 0.50 | 0.50 | 1.11 | | | 0.12 | 0.00 | | | | | 0.02 | | | | |
| KING MEMORIAL | 27+46.17 | 27+48.39 | LT | SUBGRADE COMPACTION | 2.22 | 0.17 | 0.17 | 0.17 | 0.38 | | | 0.04 | 0.00 | | | | | | | | | |
| KING MEMORIAL | 27+48.39 | 27+59.13 | LT | FULL DEPTH - CURBED SHOULDER | 10.74 | 13.50 | 13.50 | 13.50 | 144.99 | | | 16.11 | 0.01 | | 12.00 | 12.00 | 12.00 | 5.37 | 2.69 | 3.87 | | 1.34 |
| KING MEMORIAL | 27+48.39 | 27+59.13 | LT | ASPH BASE STEP (CURB) | 10.74 | 0.83 | 0.83 | 0.83 | 8.91 | | | 0.99 | 0.00 | | 3.00 | 3.00 | 3.00 | 0.08 | 0.17 | 0.06 | | |
| KING MEMORIAL | 27+48.39 | 27+59.13 | LT | AGG BASE STEP (CURB) | 10.74 | 0.50 | 0.50 | 0.50 | 5.37 | | | 0.60 | 0.00 | | | | | 0.10 | | | | |
| KING MEMORIAL | 27+48.39 | 27+59.13 | LT | SUBGRADE COMPACTION | 10.74 | 0.17 | 0.17 | 0.17 | 1.83 | | | 0.20 | 0.00 | | | | | | | | | |
| KING MEMORIAL | 27+59.13 | 27+84.13 | LT | APPROACH SLAB | 25.00 | 13.50 | 13.50 | 13.50 | 337.50 | | | 37.50 | 0.02 | | | | | 6.25 | | | | |
| KING MEMORIAL | 27+59.13 | 27+84.13 | LT | PARAPET | 25.00 | 1.67 | 1.67 | 1.67 | 41.75 | | | 4.64 | 0.00 | | | | | 0.77 | | | | |
| KING MEMORIAL | 27+59.13 | 27+84.13 | LT | AGG BASE STEP | 25.00 | 1.00 | 1.00 | 1.00 | 25.00 | | | 2.78 | 0.00 | | | | | 0.46 | | | | |
| KING MEMORIAL | 27+59.13 | 27+84.13 | LT | SUBGRADE COMPACTION | 25.00 | 0.50 | 0.50 | 0.50 | 12.50 | | | 1.39 | 0.00 | | | | | | | | | |
| KING MEMORIAL | 26+40.00 | 26+65.88 | RT | FULL DEPTH - NO CURB | 25.88 | 10.56 | 10.00 | 10.28 | 266.05 | | | 29.56 | 0.01 | 4.11 | | | | 4.93 | 3.55 | | | 2.46 |
| KING MEMORIAL | 26+40.00 | 26+65.88 | RT | ASPH BASE STEP | 25.88 | 0.33 | 0.33 | 0.33 | 8.54 | | | 0.95 | 0.00 | 0.13 | | | | 0.16 | 0.06 | | | |
| KING MEMORIAL | 26+40.00 | 26+65.88 | RT | AGG BASE STEP | 25.88 | 0.50 | 0.50 | 0.50 | 12.94 | | | 1.44 | 0.00 | | | | | 0.24 | | | | |
| KING MEMORIAL | 26+40.00 | 26+65.88 | RT | SUBGRADE COMPACTION | 25.88 | 0.67 | 0.67 | 0.67 | 17.34 | | | 1.93 | 0.00 | | | | | | | | | |
| KING MEMORIAL | 26+65.88 | 27+28.91 | RT | FULL DEPTH - NO CURB | 63.03 | 10.00 | 10.00 | 10.00 | 630.30 | | | 70.03 | 0.04 | 9.73 | | | | 11.67 | 8.40 | | | 5.84 |
| KING MEMORIAL | 26+65.88 | 27+28.91 | RT | ASPH BASE STEP | 63.03 | 0.33 | 0.33 | 0.33 | 20.80 | | | 2.31 | 0.00 | 0.32 | | | | 0.39 | 0.14 | | | |
| KING MEMORIAL | 26+65.88 | 27+28.91 | RT | AGG BASE STEP | 63.03 | 0.50 | 0.50 | 0.50 | 31.51 | | | 3.50 | 0.00 | | | | | 0.58 | | | | |
| KING MEMORIAL | 26+65.88 | 27+28.91 | RT | SUBGRADE COMPACTION | 63.03 | 0.67 | 0.67 | 0.67 | 42.23 | | | 4.69 | 0.00 | | | | | | | | | |
| KING MEMORIAL | 27+28.91 | 27+35.83 | RT | FULL DEPTH - NO CURB | 6.92 | 10.00 | 10.00 | 10.00 | 69.20 | | | 7.69 | 0.00 | | 5.00 | 7.49 | 6.24 | 1.33 | 1.28 | 1.85 | | 0.64 |
| KING MEMORIAL | 27+28.91 | 27+35.83 | RT | ASPH BASE STEP 1 | 6.92 | 0.33 | 0.33 | 0.33 | 2.28 | | | 0.25 | 0.00 | | 5.00 | 7.49 | 6.24 | 0.04 | 0.04 | 0.05 | | |
| KING MEMORIAL | 27+28.91 | 27+35.83 | RT | ASPH BASE STEP 2 | 6.92 | 0.50 | 0.50 | 0.50 | 3.46 | | | 0.38 | 0.00 | | 0.00 | 3.74 | 1.87 | 0.02 | 0.06 | 0.02 | | |
| KING MEMORIAL | 27+28.91 | 27+35.83 | RT | AGG BASE STEP | 6.92 | 0.50 | 0.50 | 0.50 | 3.46 | | | 0.38 | 0.00 | | | | | 0.06 | | | | |
| KING MEMORIAL | 27+28.91 | 27+35.83 | RT | SUBGRADE COMPACTION | 6.92 | 0.17 | 0.17 | 0.17 | 1.18 | | | 0.13 | 0.00 | | | | | | | | | |
| KING MEMORIAL | 27+35.83 | 27+40.05 | RT | FULL DEPTH - CURBED SHOULDER | 4.22 | 13.50 | 13.50 | 13.50 | 56.97 | | | 6.33 | 0.00 | | 7.49 | 9.00 | 8.24 | 1.45 | 1.06 | 1.52 | | 0.53 |
| KING MEMORIAL | 27+35.83 | 27+40.05 | RT | AGG BASE STEP (CURB) | 4.22 | 1.00 | 1.00 | 1.00 | 4.22 | | | 0.47 | 0.00 | | | | | 0.08 | | | | |
| KING MEMORIAL | 27+35.83 | 27+40.05 | RT | SUBGRADE COMPACTION | 4.22 | 0.50 | 0.50 | 0.50 | 2.11 | | | 0.23 | 0.00 | | | | | | | | | |
| KING MEMORIAL | 27+40.05 | 27+48.39 | RT | FULL DEPTH - CURBED SHOULDER | 8.34 | 13.50 | 13.50 | 13.50 | 112.59 | | | 12.51 | 0.01 | | 9.00 | 12.00 | 10.50 | 3.65 | 2.08 | 3.00 | | 1.04 |
| KING MEMORIAL | 27+40.05 | 27+48.39 | RT | ASPH BASE STEP (CURB) | 8.34 | 0.83 | 0.83 | 0.83 | 6.92 | | | 0.77 | 0.00 | | 0.00 | 3.00 | 1.50 | 0.03 | 0.13 | 0.05 | | |
| KING MEMORIAL | 27+40.05 | 27+48.39 | RT | AGG BASE STEP (CURB) | 8.34 | 0.50 | 0.50 | 0.50 | 4.17 | | | 0.46 | 0.00 | | | | | 0.08 | | | | |
| KING MEMORIAL | 27+40.05 | 27+48.39 | RT | SUBGRADE COMPACTION | 8.34 | 0.17 | 0.17 | 0.17 | 1.42 | | | 0.16 | 0.00 | | | | | | | | | |

TYPICAL SECTION LEGEND ID
 THICKNESS, T (IN.) / APPLICATION RATE, R (GAL/SY)
 ITEM NO.

| ROUTE | STATION | | SIDE | TYPICAL SECTION | LENGTH, L (FT) | WIDTH 1 (FT) | WIDTH 2 (FT) | AVERAGE WIDTH, W (FT) | SURFACE AREA, A (SF) (L*W) | CADD MEASURED AREA, A (SF) | TYPICAL SECTION LEGEND ID | | | | | | | | | | | |
|---------------|----------|----------|-------|------------------------------|----------------|--------------|--------------|-----------------------|-------------------------------|----------------------------|---|---------------------|---------------|--|--|--|--|--|----------------|-----------|---------------------------------|---|
| | | | | | | | | | | | THICKNESS, T (IN.) / APPLICATION RATE, R (GAL/SY) | | | | | | | | | | | |
| | | | | | | | | | | | 202E23000 | 204E10000 | 204E45000 | 301E56000 | 301E56000 | 301E56000 | 301E56000 | 301E56000 | 301E56000 | 301E56000 | 301E56000 | 301E56000 |
| 202 | 204 | 204 | 301 | 301 | 301 | 301 | 301 | 301 | 301 | 301 | 301 | 301 | 301 | 301 | 301 | 301 | 301 | 301 | 301 | 301 | 301 | |
| | FROM | TO | | | | | | | | | PAVEMENT REMOVED | SUBGRADE COMPACTION | PROOF ROLLING | ASPHALT CONCRETE BASE, PG64-22, (449) | ASPHALT CONCRETE BASE, PG64-22, (449) | ASPHALT CONCRETE BASE, PG64-22, (449) | ASPHALT CONCRETE BASE, PG64-22, (449) | ASPHALT CONCRETE BASE, PG64-22, (449) | AGGREGATE BASE | TACK COAT | STABILIZED CRUSHED AGGREGATE | ASPHALT CONCRETE SURFACE COURSE, TYPE 1, (449), AS-PER PLAN |
| | | | | | | | | | | | SY | SY | HOURL | CY | BEGIN | END | AVG. IN. | CY | CY | GAL | CY | CY |
| KING MEMORIAL | 27+48.39 | 27+59.13 | RT | FULL DEPTH - CURBED SHOULDER | 10.74 | 13.50 | 13.50 | 13.50 | 144.99 | | | 16.11 | 0.01 | | 12.00 | 12.00 | 12.00 | 5.37 | 2.69 | 3.87 | | 1.34 |
| KING MEMORIAL | 27+48.39 | 27+59.13 | RT | ASPH BASE STEP (CURB) | 10.74 | 0.83 | 0.83 | 0.83 | 8.91 | | | 0.99 | 0.00 | | 3.00 | 3.00 | 3.00 | 0.08 | 0.17 | 0.06 | | |
| KING MEMORIAL | 27+48.39 | 27+59.13 | RT | AGG BASE STEP (CURB) | 10.74 | 0.50 | 0.50 | 0.50 | 5.37 | | | 0.60 | 0.00 | | | | | | 0.10 | | | |
| KING MEMORIAL | 27+48.39 | 27+59.13 | RT | SUBGRADE COMPACTION | 10.74 | 0.17 | 0.17 | 0.17 | 1.83 | | | 0.20 | 0.00 | | | | | | | | | |
| KING MEMORIAL | 27+59.13 | 27+84.13 | RT | APPROACH SLAB | 25.00 | 13.50 | 13.50 | 13.50 | 337.50 | | | 37.50 | 0.02 | | | | | | 6.25 | | | |
| KING MEMORIAL | 27+59.13 | 27+84.13 | RT | PARAPET | 25.00 | 1.67 | 1.67 | 1.67 | 41.75 | | | 4.64 | 0.00 | | | | | | 0.77 | | | |
| KING MEMORIAL | 27+59.13 | 27+84.13 | RT | AGG BASE STEP | 25.00 | 1.00 | 1.00 | 1.00 | 25.00 | | | 2.78 | 0.00 | | | | | | 0.46 | | | |
| KING MEMORIAL | 27+59.13 | 27+84.13 | RT | SUBGRADE COMPACTION | 25.00 | 0.50 | 0.50 | 0.50 | 12.50 | | | 1.39 | 0.00 | | | | | | | | | |
| KING MEMORIAL | 27+84.13 | 32+20.85 | LT/RT | BRIDGE | | | | | | | | | | | | | | | | | | |
| KING MEMORIAL | 32+20.85 | 32+45.85 | LT | APPROACH SLAB | 25.00 | 13.50 | 13.50 | 13.50 | 337.50 | | | 37.50 | 0.02 | | | | | | 6.25 | | | |
| KING MEMORIAL | 32+20.85 | 32+45.85 | LT | PARAPET | 25.00 | 1.67 | 1.67 | 1.67 | 41.75 | | | 4.64 | 0.00 | | | | | | 0.77 | | | |
| KING MEMORIAL | 32+20.85 | 32+45.85 | LT | AGG BASE STEP | 25.00 | 1.00 | 1.00 | 1.00 | 25.00 | | | 2.78 | 0.00 | | | | | | 0.46 | | | |
| KING MEMORIAL | 32+20.85 | 32+45.85 | LT | SUBGRADE COMPACTION | 25.00 | 0.50 | 0.50 | 0.50 | 12.50 | | | 1.39 | 0.00 | | | | | | | | | |
| KING MEMORIAL | 32+45.85 | 32+59.03 | LT | FULL DEPTH - CURBED SHOULDER | 13.18 | 13.50 | 13.50 | 13.50 | 177.93 | | | 19.77 | 0.01 | | 12.00 | 12.00 | 12.00 | 6.59 | 3.30 | 4.74 | | 1.65 |
| KING MEMORIAL | 32+45.85 | 32+59.03 | LT | ASPH BASE STEP (CURB) | 13.18 | 0.83 | 0.83 | 0.83 | 10.94 | | | 1.22 | 0.00 | | 3.00 | 3.00 | 3.00 | 0.10 | 0.20 | 0.07 | | |
| KING MEMORIAL | 32+45.85 | 32+59.03 | LT | AGG BASE STEP (CURB) | 13.18 | 0.50 | 0.50 | 0.50 | 6.59 | | | 0.73 | 0.00 | | | | | | 0.12 | | | |
| KING MEMORIAL | 32+45.85 | 32+59.03 | LT | SUBGRADE COMPACTION | 13.18 | 0.17 | 0.17 | 0.17 | 2.24 | | | 0.25 | 0.00 | | | | | | | | | |
| KING MEMORIAL | 32+59.03 | 32+67.25 | LT | FULL DEPTH - CURBED SHOULDER | 8.22 | 13.50 | 13.50 | 13.50 | 110.97 | | | 12.33 | 0.01 | | 12.00 | 9.00 | 10.50 | 3.60 | 2.05 | 2.96 | | 1.03 |
| KING MEMORIAL | 32+59.03 | 32+67.25 | LT | ASPH BASE STEP (CURB) | 8.22 | 0.83 | 0.83 | 0.83 | 6.82 | | | 0.76 | 0.00 | | 3.00 | 0.00 | 1.50 | 0.03 | 0.13 | 0.05 | | |
| KING MEMORIAL | 32+59.03 | 32+67.25 | LT | AGG BASE STEP (CURB) | 8.22 | 0.50 | 0.50 | 0.50 | 4.11 | | | 0.46 | 0.00 | | | | | | 0.08 | | | |
| KING MEMORIAL | 32+59.03 | 32+67.25 | LT | SUBGRADE COMPACTION | 8.22 | 0.17 | 0.17 | 0.17 | 1.40 | | | 0.16 | 0.00 | | | | | | | | | |
| KING MEMORIAL | 32+67.25 | 32+78.21 | LT | FULL DEPTH - CURBED SHOULDER | 10.96 | 13.50 | 13.50 | 13.50 | 147.96 | | | 16.44 | 0.01 | | 9.00 | 5.00 | 7.00 | 3.20 | 2.74 | 3.95 | | 1.37 |
| KING MEMORIAL | 32+67.25 | 32+78.21 | LT | AGG BASE STEP (CURB) | 10.96 | 1.00 | 1.00 | 1.00 | 10.96 | | | 1.22 | 0.00 | | | | | | 0.20 | | | |
| KING MEMORIAL | 32+67.25 | 32+78.21 | LT | SUBGRADE COMPACTION | 10.96 | 0.50 | 0.50 | 0.50 | 5.48 | | | 0.61 | 0.00 | | | | | | | | | |
| KING MEMORIAL | 32+78.21 | 32+86.47 | LT | FULL DEPTH - CURBED SHOULDER | 8.26 | 13.50 | 13.50 | 13.50 | 111.51 | | | 12.39 | 0.01 | 1.72 | | | | | 2.06 | 2.97 | | 1.03 |
| KING MEMORIAL | 32+78.21 | 32+86.47 | LT | AGG BASE STEP (CURB) | 8.26 | 1.00 | 1.00 | 1.00 | 8.26 | | | 0.92 | 0.00 | | | | | | 0.15 | | | |
| KING MEMORIAL | 32+78.21 | 32+86.47 | LT | SUBGRADE COMPACTION | 8.26 | 0.50 | 0.50 | 0.50 | 4.13 | | | 0.46 | 0.00 | | | | | | | | | |
| KING MEMORIAL | 32+86.47 | 33+67.00 | LT | FULL DEPTH - NO CURB | 80.53 | 10.00 | 12.68 | 11.34 | 913.21 | | | 101.47 | 0.05 | 14.09 | | | | | 16.91 | 12.18 | | 8.46 |
| KING MEMORIAL | 32+86.47 | 33+67.00 | LT | ASPH BASE STEP | 80.53 | 0.33 | 0.33 | 0.33 | 26.57 | | | 2.95 | 0.00 | 0.41 | | | | | 0.49 | 0.18 | | |
| KING MEMORIAL | 32+86.47 | 33+67.00 | LT | AGG BASE STEP | 80.53 | 0.50 | 0.50 | 0.50 | 40.27 | | | 4.47 | 0.00 | | | | | | 0.75 | | | |
| KING MEMORIAL | 32+86.47 | 33+67.00 | LT | SUBGRADE COMPACTION | 80.53 | 0.67 | 0.67 | 0.67 | 53.96 | | | 6.00 | 0.00 | | | | | | | | | |
| KING MEMORIAL | 32+20.85 | 32+45.85 | RT | APPROACH SLAB | 25.00 | 13.50 | 13.50 | 13.50 | 337.50 | | | 37.50 | 0.02 | | | | | | 6.25 | | | |
| KING MEMORIAL | 32+20.85 | 32+45.85 | RT | PARAPET | 25.00 | 1.67 | 1.67 | 1.67 | 41.75 | | | 4.64 | 0.00 | | | | | | 0.77 | | | |
| KING MEMORIAL | 32+20.85 | 32+45.85 | RT | AGG BASE STEP | 25.00 | 1.00 | 1.00 | 1.00 | 25.00 | | | 2.78 | 0.00 | | | | | | 0.46 | | | |
| KING MEMORIAL | 32+20.85 | 32+45.85 | RT | SUBGRADE COMPACTION | 25.00 | 0.50 | 0.50 | 0.50 | 12.50 | | | 1.39 | 0.00 | | | | | | | | | |
| KING MEMORIAL | 32+45.85 | 32+56.63 | RT | FULL DEPTH - CURBED SHOULDER | 10.78 | 13.50 | 13.50 | 13.50 | 145.53 | | | 16.17 | 0.01 | | 12.00 | 12.00 | 12.00 | 5.39 | 2.70 | 3.88 | | 1.35 |
| KING MEMORIAL | 32+45.85 | 32+56.63 | RT | ASPH BASE STEP (CURB) | 10.78 | 0.83 | 0.83 | 0.83 | 8.95 | | | 0.99 | 0.00 | | 3.00 | 3.00 | 3.00 | 0.08 | 0.17 | 0.06 | | |
| KING MEMORIAL | 32+45.85 | 32+56.63 | RT | AGG BASE STEP (CURB) | 10.78 | 0.50 | 0.50 | 0.50 | 5.39 | | | 0.60 | 0.00 | | | | | | 0.10 | | | |
| KING MEMORIAL | 32+45.85 | 32+56.63 | RT | SUBGRADE COMPACTION | 10.78 | 0.17 | 0.17 | 0.17 | 1.83 | | | 0.20 | 0.00 | | | | | | | | | |
| KING MEMORIAL | 32+56.63 | 32+59.03 | RT | FULL DEPTH - NO CURB | 2.40 | 10.00 | 10.00 | 10.00 | 24.00 | | | 2.67 | 0.00 | | 12.00 | 12.00 | 12.00 | 0.89 | 0.44 | 0.64 | | 0.22 |
| KING MEMORIAL | 32+56.63 | 32+59.03 | RT | ASPH BASE STEP 1 | 2.40 | 0.33 | 0.33 | 0.33 | 0.79 | | | 0.09 | 0.00 | | 6.00 | 6.00 | 6.00 | 0.01 | 0.01 | 0.02 | | |
| KING MEMORIAL | 32+56.63 | 32+59.03 | RT | ASPH BASE STEP 2 | 2.40 | 0.50 | 0.50 | 0.50 | 1.20 | | | 0.13 | 0.00 | | 6.00 | 6.00 | 6.00 | 0.02 | 0.02 | 0.01 | | |
| KING MEMORIAL | 32+56.63 | 32+59.03 | RT | AGG BASE STEP | 2.40 | 0.50 | 0.50 | 0.50 | 1.20 | | | 0.13 | 0.00 | | | | | | 0.02 | | | |
| KING MEMORIAL | 32+56.63 | 32+59.03 | RT | SUBGRADE COMPACTION | 2.40 | 0.17 | 0.17 | 0.17 | 0.41 | | | 0.05 | 0.00 | | | | | | | | | |
| KING MEMORIAL | 32+59.03 | 32+75.48 | RT | FULL DEPTH - NO CURB | 16.45 | 10.00 | 10.00 | 10.00 | 164.50 | | | 18.28 | 0.01 | | 12.00 | 6.00 | 9.00 | 4.57 | 3.05 | 4.39 | | 1.52 |
| KING MEMORIAL | 32+59.03 | 32+75.48 | RT | ASPH BASE STEP 1 | 16.45 | 0.33 | 0.33 | 0.33 | 5.43 | | | 0.60 | 0.00 | | 6.00 | 6.00 | 6.00 | 0.10 | 0.10 | 0.11 | | |
| KING MEMORIAL | 32+59.03 | 32+75.48 | RT | ASPH BASE STEP 2 | 16.45 | 0.50 | 0.50 | 0.50 | 8.22 | | | 0.91 | 0.00 | | 6.00 | 0.00 | 3.00 | 0.08 | 0.15 | 0.05 | | |
| KING MEMORIAL | 32+59.03 | 32+75.48 | RT | AGG BASE STEP | 16.45 | 0.50 | 0.50 | 0.50 | 8.22 | | | 0.91 | 0.00 | | | | | | 0.15 | | | |
| KING MEMORIAL | 32+59.03 | 32+75.48 | RT | SUBGRADE COMPACTION | 16.45 | 0.17 | 0.17 | 0.17 | 2.80 | | | 0.31 | 0.00 | | | | | | | | | |

TYPICAL SECTION LEGEND ID
THICKNESS, T (IN.) / APPLICATION RATE, R (GAL./SY)
ITEM NO.

| ROUTE | STATION | | SIDE | TYPICAL SECTION | LENGTH, L (FT) | WIDTH 1 (FT) | WIDTH 2 (FT) | AVERAGE WIDTH, W (FT) | SURFACE AREA, A (SF) (L*W) | CADD MEASURED AREA, A (SF) | 5 | 5 | 3 | 13 | 13 | 13 | 13 | 4 | 14 | 7 | | | |
|-----------------------------------|----------|----------|-------|----------------------|----------------|--------------|--------------|-----------------------|-------------------------------|----------------------------|------------------|---------------------|---------------|--|--|--|--|--|----------------|-----------|---------------------------------|---|--------|
| | | | | | | | | | | | 202E23000 | 204E10000 | 204E45000 | 301E56000 | 301E56000 | 301E56000 | 301E56000 | 304E20000 | 407E10000 | 411E10000 | 441E70101 | | |
| | | | | | | | | | | | 202 | 204 | 204 | 301 | 301 | 301 | 301 | 304 | 407 | 411 | 441 | | |
| | FROM | TO | | | | | | | | | PAVEMENT REMOVED | SUBGRADE COMPACTION | PROOF ROLLING | ASPHALT CONCRETE BASE, PG64-22, (449) | ASPHALT CONCRETE BASE, PG64-22, (449) | ASPHALT CONCRETE BASE, PG64-22, (449) | ASPHALT CONCRETE BASE, PG64-22, (449) | ASPHALT CONCRETE BASE, PG64-22, (449) | AGGREGATE BASE | TACK COAT | STABILIZED CRUSHED AGGREGATE | ASPHALT CONCRETE SURFACE COURSE, TYPE 1, (449), AS PER PLAN | |
| | | | | | | | | | | | SY | SY | SY | BEGIN | END | AVG. IN. | CY | CY | GAL | CY | CY | | |
| KING MEMORIAL | 32+75.48 | 32+78.21 | RT | FULL DEPTH - NO CURB | 2.73 | 10.00 | 10.00 | 10.00 | 27.30 | | | 3.03 | 0.00 | | 6.00 | 5.00 | 5.50 | 0.46 | 0.51 | 0.73 | | 0.25 | |
| KING MEMORIAL | 32+75.48 | 32+78.21 | RT | ASPH BASE STEP 1 | 2.73 | 0.33 | 0.33 | 0.33 | 0.90 | | | 0.10 | 0.00 | | 6.00 | 5.00 | 5.50 | 0.02 | 0.02 | 0.02 | | | |
| KING MEMORIAL | 32+75.48 | 32+78.21 | RT | AGG BASE STEP | 2.73 | 0.50 | 0.50 | 0.50 | 1.37 | | | 0.15 | 0.00 | | | | | 0.03 | | | | | |
| KING MEMORIAL | 32+75.48 | 32+78.21 | RT | SUBGRADE COMPACTION | 2.73 | 0.67 | 0.67 | 0.67 | 1.83 | | | 0.20 | 0.00 | | | | | | | | | | |
| KING MEMORIAL | 32+78.21 | 33+50.94 | RT | FULL DEPTH - NO CURB | 72.73 | 10.00 | 10.00 | 10.00 | 727.30 | | | 80.81 | 0.04 | 11.22 | | | | 13.47 | 9.70 | | | 6.73 | |
| KING MEMORIAL | 32+78.21 | 33+50.94 | RT | ASPH BASE STEP | 72.73 | 0.33 | 0.33 | 0.33 | 24.00 | | | 0.10 | 0.00 | 0.37 | | | | 0.44 | 0.16 | | | | |
| KING MEMORIAL | 32+78.21 | 33+50.94 | RT | AGG BASE STEP | 72.73 | 0.50 | 0.50 | 0.50 | 36.37 | | | 4.04 | 0.00 | | | | | 0.67 | | | | | |
| KING MEMORIAL | 32+78.21 | 33+50.94 | RT | SUBGRADE COMPACTION | 72.73 | 0.67 | 0.67 | 0.67 | 48.73 | | | 5.41 | 0.00 | | | | | | | | | | |
| KING MEMORIAL | 33+50.94 | 33+67.00 | RT | FULL DEPTH - NO CURB | 16.06 | 10.00 | 10.13 | 10.07 | 161.64 | | | 17.96 | 0.01 | 2.49 | | | | 2.99 | 2.16 | | | 1.50 | |
| KING MEMORIAL | 33+50.94 | 33+67.00 | RT | ASPH BASE STEP | 16.06 | 0.33 | 0.33 | 0.33 | 5.30 | | | 0.59 | 0.00 | 0.08 | | | | 0.10 | 0.04 | | | | |
| KING MEMORIAL | 33+50.94 | 33+67.00 | RT | AGG BASE STEP | 16.06 | 0.50 | 0.50 | 0.50 | 8.03 | | | 0.89 | 0.00 | | | | | 0.15 | | | | | |
| KING MEMORIAL | 33+50.94 | 33+67.00 | RT | SUBGRADE COMPACTION | 16.06 | 0.67 | 0.67 | 0.67 | 10.76 | | | 1.20 | 0.00 | | | | | | | | | | |
| KING MEMORIAL | 26+40.00 | 26+63.86 | LT | AGG SHOULDER | 23.86 | 3.33 | 4.00 | 3.67 | 87.45 | | | | | | | | | | | | | 2.16 | |
| KING MEMORIAL | 26+40.00 | 26+63.86 | LT | 301 STEP DEDUCT | 23.86 | 0.33 | 0.33 | 0.33 | 7.87 | | | | | | | | | | | | | | (0.12) |
| KING MEMORIAL | 26+63.86 | 27+14.83 | LT | AGG SHOULDER | 50.97 | 4.00 | 4.00 | 4.00 | 203.88 | | | | | | | | | | | | | | 5.03 |
| KING MEMORIAL | 26+63.86 | 27+14.83 | LT | 301 STEP DEDUCT | 50.97 | 0.33 | 0.33 | 0.33 | 16.82 | | | | | | | | | | | | | | (0.26) |
| KING MEMORIAL | 27+14.83 | 27+27.36 | LT | AGG SHOULDER | 12.53 | 4.00 | 3.50 | 3.75 | 46.99 | | | | | | | | | | | | | | 1.16 |
| KING MEMORIAL | 27+14.83 | 27+27.36 | LT | 301 STEP DEDUCT | 12.53 | 0.33 | 0.33 | 0.33 | 4.13 | | | | | | | | | | | | | | (0.06) |
| KING MEMORIAL | 27+27.36 | 27+46.17 | LT | AGG SHOULDER | 18.81 | 3.50 | 3.50 | 3.50 | 65.83 | | | | | | | | | | | | | | 1.63 |
| KING MEMORIAL | 27+27.36 | 27+46.17 | LT | 301 STEP DEDUCT | 18.81 | 0.33 | 0.33 | 0.33 | 6.21 | | | | | | | | | | | | | | (0.10) |
| KING MEMORIAL | 26+40.00 | 26+50.45 | RT | AGG SHOULDER | 10.45 | 1.91 | 4.00 | 2.96 | 30.88 | | | | | | | | | | | | | | 0.76 |
| KING MEMORIAL | 26+40.00 | 26+50.45 | RT | 301 STEP DEDUCT | 10.45 | 0.33 | 0.33 | 0.33 | 3.45 | | | | | | | | | | | | | | (0.05) |
| KING MEMORIAL | 26+50.45 | 26+92.22 | RT | AGG SHOULDER | 41.77 | 4.00 | 4.00 | 4.00 | 167.08 | | | | | | | | | | | | | | 4.13 |
| KING MEMORIAL | 26+50.45 | 26+92.22 | RT | 301 STEP DEDUCT | 41.77 | 0.33 | 0.33 | 0.33 | 13.78 | | | | | | | | | | | | | | (0.21) |
| KING MEMORIAL | 26+92.22 | 27+35.83 | RT | AGG SHOULDER | 43.61 | 4.00 | 3.50 | 3.75 | 163.54 | | | | | | | | | | | | | | 4.04 |
| KING MEMORIAL | 26+92.22 | 27+35.83 | RT | 301 STEP DEDUCT | 43.61 | 0.33 | 0.33 | 0.33 | 14.39 | | | | | | | | | | | | | | (0.22) |
| KING MEMORIAL | 27+84.13 | 32+20.85 | LT/RT | BRIDGE | | | | | | | | | | | | | | | | | | | |
| KING MEMORIAL | 32+86.47 | 33+67.00 | LT | AGG SHOULDER | 80.53 | 3.50 | 2.19 | 2.85 | 229.11 | | | | | | | | | | | | | | 5.66 |
| KING MEMORIAL | 32+86.47 | 33+67.00 | LT | 301 STEP DEDUCT | 80.53 | 0.33 | 0.33 | 0.33 | 26.57 | | | | | | | | | | | | | | (0.41) |
| KING MEMORIAL | 32+56.63 | 32+87.77 | RT | AGG SHOULDER | 31.14 | 3.50 | 3.50 | 3.50 | 108.99 | | | | | | | | | | | | | | 2.69 |
| KING MEMORIAL | 32+56.63 | 32+87.77 | RT | 301 STEP DEDUCT | 31.14 | 0.33 | 0.33 | 0.33 | 10.28 | | | | | | | | | | | | | | (0.16) |
| KING MEMORIAL | 32+87.77 | 33+00.22 | RT | AGG SHOULDER | 12.45 | 3.50 | 4.00 | 3.75 | 46.69 | | | | | | | | | | | | | | 1.15 |
| KING MEMORIAL | 32+87.77 | 33+00.22 | RT | 301 STEP DEDUCT | 12.45 | 0.33 | 0.33 | 0.33 | 4.11 | | | | | | | | | | | | | | (0.06) |
| KING MEMORIAL | 33+00.22 | 33+42.10 | RT | AGG SHOULDER | 41.88 | 4.00 | 4.00 | 4.00 | 167.52 | | | | | | | | | | | | | | 4.14 |
| KING MEMORIAL | 33+00.22 | 33+42.10 | RT | 301 STEP DEDUCT | 41.88 | 0.33 | 0.33 | 0.33 | 13.82 | | | | | | | | | | | | | | (0.21) |
| KING MEMORIAL | 33+42.10 | 33+67.00 | RT | AGG SHOULDER | 24.90 | 4.00 | 3.21 | 3.61 | 89.76 | | | | | | | | | | | | | | 2.22 |
| KING MEMORIAL | 33+42.10 | 33+67.00 | RT | 301 STEP DEDUCT | 24.90 | 0.33 | 0.33 | 0.33 | 8.22 | | | | | | | | | | | | | | (0.13) |
| TOTALS | | | | | | | | | | | 725.49 | 847.16 | 0.42 | 58.98 | | | | 48.19 | 135.37 | 93.28 | 32.76 | 48.49 | |
| TOTALS CARRIED TO GENERAL NOTES | | | | | | | | | | | | | 1 | | | | | | | | | | |
| TOTALS CARRIED TO GENERAL SUMMARY | | | | | | | | | | | 726 | 848 | | | | 108 | | 136 | 94 | 33 | 49 | | |