

F:\Clients\Active\HHTH034\109925-HEATH_PAVING\ProjAdmin\Addendum\109925_G000.dgn Sheet 8/24/2020 9:23:28 AM clarence

SHEET NUM.											PART.		ITEM	ITEM EXT	GRAND TOTAL	UNIT	DESCRIPTION	SEE SHEET NO.
3	4	6	7	8	9	10	11	01/S<2/PV /HEAT	01/S<2/PV /NEWA									
				3,597						3,597		202	23500	3,597	SY	ROADWAY WEARING COURSE REMOVED		
	2									2		202	98100	2	EACH	REMOVAL MISC.: CONCRETE HEADWALL	4	
	2									2		202	98100	2	EACH	REMOVAL MISC.: SIGN POST	4	
	1									1		202	98100	1	EACH	REMOVAL MISC.: LARGE ROCK	4	
		1.76	1.64							3.33	0.07	209	60500	3.4	MILE	LINEAR GRADING		
77										75	2	SPECIAL	69050100	77	EACH	MAILBOX SUPPORT SYSTEM, SINGLE	3	
2										2		SPECIAL	69050200	2	EACH	MAILBOX SUPPORT SYSTEM, DOUBLE	3	
3										3		SPECIAL	69050300	3	EACH	MAILBOX SUPPORT SYSTEM, MULTIPLE	3	
																EROSION CONTROL		
			800							800		601	37500	800	FT	PAVED GUTTER, TYPE 1-2		
																SANITARY SEWER		
11										11		611	99655	11	EACH	MANHOLE ADJUSTED TO GRADE, AS PER PLAN	3	
																PAVEMENT		
680										660	20	253	02001	680	CY	PAVEMENT REPAIR, AS PER PLAN	3	
		25,942	20,557							45,637	862	254	01001	46,499	SY	PAVEMENT PLANING, ASPHALT CONCRETE, AS PER PLAN	3	
		3,632	2,878	503						6,892	121	407	20000	7,013	GAL	NON-TRACKING TACK COAT		
		826	770							1,563	33	408	10001	1,596	GAL	PRIME COAT, AS PER PLAN	3	
				151						151		441	50000	151	CY	ASPHALT CONCRETE SURFACE COURSE, TYPE 1, (448), PG64-22		
54										54		441	50000	54	CY	ASPHALT CONCRETE SURFACE COURSE, TYPE 1, (448), PG64-22, AS PER PLAN	3	
		901	714							1,585	30	441	50100	1,615	CY	ASPHALT CONCRETE SURFACE COURSE, TYPE 1, (448), PG70-22M		
		1,261	999							2,218	42	441	50200	2,260	CY	ASPHALT CONCRETE INTERMEDIATE COURSE, TYPE 1, (448)		
		458	427							867	18	617	10101	885	CY	COMPACTED AGGREGATE, AS PER PLAN	3	
																WATER WORK		
10										10		638	10801	10	EACH	VALVE BOX ADJUSTED TO GRADE, AS PER PLAN	3	
																TRAFFIC CONTROL		
				15						15		621	00100	15	EACH	RPM		
				20						20		621	54000	20	EACH	RAISED PAVEMENT MARKER REMOVED		
					396	440				809	27	630	02100	836	FT	GROUND MOUNTED SUPPORT, NO. 2 POST, TYPE S		
					7	7				13	1	630	08600	14	EACH	SIGN POST REFLECTOR		
					149	171				306	14	630	80101	320	SF	SIGN, FLAT SHEET, AS PER PLAN	3	
						30	38			67	1	630	84900	68	EACH	REMOVAL OF GROUND MOUNTED SIGN AND DISPOSAL		
						30	34			63	1	630	86002	64	EACH	REMOVAL OF GROUND MOUNTED POST SUPPORT AND DISPOSAL		
					7					6.86	0.14	644	00100	7	MILE	EDGE LINE, 4"		
					3.5					3.43	0.07	644	00300	3.5	MILE	CENTER LINE		
					240					240		644	00400	240	FT	CHANNELIZING LINE, 8"		
					212					212		644	00500	212	FT	STOP LINE		
					138					138		644	00600	138	FT	CROSSWALK LINE		
					155					155		644	00700	155	FT	TRANSVERSE/DIAGONAL LINE		
					7					7		644	01300	7	EACH	LANE ARROW		
					6					6		644	01410	6	EACH	WORD ON PAVEMENT, 96"		
										0.04		644	50400	0.04	MILE	PAVEMENT MARKING, MISC.: EDGE LINE 4", DASHED	8	
										0.02		644	50400	0.02	MILE	PAVEMENT MARKING, MISC.: CENTER LINE, DOUBLE, DASHED	8	
																TRAFFIC SIGNALS		
	2									2		632	26501	2	EACH	DETECTOR LOOP, AS PER PLAN	4	
																MAINTENANCE OF TRAFFIC		
31										29	2	614	12460	31	EACH	WORK ZONE MARKING SIGN		
1										1		614	13000	1	CY	ASPHALT CONCRETE FOR MAINTAINING TRAFFIC		
					7					6.86	0.14	614	21400	7	MILE	WORK ZONE CENTER LINE, CLASS II		
					3.5					3.43	0.07	614	21550	3.5	MILE	WORK ZONE CENTER LINE, CLASS III, 642 PAINT		
					14					13.72	0.28	614	22350	14	MILE	WORK ZONE EDGE LINE, CLASS III, 4", 642 PAINT		
					480					480		614	23680	480	FT	WORK ZONE CHANNELIZING LINE, CLASS III, 8", 642 PAINT		
					424					424		614	26610	424	FT	WORK ZONE STOP LINE, CLASS III, 642 PAINT		
																INCIDENTALS		
										LS		103	05000	LS		PREMIUM FOR CONTRACT PERFORMANCE BOND AND FOR PAYMENT BOND		
										LS		614	11000	LS		MAINTAINING TRAFFIC		
										LS		623	10000	LS		CONSTRUCTION LAYOUT STAKES AND SURVEYING		
										LS		624	10000	LS		MOBILIZATION		



GENERAL SUMMARY

**LIC-CR343-0.00
LIC-CR301-0.49**

F:\Clients\Active\H\H034\109925_HEATH_PAVING\ProjAdmin\Addendum\109925_GPO02.dgn Sheet 8/24/2020 9:23:29 AM clearance

LOCATION	ROUTE	BEGIN LOG POINT SLM	END LOG POINT SLM	LENGTH		WIDTH (FT)		EXISTING PAVEMENT TYPE	PAVEMENT AREA	209		254		407		408		441		601		617	
				MILES	FT	BEGIN	END			SY	MILES	INCHES	SY	GAL	GAL	GAL	INCHES	CY	INCHES	CY	FT	CY	
2	COUNTY ROAD 301	0.49	1.53	1.04	5491.2	21.0	21.0	441	12813	1.04	3.00	12813	1089.1	704.7	488.1	1.25	444.9	1.75	622.8	800.0	270.9		
2	COUNTY ROAD 301	1.53	1.55	0.02	105.6	21.0	33.0	441	317	0.02	3.00	317	26.9	17.4	9.4	1.25	11.0	1.75	15.4		5.2		
2	COUNTY ROAD 301	1.55	1.59	0.04	211.2	33.0	33.0	441	774	0.04	3.00	774	65.8	42.6	18.8	1.25	26.9	1.75	37.6		10.4		
2	COUNTY ROAD 301	1.59	2.06	0.47	2481.6	21.0	21.0	441	5790	0.47	3.00	5790	492.2	318.5	220.6	1.25	201.1	1.75	281.5		122.4		
2	COUNTY ROAD 301	2.06	2.13	0.07	369.6	21.0	21.0	441	862	0.07	3.00	862	73.3	47.4	32.9	1.25	29.9	1.75	41.9		18.2		
TOTALS CARRIED TO GENERAL SUMMARY										1.64		20557	1747	1131	770		714		999	800	427		

TOTALS CARRIED TO GENERAL SUMMARY



PW = PAVEMENT WIDTH
 AS = AGGREGATE SHOULDER
 LG = LINEAR GRADING




ASPHALT CONCRETE DATA - BLUE JAY ROAD	CALCULATED CGL CHECKED SRH
LIC-CR343-0.00 LIC-CR301-0.49	<div style="border: 1px solid black; border-radius: 50%; width: 30px; height: 30px; display: flex; align-items: center; justify-content: center; margin: 0 auto;"> 7 11 </div>

F:\Clients\Active\HTH\H034\109925_HEATH_PAVING\ProjAdmin\Addendum\109925_TS001.dgn Sheet 8/24/2020 9:23:30 AM clarence

LOCATION	COUNTY	ROUTE	DESCRIPTION	SIDE	BEGIN LOG POINT SLM	END LOG POINT SLM	614		614		614		614		614		621		621		644		644		644		644		644		644		644	
							WORK ZONE CENTERLINE, CLASS II	WORK ZONE CENTERLINE, CLASS III	WORK ZONE EDGE LINE, CLASS III, 4" 642 PAINT	WORK ZONE STOP LINE, CLASS III, 642 PAINT	WORK ZONE CHANNELIZING LINE, CLASS III, 8", 642 PAINT	EACH		RAISED PAVEMENT MARKER REMOVED		EDGE LINE, 4"	CENTER LINE	STOP LINE	CHANNELIZING LINE	TRANSVERSE LINE	LANE ARROW	CROSSWALK LINE	WORD ON PAVEMENT, 96"	PAVEMENT MARKING, MISC.: EDGE LINE 4", DASHED	PAVEMENT MARKING, MISC.: CENTER LINE, DOUBLE, DASHED									
							MILE	MILE	MILE	FT	FT	Y/Y	W/R	EACH	MILE	MILE	FT	FT	FT	EACH	FT	EACH	MILE	MILE										
1	LIC	CR 343	PROJECT LENGTH	LT/RT	0.00	1.77	3.54	1.77	7.08	34	360				3.54	1.77	17	180	155	5	48	6												
1	LIC	CR 343	LIBERTY DRIVE	RT	0.06	0.07	0.02	0.01	0.04	32				0.02	0.01	16																		
1	LIC	CR 343	BARB AVENUE	LT	0.10	0.11				24											90													
1	LIC	CR 343	SOUTH FORK ROAD	RT	0.66	0.67	0.02	0.01	0.04	30				0.02	0.01	15																		
1	LIC	CR 343	RIVER OAKS DRIVE	LT	0.87	0.88			0.02	36				0.01		18																		
1	LIC	CR 343	NADINE ROAD	LT	1.34	1.35				28						14																		
1	LIC	CR 343	GREEN VALLEY DRIVE	LT	1.43	1.44				30						15																		
1	LIC	CR 343	FRANKLIN AVENUE	LT	1.63	1.70	0.02	0.01	0.04	52	120	11	4	20	0.02	0.01	26	60		2														
TOTALS CARRIED TO GENERAL SUMMARY							7.0	3.5	14	424	480	11	4	20	7	3.5	212	240	155	7	138	6	0.04	0.02										

PAVEMENT MARKING SUBSUMMARY

LIC-CR343-0.00
LIC-CR301-0.49



NOTE: ALL PAVEMENT MARKINGS ARE TO BE DIRECT REPLACEMENT OF THE EXISTING MARKING CONFIGURATION EXCEPT FOR THE MARKINGS NOTED ABOVE USING ITEM 644 - PAVEMENT MARKING, MISC.: EDGE LINE 4", DASHED AND ITEM 644 - PAVEMENT MARKING, MISC.: CENTER LINE, DOUBLE, DASHED AT THE INTERSECTION OF BLUE JAY ROAD AND WATSON ROAD.