

C/L Const.		Side	Length	Start Width	End Width	Average Width	Surface Area	Planimetered Area	204	204	301	304	304	407	408	424	441	441	441	442	442	452	452	617	897	SPECIAL								
BEGIN	END								SUBGRADE COMPACTION	PROOF ROLLING	ASPHALT CONCRETE BASE, PG64-22, (449), (T=6")	AGGREGATE BASE (T=6")	AGGREGATE BASE (T=8")	NON-TRACKING TACK COAT (2 LIFTS)(0.08 GAL./S.Y.)	PRIME COAT	FINE GRADED POLYMER ASPHALT CONCRETE, TYPE B, (448) (T=1 1/4")	ASPHALT CONCRETE SURFACE COURSE, TYPE 1, (449), DRIVEWAYS (T=2")	ASPHALT CONCRETE SURFACE COURSE, TYPE 1, (449), DRIVEWAYS (T=1 1/4")	ASPHALT CONCRETE INTERMEDIATE COURSE, TYPE 2, (449), DRIVEWAYS (T=1 3/4")	ASPHALT CONCRETE SURFACE COURSE, 12 MM, TYPE A, (446), PG76-22M, (T=1 1/2")	ASPHALT CONCRETE INTERMEDIATE COURSE, 12 MM, TYPE A, (446), PG76-22M, (T=1 1/2")	6" NON-REINFORCED CONCRETE PAVEMENT, CLASS QC 1P	8" NON-REINFORCED CONCRETE PAVEMENT, CLASS QC 1P	COMPACTED AGGREGATE, AS PER PLAN	PAVEMENT PLANING, ASPHALT CONCRETE, CLASS A (T=1 1/4")	PAVEMENT OVERLAY FABRIC COMPOSITE								
									FT.	FT.	FT.	FT.	S.Y.	S.Y.	S.Y.	HR	C.Y.	C.Y.	C.Y.	GAL.	GAL.	C.Y.	C.Y.	C.Y.	C.Y.	C.Y.	C.Y.	S.Y.	S.Y.	C.Y.	S.Y.	S.Y.		
									Unit Factor		1.00	1.00	6.00	6.00	8.00	0.08	0.40	1.25	2.00	1.25	1.75	1.50	1.50	1.00	1.00	8.00	1.00	2.00						
SR-46 South																																		
Pavement																																		
135+10.00	139+68.82		458.82	23.88	26.35	25.12	1280.36									204.86											1280.36	101.96						
139+68.82	139+86.00		17.18	31.01	31.80	31.41	59.95		0.64							9.59												59.95	3.82					
139+86.00	142+00.00		214.00	40.78	51.10	45.94	1092.35		0.55							174.78												1092.35	47.56					
142+00.00	142+50.00		50.00	51.10	56.76	53.93	299.61		0.15							47.94												299.61	11.11					
142+50.00	142+70.00		20.00	56.76	57.06	56.91	126.47		0.06							20.23												126.47	4.44					
NB shoulder																																		
135+10.00	136+10.00	R	100.00	2.70	4.00	3.35	37.22		37.22	0.01						5.96													37.22	22.22				
136+10.00	139+36.00	R	326.00	4.00	4.00	4.00	144.89		144.89	0.05						23.18													144.89	72.44				
139+36.00	139+86.00	R	50.00	4.00	9.00	6.50	36.11		36.11	0.01						5.78													36.11	11.11				
139+86.00	142+50.00	R	264.00	2.00	2.00	2.00	58.67		58.67	0.02						9.39													58.67	58.67				
Full Depth																																		
135+10.00	136+10.00	L	100.00	0.00	1.60	0.80	8.89		8.89	0.00	1.48	1.48				1.42														0.37	0.37			
136+10.00	139+68.82	L	358.82	1.60	11.77	6.69	266.52		266.52	0.13	44.42	44.42				42.64														11.11	11.11			
139+68.82	142+10.00	L	241.18	7.13	3.72	5.43	145.38		145.38	0.07	24.23	24.23				23.26														6.06	6.06			
142+10.00	142+70.00	L	60.00	3.72	3.07	3.40	22.63		22.63	0.01	3.77	3.77				3.62														0.94	0.94			
139+86.00	142+50.00	R	264.00	2.00	2.00	2.00	58.67		58.67	0.03	9.78	9.78				9.39														2.44	2.44			
142+70.00	142+73.19		3.19	60.11	60.16	60.14	21.31		21.31	0.01	3.55	3.55				3.41														0.89	0.89			
142+73.19	143+50.00	L	76.81	25.18	27.90	26.54	226.50	222.94	222.94	0.11	37.16	37.16				35.67														9.29	9.29			
143+50.00	144+50.00	L	100.00	27.90	32.00	29.95	332.78	336.30	336.30	0.17	56.05	56.05				53.81														14.01	14.01			
144+50.00	145+00.00	L	50.00	32.00	35.29	33.65	186.92	202.33	202.33	0.10	33.72	33.72				32.37														8.43	8.43			
142+73.19	143+50.00	R	76.81	27.00	26.52	26.76	228.38	232.93	232.93	0.12	38.82	38.82				37.27														9.71	9.71			
143+50.00	144+50.00	R	100.00	26.52	25.83	26.18	290.83	283.59	283.59	0.14	47.26	47.26				45.37														11.82	11.82			
144+50.00	145+01.39	R	51.39	26.30	34.78	30.54	174.38	169.30	169.30	0.08	28.22	28.22				27.09														7.05	7.05			
SB shoulder																																		
135+10.00	136+10.00	L	100.00	2.00	2.00	2.00	22.22		22.22	0.01						3.56														0.93	0.93			
			100.00	2.50	2.50	2.50	27.78				4.63																							
			100.00	3.50	3.50	3.50	38.89				6.48																							
136+10.00	137+60.00	L	150.00	2.00	8.00	5.00	83.33		83.33	0.03						13.33															3.47	3.47		
			150.00	2.50	8.50	5.50	91.67				15.28																							
			150.00	3.50	9.50	6.50	108.33				18.06																							
137+60.00	142+24.82	L	464.82	8.00	8.00	8.00	413.17		413.17	0.14						66.11															17.22	17.22		
			464.82	8.50	8.50	8.50	439.00				73.17																							
			464.82	9.50	9.50	9.50	490.64				81.77																							
142+24.82	142+49.82	L	25.00	8.00	2.00	5.00	13.89		13.89	0.00						2.22															0.58	0.58		
			25.00	8.50	2.50	5.50	15.28				2.55																							
			25.00	9.50	3.50	6.50	18.06				3.01																							
Berm																																		
135+10.00	139+62.64	L	452.64	2.00	2.00	2.00	100.59								40.23	125.73														22.35				
135+10.00	139+86.00	R	476.00	2.00	2.00	2.00	105.78								42.31	132.22														23.51				
TOTALS CARRIED TO TOTALS SUMMARY									2781	3	425	438	0	903	83	367	0	0	0	105	105	0	0	46	3136	334	0							

C/L Const.		Side	Length	Start Width	End Width	Average Width	Surface Area	Planimetered Area	204	204	301	304	304	407	408	424	441	441	441	442	442	452	452	617	897	SPECIAL								
Station To Station	SUBGRADE COMPACTION								PROOF ROLLING	ASPHALT CONCRETE BASE, PG64-22, (449), (T=6")	AGGREGATE BASE (T=6")	AGGREGATE BASE (T=8")	NON-TRACKING TACK COAT (2 LIFTS)(0.08 GAL./S.Y.)	PRIME COAT	FINE GRADED POLYMER ASPHALT CONCRETE, TYPE B, (448) (T=1 1/4")	ASPHALT CONCRETE SURFACE COURSE, TYPE 1, (449), DRIVEWAYS (T=2")	ASPHALT CONCRETE SURFACE COURSE, TYPE 1, (449), DRIVEWAYS (T=1 1/4")	ASPHALT CONCRETE INTERMEDIATE COURSE, TYPE 2, (449), DRIVEWAYS (T=1 3/4")	ASPHALT CONCRETE SURFACE COURSE, 12 MM, TYPE A, (446), PG76-22M, (T=1 1/2")	ASPHALT CONCRETE INTERMEDIATE COURSE, 12 MM, TYPE A, (446), PG76-22M, (T=1 1/2")	6" NON-REINFORCED CONCRETE PAVEMENT, CLASS QC 1P	8" NON-REINFORCED CONCRETE PAVEMENT, CLASS QC 1P	COMPACTED AGGREGATE, AS PER PLAN	PAVEMENT PLANING, ASPHALT CONCRETE, CLASS A (T=1 1/4")	PAVEMENT OVERLAY FABRIC COMPOSITE									
BEGIN	END								FT.	FT.	FT.	FT.	S.Y.	S.Y.	S.Y.	HR	C.Y.	C.Y.	C.Y.	GAL.	GAL.	C.Y.	C.Y.	C.Y.	C.Y.	C.Y.	C.Y.	S.Y.	S.Y.	C.Y.	S.Y.	S.Y.		
						Unit Factor		1.00	1.00	6.00	6.00	8.00	0.08	0.40	1.25	2.00	1.25	1.75	1.50	1.50	1.00	1.00	8.00	1.00	2.00									
SR-46 North																																		
Full Depth																																		
146+52.72	147+50.00	L	97.28	35.13	26.00	30.57	330.37	299.69	299.69	0.10	49.95	49.95																						
147+50.00	148+22.21	L	72.21	26.00	26.72	26.36	211.50	216.00	216.00	0.07	36.00	36.00																						
148+22.21	149+13.32	L	92.80	26.72	27.00	26.86	276.96		276.96	0.09	46.16	46.16																						
146+52.72	147+50.00	R	97.28	37.20	29.43	33.32	360.10	337.78	337.78	0.11	56.30	56.30																						
147+50.00	148+22.21	R	72.21	25.82	25.17	25.50	204.55	199.78	199.78	0.07	33.30	33.30																						
148+22.21	149+13.32	R	92.80	25.17	24.90	25.04	258.14		258.14	0.09	43.02	43.02																						
149+13.32	149+15.00		1.68	60.00	60.00	60.00	11.20		11.20	0.00	1.87	1.87																						
149+15.00	151+50.00	L	235.00	2.00	2.00	2.00	52.22		52.22	0.02	8.70	8.70																						
149+15.00	151+50.00	R	235.00	2.00	2.00	2.00	52.22		52.22	0.02	8.70	8.70																						
158+33.02	159+13.13							132.32	132.32	0.04	22.05	22.05																						
163+20.00	164+21.63							134.89	134.89	0.04	22.48	22.48																						
Pavement																																		
149+15.00	151+50.00		235.00	56.00	56.00	56.00	1462.22			0.73	243.70	243.70			233.96	50.77											1462.22	52.22						
New Road West																																		
Pavement																																		
3+50.00	4+50.00		100.00	22.27	24.11	23.19	257.67			0.13					41.23	8.95												257.67	22.22					
Full Depth																																		
4+50.00	5+50.00		100.00	24.11	28.88	26.50	294.39	291.86	291.86	0.10	48.64	48.64			46.70													12.16	12.16					
5+50.00	6+50.00		100.00	28.88	34.14	31.51	350.11	350.09	350.09	0.12	58.35	58.35			56.01													14.59	14.59					
6+50.00	7+20.00		70.00	34.14	36.00	35.07	272.77	275.81	275.81	0.09	45.97	45.97			44.13													11.49	11.49					
7+20.00	8+00.00	L	80.00	13.00	14.85	13.93	123.78	119.58	119.58	0.04	19.93	19.93			19.13													4.98	4.98					
8+00.00	8+50.00	L	50.00	14.85	16.06	15.46	85.86	85.13	85.13	0.03	14.19	14.19			13.62													3.55	3.55					
8+50.00	9+22.57	L	72.57	16.06	21.38	18.72	150.95	143.48	143.48	0.05	23.91	23.91			22.96													5.98	5.98					
7+20.00	8+00.00	R	80.00	15.00	15.90	15.45	137.33	140.73	140.73	0.05	23.46	23.46			22.52													5.86	5.86					
8+00.00	8+50.00	R	50.00	15.90	16.00	15.95	88.61	89.50	89.50	0.03	14.92	14.92			14.32													3.73	3.73					
8+50.00	9+22.57	R	72.57	16.00	23.95	19.98	161.07	145.06	145.06	0.05	24.18	24.18			23.21													6.04	6.04					
Berm																																		
3+50.00	4+31.80	L	81.80	2.00	2.00	2.00	18.18			0.01					7.27	22.72														4.04				
3+50.00	4+64.83	R	114.83	2.00	2.00	2.00	25.52			0.01					10.21	31.90														5.67				
New Road East																																		
Full Depth																																		
10+93.96	12+00.00	L	106.04	22.06	16.57	19.32	227.57	202.67	202.67	0.07	33.78	33.78			32.43													8.44	8.44					
12+00.00	12+76.20	L	76.20	16.57	16.82	16.70	141.35		141.35	0.05	23.56	23.56			22.62													5.89	5.89					
10+93.96	12+00.00	R	106.04	22.32	16.60	19.46	229.28	234.83	234.83	0.08	39.14	39.14			37.57													9.78	9.78					
12+00.00	12+76.20	R	76.20	16.60	15.00	15.80	133.77		133.77	0.04	22.30	22.30			21.40													5.57	5.57					
12+76.20	13+50.00		73.80	39.82	34.88	37.35	306.27	308.87	308.87	0.10	51.48	51.48			49.42													12.87	12.87					
13+50.00	14+50.00		100.00	34.88	30.69	32.79	364.28	340.30	340.30	0.11	56.72	56.72			54.45													14.18	14.18					
14+50.00	15+00.00		63.80	26.31	24.00	25.16	178.32		178.32	0.06	29.72	29.72			28.53													7.43	7.43					
15+00.00	16+65.00	L	165.00	2.00	2.00	2.00	36.67		36.67	0.01	6.11	6.11			5.87													1.53	1.53					
TOTALS CARRIED TO TOTALS SUMMARY									5190	3	1109	1109	0	1106	18	115	0	0	0	217	217	0	0	10	1720	75	0							

C/L Const.		Side	Length	Start Width	End Width	Average Width	Surface Area	Planimetered Area	204	204	301	304	304	407	408	424	441	441	441	442	442	452	452	617	897	SPECIAL			
Station To Station	SUBGRADE COMPACTION								PROOF ROLLING	ASPHALT CONCRETE BASE, PG64-22, (449), (T=6")	AGGREGATE BASE (T=6")	AGGREGATE BASE (T=8")	NON-TRACKING TACK COAT (2 LIFTS)(0.08 GAL./S.Y.)	PRIME COAT	FINE GRADED POLYMER ASPHALT CONCRETE, TYPE B, (448) (T=1 1/4")	ASPHALT CONCRETE SURFACE COURSE, TYPE 1, (449), DRIVEWAYS (T=2")	ASPHALT CONCRETE SURFACE COURSE, TYPE 1, (449), DRIVEWAYS (T=1 1/4")	ASPHALT CONCRETE INTERMEDIATE COURSE, TYPE 2, (449), DRIVEWAYS (T=1 3/4")	ASPHALT CONCRETE SURFACE COURSE, 12 MM, TYPE A, (448), PG76-22M, (T=1 1/2")	ASPHALT CONCRETE INTERMEDIATE COURSE, 12 MM, TYPE A, (448), PG76-22M, (T=1 1/2")	6" NON-REINFORCED CONCRETE PAVEMENT, CLASS QC 1P	8" NON-REINFORCED CONCRETE PAVEMENT, CLASS QC 1P	COMPACTED AGGREGATE, AS PER PLAN	PAVEMENT PLANING, ASPHALT CONCRETE, CLASS A (T=1 1/4")	PAVEMENT OVERLAY FABRIC COMPOSITE				
BEGIN	END								FT.	FT.	FT.	FT.	S.Y.	S.Y.	S.Y.	HR	C.Y.	C.Y.	C.Y.	GAL.	GAL.	C.Y.	C.Y.	C.Y.	C.Y.	C.Y.	C.Y.	S.Y.	S.Y.
						Unit Factor		1.00	1.00	6.00	6.00	8.00	0.08	0.40	1.25	2.00	1.25	1.75	1.50	1.50	1.00	1.00	8.00	1.00	2.00				
Pavement																													
15+00.00	16+65.00		165.00	22.00	21.32	21.66	397.10		0.20				63.54		13.79										397.10	36.67			
16+65.00	17+80.00		115.00	23.32	24.42	23.87	305.01		0.15				48.80		10.59										305.01	25.56			
Roundabout																													
Full Depth																													
145+01.39	146+52.72						1577.39	1577.39	0.53	262.90	262.90		252.38							65.72	65.72								
Curbs																													
142+50.00	143+30.97	R	83			3.00	27.67	27.67	0.01			4.61																	
142+35.58	144+22.46	R	136			3.00	45.33	45.33	0.02			7.56																	
142+49.82	142+96.53	L	49			3.00	16.33	16.33	0.01			2.72																	
143+01.52	144+95.85	L	205			3.00	68.33	68.33	0.02			11.39																	
144+22.46	145+35.68	R	129			2.50	35.83	35.83	0.01			5.97																	
144+95.85	145+56.45	L	95			2.50	26.39	26.39	0.01			4.40																	
145+20.85	146+32.85		335			2.75	102.36	102.36	0.03			17.06																	
146+15.39	147+02.59	R	148			2.50	41.11	41.11	0.01			6.85																	
147+03.24	151+50.00	R	450			3.00	150.00	150.00	0.05			25.00																	
146+19.62	147+04.89	L	112			2.50	31.11	31.11	0.01			5.19																	
147+04.89	151+50.00	L	447			3.00	149.00	149.00	0.05			24.83																	
158+32.99	158+61.23	R	47			3.00	15.67	15.67	0.01			2.61																	
158+85.31	159+13.13	R	45			3.00	15.00	15.00	0.01			2.50																	
163+20.00	164+23.41	L	115			3.00	38.33	38.33	0.01			6.39																	
4+65.14	5+47.24	R	83			3.00	27.67	27.67	0.01			4.61																	
4+94.77	9+08.98	L	416			3.00	138.67	138.67	0.05			23.11																	
5+52.29	8+33.97	R	287			3.00	95.67	95.67	0.03			15.94																	
8+38.97	8+76.69	R	40			3.00	13.33	13.33	0.00			2.22																	
10+93.10	11+21.34	R	34			3.00	11.33	11.33	0.00			1.89																	
11+25.77	17+80.00	R	672			3.00	224.00	224.00	0.07			37.33																	
11+63.15	16+65.00	L	530			3.00	176.67	176.67	0.06			29.44																	
Driveways																													
139+01.53	SR-46	R					35.59	35.59	0.01		5.93					1.98													
140+32.73	SR-46	R					44.51	44.51	0.01													44.51							
141+40.27	SR-46	R					47.93	47.93	0.02													47.93							
142+07.73	SR-46	R					42.19	42.19	0.01													42.19							
142+62.09	SR-46	R					37.38	37.38	0.01													37.38							
143+12.65	SR-46	R					46.43	46.43	0.02													46.43							
150+50.00	SR-46	L					577.60	577.60	0.19													577.60							
4+66.06	NEW ROAD	L					49.97	49.97	0.02				11.10	4.00				1.73	2.43										
6+75.00	NEW ROAD	L					721.84	721.84	0.24																721.84				
13+74.99	NEW ROAD	R					53.39	53.39	0.02													53.39							
14+62.76	NEW ROAD	R					65.54	65.54	0.02													65.54							
140+91.35	SR-46	L					42.73	42.73	0.01		7.12																		
12+97.08	NEW ROAD	R					61.37	61.37	0.02																61.37				
TOTALS CARRIED TO TOTALS SUMMARY									4854	2	263	518	12	369	0	25	2	2	3	66	66	338	1361	0	703	63	0		

C/L Const.		Station To Station	Side	Length	Start Width	End Width	Average Width	Surface Area	Planimetered Area	204	204	301	304	304	407	408	424	441	441	441	442	442	452	452	617	897	SPECIAL	252
BEGIN	END									SUBGRADE COMPACTION	PROOF ROLLING	ASPHALT CONCRETE BASE, PG64-22, (449), (T=6")	AGGREGATE BASE (T=6")	AGGREGATE BASE (T=8")	NON-TRACKING TACK COAT (2 LIFTS)(0.08 GAL./S.Y.)	PRIME COAT	FINE GRADED POLYMER ASPHALT CONCRETE, TYPE B, (448) (T=1 1/4")	ASPHALT CONCRETE SURFACE COURSE, TYPE 1, (449), DRIVEWAYS (T=2")	ASPHALT CONCRETE SURFACE COURSE, TYPE 1, (449), DRIVEWAYS (T=1 1/4")	ASPHALT CONCRETE INTERMEDIATE COURSE, TYPE 2, (449), DRIVEWAYS (T=1 3/4")	ASPHALT CONCRETE SURFACE COURSE, 12 MM, TYPE A, (448), PG76-22M, (T=1 1/2")	ASPHALT CONCRETE INTERMEDIATE COURSE, 12 MM, TYPE A, (448), PG76-22M, (T=1 1/2")	6" NON-REINFORCED CONCRETE PAVEMENT, CLASS QC 1P	8" NON-REINFORCED CONCRETE PAVEMENT, CLASS QC 1P	COMPACTED AGGREGATE, AS PER PLAN	PAVEMENT PLANING, ASPHALT CONCRETE, CLASS A (T=1 1/4")	PAVEMENT OVERLAY FABRIC COMPOSITE	FULL DEPTH PAVEMENT SAWING
		FT.	FT.	FT.	FT.	S.Y.	S.Y.	S.Y.	HR	C.Y.	C.Y.	C.Y.	GAL.	GAL.	C.Y.	C.Y.	C.Y.	C.Y.	C.Y.	C.Y.	S.Y.	S.Y.	C.Y.	S.Y.	S.Y.	S.Y.	S.Y.	F.T.
		Unit Factor							1.00	1.00	6.00	6.00	8.00	0.08	0.40	1.25	2.00	1.25	1.75	1.50	1.50	1.00	1.00	8.00	1.00	2.00	2.00	2.00
TABLE 1								2781.00	3.00	425.00	438.00	0.00	903.00	83.00	367.00	0.00	0.00	0.00	105.00	105.00	0.00	0.00	46.00	3136.00	334.00	0.00		
TABLE 2								5190.00	3.00	1109.00	1109.00	0.00	1106.00	18.00	115.00	0.00	0.00	0.00	217.00	217.00	0.00	0.00	10.00	1720.00	75.00	0.00		
TABLE 3								4854.00	2.00	263.00	518.00	12.00	369.00	0.00	25.00	2.00	2.00	3.00	66.00	66.00	338.00	1361.00	0.00	703.00	63.00	0.00		
TABLE 4									5.00																	2544.00		
TOTALS								12825	13	1797	2065	12	2378	101	507	2	2	3	388	388	338	1361	56	5559	472	2544		
TOTALS CARRIED TO GENERAL NOTES									13																		472	
TOTALS CARRIED TO GENERAL SUMMARY								12825		1797	2077		2378	101	507	4		3	388	388	338	1361	56	5559			472	2544