C/L Const.		Side	Length	Start Width	End Width	Average Width	Surface Area	Planimetered Area	204	204	301	304	304	407	408	424	441	441	441	442	442	452	452	617	897	SPECIAL		
Station To Station									SUBGRADE COMPACTION	PROOF ROLLING	ASPHALT CONCRETE BASE, PG64-22, (449), (T=6")	AGGREGATE BASE (T=6")	AGGREGATE BASE (T=8")	NON-TRACKING TACK COAT (2 LIFTS) (0.08 GAL./S.Y.)	PRIME COAT	FINE GRADED POLYMER ASPHALT CONCRETE, TYPE B, (448) (T=1 1/4")	ASPHALT CONCRETE SURFACE COURSE, TYPE 1, (449), DRIVEWAYS (T=2")	ASPHALT CONCRETE SURFACE COURSE, TYPE 1, (449), DRIVEWAYS (T=1 1/4")	ASPHALT CONCRETE INTERMEDIATE COURSE, TYPE 2, (449), DRIVEWAYS (T=1 3/4")	ASPHALT CONCRETE SURFACE COURSE, 12 MM, TYPE A, (446), PG76-22M, (T=1 1/2")	ASPHALT CONCRETE INTERMEDIATE COURSE, 12 MM, TYPE A, (446), PG76-22M, (T=1 1/2")	6" NON-REINFORCED CONCRETE PAVEMENT, CLASS QC 1P	8" NON-REINFORCED CONCRETE PAVEMENT, CLASS QC 1P	COMPACTED AGGREGATE, AS PER PLAN	PAVEMENT PLANING, ASPHALT CONCRETE, CLASS A (T=1 1/4")	PAVEMENT OVERLAY FABRIC COMPOSITE		
BEGIN	END		FT.	FT.	FT.	FT.	S.Y.	S.Y.	S.Y.	HR	C.Y.	C.Y.	C.Y.	GAL.	GAL.	C.Y.	C.Y.	C.Y.	C.Y.	C.Y.	C.Y.	S.Y.	S.Y.	C.Y.	S.Y.	S.Y.		
							Unit Factor		1.00	1.00	6.00	6.00	8.00	0.08	0.40	1.25	2.00	1.25	1.75	1.50	1.50	1.00	1.00	8.00	1.00	2.00		
SR-46 South																												
Pavement																												
135+10.00	139+68.82		458.82	23.88	26.35	25.12	1280.36			0.64				204.86		44.46									1280.36	101.96		
139+68.82	139+86.00		17.18	31.01	31.80	31.41	59.95			0.03				9.59		2.08									59.95	3.82		
139+86.00	142+00.00		214.00	40.78	51.10	45.94	1092.35			0.55				174.78		37.93									1092.35	47.56		
142+00.00	142+50.00		50.00	51.10	56.76	53.93	299.61			0.15				47.94		10.40									299.61	11.11		
142+50.00	142+70.00		20.00	56.76	57.06	56.91	126.47			0.06				20.23		4.39									126.47	4.44		
NB shoulder																												
135+10.00	136+10.00	R	100.00	2.70	4.00	3.35	37.22		37.22	0.01				5.96		1.29									37.22	22.22		
136+10.00	139+36.00	R	326.00	4.00	4.00	4.00	144.89		144.89	0.05				23.18		5.03									144.89	72.44		
139+36.00	139+86.00	R	50.00	4.00	9.00	6.50	36.11		36.11	0.01				5.78		1.25									36.11	11.11		
139+86.00	142+50.00	R	264.00	2.00	2.00	2.00	58.67		58.67	0.02				9.39		2.04									58.67	58.67		
Full Depth																												
135+10.00	136+10.00	L	100.00	0.00	1.60	0.80	8.89		8.89	0.00	1.48	1.48		1.42						0.37	0.37							
136+10.00	139+68.82	L	358.82	1.60	11.77	6.69	266.52		266.52	0.13	44.42	44.42		42.64						11.11	11.11							
139+68.82	142+10.00	L	241.18	7.13	3.72	5.43	145.38		145.38	0.07	24.23	24.23		23.26						6.06	6.06							
142+10.00	142+70.00	L	60.00	3.72	3.07	3.40	22.63		22.63	0.01	3.77	3.77		3.62						0.94	0.94							
139+86.00	142+50.00	R	264.00	2.00	2.00	2.00	58.67		58.67	0.03	9.78	9.78		9.39						2.44	2.44							
142+70.00	142+73.19		3.19	60.11	60.16	60.14	21.31		21.31	0.01	3.55	3.55		3.41						0.89	0.89							
142+73.19	143+50.00	L	76.81	25.18	27.90	26.54	226.50	222.94	222.94	0.11	37.16	37.16		35.67						9.29	9.29							
143+50.00	144+50.00	L	100.00	27.90	32.00	29.95	332.78	336.30	336.30	0.17	56.05	56.05		53.81						14.01	14.01							
144+50.00	145+00.00	L	50.00	32.00	35.29	33.65	186.92	202.33	202.33	0.10	33.72	33.72		32.37						8.43	8.43							
142+73.19	143+50.00	R	76.81	27.00	26.52	26.76	228.38	232.93	232.93	0.12	38.82	38.82		37.27						9.71	9.71							
143+50.00	144+50.00	R	100.00	26.52	25.83	26.18	290.83	283.59	283.59	0.14	47.26	47.26		45.37						11.82	11.82							
144+50.00	145+01.39	R	51.39	26.30	34.78	30.54	174.38	169.30	169.30	0.08	28.22	28.22		27.09						7.05	7.05							
SB shoulder																												
135+10.00	136+10.00	L	100.00	2.00	2.00	2.00	22.22		22.22	0.01				3.56						0.93	0.93							
			100.00	2.50	2.50	2.50	27.78				4.63																	
			100.00	3.50	3.50	3.50	38.89					6.48																
136+10.00	137+60.00	L	150.00	2.00	8.00	5.00	83.33		83.33	0.03				13.33						3.47	3.47							
			150.00	2.50	8.50	5.50	91.67				15.28																	
			150.00	3.50	9.50	6.50	108.33					18.06																
137+60.00	142+24.82	L	464.82	8.00	8.00	8.00	413.17		413.17	0.14				66.11						17.22	17.22							
			464.82	8.50	8.50	8.50	439.00				73.17																	
			464.82	9.50	9.50	9.50	490.64					81.77																
142+24.82	142+49.82	L	25.00	8.00	2.00	5.00	13.89		13.89	0.00				2.22						0.58	0.58							
			25.00	8.50	2.50	5.50	15.28				2.55																	
			25.00	9.50	3.50	6.50	18.06					3.01																
Berm																												
135+10.00	139+62.64	L	452.64	2.00	2.00	2.00	100.59								40.23									22.35				
135+10.00	139+86.00	R	476.00	2.00	2.00	2.00	105.78								42.31									23.51				
TOTALS CARRIED TO TOTALS SUMMARY									2781	3	425	438	0	903	83	109	0	0	0	105	105	0	0	46	3136	334	0	

C/L Const.		Side	Length	Start Width	End Width	Average Width	Surface Area	Planimetered Area	204	204	301	304	304	407	408	424	441	441	441	442	442	452	452	617	897	SPECIAL		
Station To Station									SUBGRADE COMPACTION	PROOF ROLLING	ASPHALT CONCRETE BASE, PG64-22, (449), (T=6")	AGGREGATE BASE (T=6")	AGGREGATE BASE (T=8")	NON-TRACKING TACK COAT (2 LIFTS) (0.08 GAL./S.Y.)	PRIME COAT	FINE GRADED POLYMER ASPHALT CONCRETE, TYPE B, (448) (T=1 1/4")	ASPHALT CONCRETE SURFACE COURSE, TYPE 1, (449), DRIVEWAYS (T=2")	ASPHALT CONCRETE SURFACE COURSE, TYPE 1, (449), DRIVEWAYS (T=1 1/4")	ASPHALT CONCRETE INTERMEDIATE COURSE, TYPE 2, (449), DRIVEWAYS (T=1 3/4")	ASPHALT CONCRETE SURFACE COURSE, 12 MM, TYPE A, (446), PG76-22M, (T=1 1/2")	ASPHALT CONCRETE INTERMEDIATE COURSE, 12 MM, TYPE A, (446), PG76-22M, (T=1 1/2")	6" NON-REINFORCED CONCRETE PAVEMENT, CLASS QC 1P	8" NON-REINFORCED CONCRETE PAVEMENT, CLASS QC 1P	COMPACTED AGGREGATE, AS PER PLAN	PAVEMENT PLANING, ASPHALT CONCRETE, CLASS A (T=1 1/4")	PAVEMENT OVERLAY FABRIC COMPOSITE		
BEGIN	END		FT.	FT.	FT.	FT.	S.Y.	S.Y.	S.Y.	HR	C.Y.	C.Y.	C.Y.	GAL.	GAL.	C.Y.	C.Y.	C.Y.	C.Y.	C.Y.	C.Y.	S.Y.	S.Y.	C.Y.	S.Y.	S.Y.		
							Unit Factor		1.00	1.00	6.00	6.00	8.00	0.08	0.40	1.25	2.00	1.25	1.75	1.50	1.50	1.00	1.00	8.00	1.00	2.00		
SR-46 North																												
Full Depth																												
146+52.72	147+50.00	L	97.28	35.13	26.00	30.57	330.37	299.69	299.69	0.10	49.95	49.95		47.95						12.49	12.49							
147+50.00	148+22.21	L	72.21	26.00	26.72	26.36	211.50	216.00	216.00	0.07	36.00	36.00		34.56						9.00	9.00							
148+22.21	149+13.32	L	92.80	26.72	27.00	26.86	276.96		276.96	0.09	46.16	46.16		44.31						11.54	11.54							
146+52.72	147+50.00	R	97.28	37.20	29.43	33.32	360.10	337.78	337.78	0.11	56.30	56.30		54.04						14.07	14.07							
147+50.00	148+22.21	R	72.21	25.82	25.17	25.50	204.55	199.78	199.78	0.07	33.30	33.30		31.96						8.32	8.32							
148+22.21	149+13.32	R	92.80	25.17	24.90	25.04	258.14		258.14	0.09	43.02	43.02		41.30						10.76	10.76							
149+13.32	149+15.00		1.68	60.00	60.00	60.00	11.20		11.20	0.00	1.87	1.87		1.79						0.47	0.47							
149+15.00	151+50.00	L	235.00	2.00	2.00	2.00	52.22		52.22	0.02	8.70	8.70		8.36						2.18	2.18							
149+15.00	151+50.00	R	235.00	2.00	2.00	2.00	52.22		52.22	0.02	8.70	8.70		8.36						2.18	2.18							
158+33.02	159+13.13							132.32	132.32	0.04	22.05	22.05		21.17						5.51	5.51							
163+20.00	164+21.63							134.89	134.89	0.04	22.48	22.48		21.58						5.62	5.62							
Pavement																												
149+15.00	151+50.00		235.00	56.00	56.00	56.00	1462.22			0.73	243.70	243.70		233.96		50.77									1462.22	52.22		
New Road West																												
Pavement																												
3+50.00	4+50.00		100.00	22.27	24.11	23.19	257.67			0.13				41.23		8.95									257.67	22.22		
Full Depth																												
4+50.00	5+50.00		100.00	24.11	28.88	26.50	294.39	291.86	291.86	0.10	48.64	48.64		46.70						12.16	12.16							
5+50.00	6+50.00		100.00	28.88	34.14	31.51	350.11	350.09	350.09	0.12	58.35	58.35		56.01						14.59	14.59							
6+50.00	7+20.00		70.00	34.14	36.00	35.07	272.77	275.81	275.81	0.09	45.97	45.97		44.13						11.49	11.49							
7+20.00	8+00.00	L	80.00	13.00	14.85	13.93	123.78	119.58	119.58	0.04	19.93	19.93		19.13						4.98	4.98							
8+00.00	8+50.00	L	50.00	14.85	16.06	15.46	85.86	85.13	85.13	0.03	14.19	14.19		13.62						3.55	3.55							
8+50.00	9+22.57	L	72.57	16.06	21.38	18.72	150.95	143.48	143.48	0.05	23.91	23.91		22.96						5.98	5.98							
7+20.00	8+00.00	R	80.00	15.00	15.90	15.45	137.33	140.73	140.73	0.05	23.46	23.46		22.52						5.86	5.86							
8+00.00	8+50.00	R	50.00	15.90	16.00	15.95	88.61	89.50	89.50	0.03	14.92	14.92		14.32						3.73	3.73							
8+50.00	9+22.57	R	72.57	16.00	23.95	19.98	161.07	145.06	145.06	0.05	24.18	24.18		23.21						6.04	6.04							
Berm																												
3+50.00	4+31.80	L	81.80	2.00	2.00	2.00	18.18			0.01					7.27									4.04				
3+50.00	4+64.83	R	114.83	2.00	2.00	2.00	25.52			0.01					10.21									5.67				
New Road East																												
Full Depth																												
10+93.96	12+00.00	L	106.04	22.06	16.57	19.32	227.57	202.67	202.67	0.07	33.78	33.78		32.43						8.44	8.44							
12+00.00	12+76.20	L	76.20	16.57	16.82	16.70	141.35		141.35	0.05	23.56	23.56		22.62						5.89	5.89							
10+93.96	12+00.00	R	106.04	22.32	16.60	19.46	229.28	234.83	234.83	0.08	39.14	39.14		37.57						9.78	9.78							
12+00.00	12+76.20	R	76.20	16.60	15.00	15.80	133.77		133.77	0.04	22.30	22.30		21.40						5.57	5.57							
12+76.20	13+50.00		73.80	39.82	34.88	37.35	306.27	308.87	308.87	0.10	51.48	51.48		49.42						12.87	12.87							
13+50.00	14+50.00		100.00	34.88	30.69	32.79	364.28	340.30	340.30	0.11	56.72	56.72		54.45						14.18	14.18							
14+50.00	15+00.00		63.80	26.31	24.00	25.16	178.32		178.32	0.06	29.72	29.72		28.53						7.43	7.43							
15+00.00	16+65.00	L	165.00	2.00	2.00	2.00	36.67		36.67	0.01	6.11	6.11		5.87						1.53	1.53							
TOTALS CARRIED TO TOTALS SUMMARY									5190	3	1109	1109	0	1106	18	60	0	0	0	217	217	0	0	10	1720	75	0	

C/L Const.		Side	Length	Start Width	End Width	Average Width	Surface Area	Planimetered Area	204	204	301	304	304	407	408	424	441	441	441	442	442	452	452	617	897	SPECIAL		
Station To Station									SUBGRADE COMPACTION	PROOF ROLLING	ASPHALT CONCRETE BASE, PG64-22, (449), (T=6")	AGGREGATE BASE (T=6")	AGGREGATE BASE (T=8")	NON-TRACKING TACK COAT (2 LIFTS) (0.08 GAL./S.Y.)	PRIME COAT	FINE GRADED POLYMER ASPHALT CONCRETE, TYPE B, (448) (T=1 1/4")	ASPHALT CONCRETE SURFACE COURSE, TYPE 1, (449), DRIVEWAYS (T=2")	ASPHALT CONCRETE SURFACE COURSE, TYPE 1, (449), DRIVEWAYS (T=1 1/4")	ASPHALT CONCRETE INTERMEDIATE COURSE, TYPE 2, (449), DRIVEWAYS (T=1 3/4")	ASPHALT CONCRETE SURFACE COURSE, 12 MM, TYPE A, (448), PG76-22M, (T=1 1/2")	ASPHALT CONCRETE INTERMEDIATE COURSE, 12 MM, TYPE A, (448), PG76-22M, (T=1 1/2")	6" NON-REINFORCED CONCRETE PAVEMENT, CLASS QC 1P	8" NON-REINFORCED CONCRETE PAVEMENT, CLASS QC 1P	COMPACTED AGGREGATE, AS PER PLAN	PAVEMENT PLANING, ASPHALT CONCRETE, CLASS A (T=1 1/4")	PAVEMENT OVERLAY FABRIC COMPOSITE		
BEGIN	END		FT.	FT.	FT.	FT.	S.Y.	S.Y.	S.Y.	HR	C.Y.	C.Y.	C.Y.	GAL.	GAL.	C.Y.	C.Y.	C.Y.	C.Y.	C.Y.	C.Y.	S.Y.	S.Y.	C.Y.	S.Y.	S.Y.		
							Unit Factor		1.00	1.00	6.00	6.00	8.00	0.08	0.40	1.25	2.00	1.25	1.75	1.50	1.50	1.00	1.00	8.00	1.00	2.00		
Pavement																												
15+00.00	16+65.00		165.00	22.00	21.32	21.66	397.10			0.20				63.54		13.79									397.10	36.67		
16+65.00	17+80.00		115.00	23.32	24.42	23.87	305.01			0.15				48.80		10.59									305.01	25.56		
Roundabout																												
Full Depth																												
145+01.39	146+52.72							1577.39	1577.39	0.53	262.90	262.90		252.38						65.72	65.72							
Curbs																												
142+50.00	143+30.97	R	83			3.00	27.67		27.67	0.01		4.61																
142+35.58	144+22.46	R	136			3.00	45.33		45.33	0.02		7.56																
142+49.82	142+96.53	L	49			3.00	16.33		16.33	0.01		2.72																
143+01.52	144+95.85	L	205			3.00	68.33		68.33	0.02		11.39																
144+22.46	145+35.68	R	129			2.50	35.83		35.83	0.01		5.97																
144+95.85	145+56.45	L	95			2.50	26.39		26.39	0.01		4.40																
145+20.85	146+32.85		335			2.75	102.36		102.36	0.03		17.06																
146+15.39	147+02.59	R	148			2.50	41.11		41.11	0.01		6.85																
147+03.24	151+50.00	R	450			3.00	150.00		150.00	0.05		25.00																
146+19.62	147+04.89	L	112			2.50	31.11		31.11	0.01		5.19																
147+04.89	151+50.00	L	447			3.00	149.00		149.00	0.05		24.83																
158+32.99	158+61.23	R	47			3.00	15.67		15.67	0.01		2.61																
158+85.31	159+13.13	R	45			3.00	15.00		15.00	0.01		2.50																
163+20.00	164+23.41	L	115			3.00	38.33		38.33	0.01		6.39																
4+65.14	5+47.24	R	83			3.00	27.67		27.67	0.01		4.61																
4+94.77	9+08.98	L	416			3.00	138.67		138.67	0.05		23.11																
5+52.29	8+33.97	R	287			3.00	95.67		95.67	0.03		15.94																
8+38.97	8+76.69	R	40			3.00	13.33		13.33	0.00		2.22																
10+93.10	11+21.34	R	34			3.00	11.33		11.33	0.00		1.89																
11+25.77	17+80.00	R	672			3.00	224.00		224.00	0.07		37.33																
11+63.15	16+65.00	L	530			3.00	176.67		176.67	0.06		29.44																
Driveways																												
139+01.53	SR-46	R						35.59	35.59	0.01		5.93					1.98											
140+32.73	SR-46	R						44.51	44.51	0.01												44.51						
141+40.27	SR-46	R						47.93	47.93	0.02												47.93						
142+07.73	SR-46	R						42.19	42.19	0.01												42.19						
142+62.09	SR-46	R						37.38	37.38	0.01												37.38						
143+12.65	SR-46	R						46.43	46.43	0.02												46.43						
150+50.00	SR-46	L						577.60	577.60	0.19													577.60					
4+66.06	NEW ROAD	L						49.97	49.97	0.02			11.10	4.00				1.73	2.43									
6+75.00	NEW ROAD	L						721.84	721.84	0.24													721.84					
13+74.99	NEW ROAD	R						53.39	53.39	0.02												53.39						
14+62.76	NEW ROAD	R						65.54	65.54	0.02												65.54						
140+91.35	SR-46	L						42.73	42.73	0.01		7.12																
12+97.08	NEW ROAD	R						61.37	61.37	0.02													61.37					
TOTALS CARRIED TO TOTALS SUMMARY									4854	2	263	518	12	369	0	25	2	2	3	66	66	338	1361	0	703	63	0	

C/L Const.		Side	Length	Start Width	End Width	Average Width	Surface Area	Planimetered Area	204	407	424	897	252																
Station To Station									PROOF ROLLING	NON-TRACKING TACK COAT (1 LIFT) (0.08 GAL./S.Y.)	FINE GRADED POLYMER ASPHALT CONCRETE, TYPE B, (448) (T=1 1/4")	PAVEMENT PLANING, ASPHALT CONCRETE, CLASS A (T=1 1/4")	FULL DEPTH PAVEMENT SAWING															
BEGIN	END		FT.	FT.	FT.	FT.	S.Y.	S.Y.	HR	GAL.	C.Y.	S.Y.	F.T.																
							Unit Factor		1.00	0.08	1.25	1.00	2.00																
Pavement																													
151+50.00	158+33.02		683.02	60.00	60.00	60.00	4553.47		2.28	364.28	158.11	4553.47	1366.04																
158+33.02	159+13.13		80.11	58.97	59.13	59.05	525.61		0.26	42.05	18.25	525.61	160.22																
159+13.13	163+20.00		406.87	60.13	59.86	60.00	2712.24		1.36	216.98	94.18	2712.24	813.74																
163+20.00	164+09.64		89.64	59.86	58.84	59.35	591.13		0.30	47.29	20.53	591.13	179.28																
164+09.64	164+21.63		11.99	53.84	53.84	53.84	71.73		0.04	5.74	2.49	71.73	23.98																
TOTALS CARRIED TO GENERAL NOTES										677	294	8455																	
TOTALS CARRIED TO TOTALS SUMMARY									5				2544																

C/L Const.									204	204	301	304	304	407	408	424	441	441	441	442	442	452	452	617	897	SPECIAL	252
Station To Station		Side	Length	Start Width	End Width	Average Width	Surface Area	Planimetered Area	SUBGRADE COMPACTION	PROOF ROLLING	ASPHALT CONCRETE BASE, PG64-22, (449), (T=6")	AGGREGATE BASE (T=6")	AGGREGATE BASE (T=8")	NON-TRACKING TACK COAT (2 LIFTS) (0.08 GAL./S.Y.)	PRIME COAT	FINE GRADED POLYMER ASPHALT CONCRETE, TYPE B, (448) (T=1 1/4")	ASPHALT CONCRETE SURFACE COURSE, TYPE 1, (449), DRIVEWAYS (T=2")	ASPHALT CONCRETE SURFACE COURSE, TYPE 1, (449), DRIVEWAYS (T=1 1/4")	ASPHALT CONCRETE INTERMEDIATE COURSE, TYPE 2, (449), DRIVEWAYS (T=1 3/4")	ASPHALT CONCRETE SURFACE COURSE, 12 MM, TYPE A, (448), PG76-22M, (T=1 1/2")	ASPHALT CONCRETE INTERMEDIATE COURSE, 12 MM, TYPE A, (448), PG76-22M, (T=1 1/2")	6" NON-REINFORCED CONCRETE PAVEMENT, CLASS QC 1P	8" NON-REINFORCED CONCRETE PAVEMENT, CLASS QC 1P	COMPACTED AGGREGATE, AS PER PLAN	PAVEMENT PLANING, ASPHALT CONCRETE, CLASS A (T=1 1/4")	PAVEMENT OVERLAY FABRIC COMPOSITE	FULL DEPTH PAVEMENT SAWING
BEGIN	END		FT.	FT.	FT.	FT.	S.Y.	S.Y.	S.Y.	HR	C.Y.	C.Y.	C.Y.	GAL.	GAL.	C.Y.	C.Y.	C.Y.	C.Y.	C.Y.	C.Y.	S.Y.	S.Y.	C.Y.	S.Y.	S.Y.	F.T.
							Unit Factor		1.00	1.00	6.00	6.00	8.00	0.08	0.40	1.25	2.00	1.25	1.75	1.50	1.50	1.00	1.00	8.00	1.00	2.00	2.00
TABLE 1									2781.00	3.00	425.00	438.00	0.00	903.00	83.00	109.00	0.00	0.00	0.00	105.00	105.00	0.00	0.00	46.00	3136.00	334.00	0.00
TABLE 2									5190.00	3.00	1109.00	1109.00	0.00	1106.00	18.00	60.00	0.00	0.00	0.00	217.00	217.00	0.00	0.00	10.00	1720.00	75.00	0.00
TABLE 3									4854.00	2.00	263.00	518.00	12.00	369.00	0.00	25.00	2.00	2.00	3.00	66.00	66.00	338.00	1361.00	0.00	703.00	63.00	0.00
TABLE 4										5.00																	2544.00
TOTALS									12825	13	1797	2065	12	2378	101	194	2	2	3	388	388	338	1361	56	5559	472	2544
TOTALS CARRIED TO GENERAL NOTES										13																472	
TOTALS CARRIED TO GENERAL SUMMARY									12825		1797	2077		2378	101	194	4		3	388	388	338	1361	56	5559		2544