



G:\DE\Clients\ODOT\077653_MED-303-13.90-14.96\94440\Design\Structures\MED303_1496C_Sheets\303_1496C_Sheets\303_1496C_Sheets.dgn Sheet 1/21/2020 11:16:34 AM sechrist



SECTION A
(REAR ABUTMENT)



SECTION B
(FORWARD ABUTMENT)

LOCATION	SUPPORT BOLT DIMENSION "A"			
	BEAM			
REAR	1' - 1 5/16"	1' - 2 3/4"	1' - 2 1/4"	1' - 0"
FORWARD	1' - 0 3/8"	1' - 2 3/16"	1' - 2 1/16"	1' - 0"

NOTES:

- SEE SHEETS 5/20 & 6/20 FOR LOCATION OF SECTIONS A & B, RESPECTIVELY.
- SEE ODOT SCD AS-1-15 DETAIL B FOR PREFORMED ELASTOMERIC COMPRESSION JOINT SEAL DETAILS.
- SEE ODOT SCD ICD-1-82 FOR ADDITIONAL ABUTMENT DETAILS.
- ASSUME A 3" CLEAR COVER UNLESS OTHERWISE NOTED.
- NO. 8 BARS THRU 2" ϕ HOLES IN STRUCTURAL STEEL.
- 2 - 1/4" ϕ BOLTS (7"-TUNC) WITH 2 NUTS AND 2 - 3" x 3" x 1/4" WASHERS PER BOLT.
- MINIMUM LAPS LENGTHS:
#6 BARS = 3'-8"

 WOOLPERT DESIGN ENGINEERING & CONSTRUCTION	DESIGN AGENCY ONE EASTON OVAL SUITE 100 COLUMBUS, OH 43219 T 614-476-8000 F 614-476-8225	DATE 12/2018	STRUCTURE FILE NUMBER 5207960	
DRAWN JMM	REVIEWED TML	DESIGNED JMM	CHECKED PES	ABUTMENT SECTION DETAILS BRIDGE NO. MED-303-1496 SR-303 OVER EAST BRANCH ROCKY RIVER
MED-303-13.90/14.96 PID No. 94440				
8 / 20				
43 60				