


PAVEMENT DATA (FULL DEPTH RECLAMATION)																			
LOCATION	COUNTY	ROUTE	BEGIN LOG POINT SLM	END LOG POINT SLM	LENGTH		PAVEMENT WIDTH (W)	TYPICAL	PAVEMENT AREA (A)	203		204		304		SPECIAL			
										THICKNESS	EXCAVATION (2' WIDTH)	SUBGRADE COMPACTION (2' WIDTH)	PROOF ROLLING (A/2000)	THICKNESS	AGGREGATE BASE	FULL DEPTH RECLAIMED BASE COURSE, 6" DEEP	ADDITIONAL ADDITIVES (CEMENT, FLY ASH, LIME) (A x 5/36 x 2 x 0.01)	CORRECTIVE AGGREGATE FOR FDR (FINE, COARSE OR RAP) = (A x 5/36 x 27 x 110/2000 x 0.01)	**EMULSIFIED ASPHALT (A x 5/36 x 2 x 7)
					MILES	LIN. FT.													
1	MUS	S.R. 208	3.32	5.92	2.60	13,728.0	22.0	3	33,557.3	12.0	2,033.8	3,050.7	16.8	6.0	1,016.9	33,557.3	111.9	83.1	78,300.4
			5.92	5.98	0.06	316.8	22.0	3	774.4							774.4	2.6	1.9	1,806.9
			5.98	6.60	0.62	3,273.6	22.0	3	8,002.1	12.0	485.0	727.5	4.0	6.0	242.5	8,002.1	26.7	19.8	18,671.6
			6.60	6.64	0.04	211.2	22.0	3	516.3							516.3	1.7	1.3	1,204.7
			6.64	11.05	4.41	23,284.8	22.0	3	56,918.4	12.0	3,449.6	5,174.4	28.5	6.0	1,724.8	56,918.4	189.7	140.9	132,809.6
CULVERT DEDUCTIONS (FROM SHEET 21)					(165.0)			(366.7)	12.0	(24.4)	(73.3)	(0.2)	6.0	(12.2)	(366.7)	(1.2)	(0.9)	(855.6)	
BRIDGE DEDUCTIONS (FROM SHEET 15)					(252.0)			(588.1)	12.0	(37.3)	(112.0)	(0.3)	6.0	(18.7)	(588.1)	(2.0)	(1.5)	(1,372.2)	
LOCATION 1 TOTALS (CARRIED TO GENERAL SUMMARY)											5,906.7	8,767.3	48.8		2,953.3	98,813.7	329.4	244.6	230,565.4

**SEE SPECIAL PROVISION DESIGNER NOTES FOR CONVERSION FACTORS



LOCATION 1 TOTALS										PLAN SPLIT		ITEM	ITEM EXT.	GRAND TOTAL	UNIT	DESCRIPTION	SEE SHEET
3	5	6	12	13	14	17	18	20	01/NFA/04 ODOT	03/SAF/21 TRI-VALLEY							
	50				5,793				5,843			202	23500	5,843	SY	WEARING COURSE REMOVED	
							2,606		1,881	725		202	30000	2,606	SF	WALK REMOVED	
							214		214			202	32000	214	FT	CURB REMOVED	
								15,012.5	15,012.5			202	38001	15,012.5	FT	GUARDRAIL REMOVED, AS PER PLAN	5
								52	52			202	42000	52	EACH	ANCHOR ASSEMBLY REMOVED, TYPE A	
								8	8			202	42010	8	EACH	ANCHOR ASSEMBLY REMOVED, TYPE E	
								2	2			202	42040	2	EACH	ANCHOR ASSEMBLY REMOVED, TYPE T	
										7		203	10000	5,914	CY	EXCAVATION	
								350	350			203	20001	350	CY	EMBANKMENT, AS PER PLAN	3
					8,768				8,768			204	10000	8,768	SY	SUBGRADE COMPACTION	
3,000									3,000			204	13000	3,000	CY	EXCAVATION OF SUBGRADE	
1,500									1,500			204	30010	1,500	CY	GRANULAR MATERIAL, TYPE B	
1,500									1,500			204	30021	1,500	CY	GRANULAR MATERIAL, TYPE C, AS PER PLAN	3
					49				49			204	45000	49	HOUR	PROOF ROLLING	
4,500								1,550	6,050			204	50000	6,050	SY	GEOTEXTILE FABRIC	
							1,660		1,660			209	10000	1,660	FT	DITCH CLEANOUT	
20.02									20.02			209	60500	20.02	MILE	LINEAR GRADING	
				20.02					20.02			209	72051	20.02	MILE	PREPARING SUBGRADE FOR SHOULDER PAVING, AS PER PLAN	3
								14,762.5	14,762.5			606	15100	14,762.5	FT	GUARDRAIL, TYPE MGS WITH LONG POSTS	
								300.0	300.0			606	17360	300.0	FT	GUARDRAIL, TYPE MGS, LONG-SPAN	
								50	50.0			606	19001	50	EACH	GUARDRAIL POST, STEEL, AS PER PLAN	6
								49	49			606	26150	49	EACH	ANCHOR ASSEMBLY, MGS TYPE E (MASH 2016)	
								11	11			606	26550	11	EACH	ANCHOR ASSEMBLY, MGS TYPE T	
								337.5	337.5			606	98000	337.5	FT	GUARDRAIL, MISC.: EXISTING W-BEAM	6
								2,212.5	2,212.5			606	98000	2,212.5	FT	GUARDRAIL, MISC.: SHOULDER SUPPORT BENCHING	6
								914	279	635		608	10000	914	SF	4" CONCRETE WALK	
								90		90		608	13000	90	SF	6" CONCRETE WALK	
								1,528	1,528			608	52000	1,528	SF	CURB RAMP	
								40	40			608	53020	40	SF	DETECTABLE WARNING	
								20	20			609	26000	20	FT	CURB, TYPE 6	
									2			623	40000	2	EACH	MONUMENT ASSEMBLY REMOVED AND RESET, TYPE C	RW2
									4			623	40500	4	EACH	REFERENCE MONUMENT, TYPE A	RW2
									36			623	40520	36	EACH	RIGHT-OF-WAY MONUMENT, TYPE B	RW2
									LS			623	50000		LS	PRECONSTRUCTION SURVEY MONUMENT VERIFICATION AND REPORT	
									LS			623	51000		LS	POST CONSTRUCTION SURVEY MONUMENT VERIFICATION AND REPORT	
							1,476		1,476			601	21050	1,476	SY	TIED CONCRETE BLOCK MAT WITH TYPE 1 UNDERLAYMENT	
								6		6		653	10001	6	CY	TOPSOIL FURNISHED AND PLACED, AS PER PLAN	4
								47		47		659	00500	47	SY	SEEDING AND MULCHING, CLASS 1	
							1,476					659	00510	1,476	SY	SEEDING AND MULCHING, CLASS 2	
									10,000			832	30000	10,000	EACH	EROSION CONTROL	

GENERAL SUMMARY

DESIGN AGENCY

 DESIGNER
RMA
 REVIEWER
JSL 05/15/24
 PROJECT ID
95459
 SHEET TOTAL
57 59

