

ITEM 614 - WORK ZONE LANE LINE, 6", CLASS III, 642 PAINT:
 WORK ZONE LANE LINE SHALL BE PLACED TO REFLECT THE PROPOSED LANE LINE AS DETERMINED FROM THE PROPOSED MARKINGS WITHIN THE PROJECT LIMITS. IT SHALL BE THE CONTRACTOR'S RESPONSIBILITY TO VERIFY THE LOCATION, SIZE, AND TYPE OF WORK ZONE MARKINGS NEEDED MEETING THE REQUIREMENTS OF ITEM 614 BEFORE THE REMOVAL OR RESURFACING OBLITERATES THE EXISTING.

THE FOLLOWING QUANTITY HAS BEEN PROVIDED AND THE TOTAL HAS BEEN CARRIED TO THE GENERAL SUMMARY.
 ITEM 614 - WORK ZONE LANE LINE, 6", CLASS III, 642 PAINT
 = 11.56 MI

ITEM 614 - WORK ZONE EDGE LINE, 6", CLASS III, 642 PAINT:
 WORK ZONE EDGE LINE SHALL BE PLACED TO REFLECT THE PROPOSED EDGE LINE AS DETERMINED FROM THE PROPOSED MARKINGS WITHIN THE PROJECT LIMITS. IT SHALL BE THE CONTRACTOR'S RESPONSIBILITY TO VERIFY THE LOCATION, SIZE, AND TYPE OF WORK ZONE MARKINGS NEEDED MEETING THE REQUIREMENTS OF ITEM 614 BEFORE THE REMOVAL OR RESURFACING OBLITERATES THE EXISTING.

THE FOLLOWING QUANTITY HAS BEEN PROVIDED AND THE TOTAL HAS BEEN CARRIED TO THE GENERAL SUMMARY.
 ITEM 614 - WORK ZONE EDGE LINE, 6", CLASS III, 642 PAINT
 = 23.02 MI

ITEM 614 - WORK ZONE CHANNELIZING LINE, 12", CLASS III, 642 PAINT:
 WORK ZONE CHANNELIZING LINE SHALL BE PLACED TO REFLECT THE PROPOSED CHANNELIZING LINE AS DETERMINED FROM THE PROPOSED MARKINGS WITHIN THE PROJECT LIMITS. IT SHALL BE THE CONTRACTOR'S RESPONSIBILITY TO VERIFY THE LOCATION, SIZE, AND TYPE OF WORK ZONE MARKINGS NEEDED MEETING THE REQUIREMENTS OF ITEM 614 BEFORE THE REMOVAL OR RESURFACING OBLITERATES THE EXISTING.

THE FOLLOWING QUANTITY HAS BEEN PROVIDED AND THE TOTAL HAS BEEN CARRIED TO THE GENERAL SUMMARY.
 ITEM 614 - WORK ZONE CHANNELIZING LINE, 12", CLASS III, 642 PAINT
 = 2,132 FT

ITEM 614 - WORK ZONE STOP LINE, CLASS III, 642 PAINT:
 WORK ZONE STOP LINE SHALL BE PLACED TO REFLECT THE PROPOSED STOP LINES AS DETERMINED FROM THE PROPOSED MARKINGS WITHIN THE PROJECT LIMITS. IT SHALL BE THE CONTRACTOR'S RESPONSIBILITY TO VERIFY THE LOCATION, SIZE, AND TYPE OF WORK ZONE MARKINGS NEEDED MEETING THE REQUIREMENTS OF ITEM 614 BEFORE THE REMOVAL OR RESURFACING OBLITERATES THE EXISTING.

THE FOLLOWING QUANTITY HAS BEEN PROVIDED AND THE TOTAL HAS BEEN CARRIED TO THE GENERAL SUMMARY.
 ITEM 614 - WORK ZONE STOP LINE, CLASS III, 642 PAINT
 = 246 FT

ITEM 614 - WORK ZONE ARROW, CLASS III, 642 PAINT:
 WORK ZONE ARROWS, SHALL BE PLACED TO REFLECT THE PROPOSED LANE ARROWS AS DETERMINED FROM THE PROPOSED MARKINGS WITHIN THE PROJECT LIMITS. IT SHALL BE THE CONTRACTOR'S RESPONSIBILITY TO VERIFY THE LOCATION, SIZE, AND TYPE OF WORK ZONE MARKINGS NEEDED MEETING THE REQUIREMENTS OF ITEM 614 BEFORE THE REMOVAL OR RESURFACING OBLITERATES THE EXISTING.

THE FOLLOWING QUANTITY HAS BEEN PROVIDED AND THE TOTAL HAS BEEN CARRIED TO THE GENERAL SUMMARY.
 ITEM 614 - ITEM 614 - WORK ZONE ARROW, CLASS III, 642 PAINT
 = 16 EA

LANE VALUE CONTRACT
 THE CONTRACTOR SHALL BE ASSESSED A DISINCENTIVE AS DESIGNATED IN THE LANE VALUE CONTRACT TABLE FOR EACH UNIT OF TIME A LANE/SHOULDER/RAMP IS CLOSED BY THE CONTRACTOR'S ACTION WHILE NOT OTHERWISE PERMITTED BY THE LANE VALUE CONTRACT TABLE.

LANE VALUE CONTRACT TABLE						
PIC-23						
Section	Existing Number of Lanes per Direction	Lane Reduction	Lane closures are NOT permitted:			Disincentive Amounts per minute per lane
			Mon to Thur	Fri to Sat	Sun	
DUPONT ROAD (5.54) TO FRANKLIN COUNTY LINE (23.16) NORTHBOUND	2	2 to 1	6AM-9AM	No Restriction	No Restriction	\$50
DUPONT ROAD (5.54) TO FRANKLIN COUNTY LINE (23.16) SOUTHBOUND	2	2 to 1	3PM-6PM	No Restriction	No Restriction	\$50
SHORT TERM SHOULDER CLOSURES ARE PERMITTED ANY TIME EXCEPT 6AM-9AM AND 3PM-6PM MONDAY-FRIDAY.						
REST AREA RAMP CLOSURES ARE PERMITTED MONDAY - THURSDAY 10A - 4P						

SHEET NUMBER						PART		ITEM	ITEM EXT	TOTAL	UNIT	DESCRIPTION	SEE SHEET NO.
P.06 - P.07	P.08 - P.10	P.13	P.35	P.43	P.44	01/NHS/PV							
												ROADWAY	
LS			2591			LS		201	11001	LS		CLEARING AND GRUBBING, AS PER PLAN	6
		120				2591		202	23001	2591	SY	PAVEMENT REMOVED, AS PER PLAN	6
			107			120		202	30001	120	SF	WALK REMOVED, AS PER PLAN	6
			341			107		202	35100	107	FT	PIPE REMOVED, 24" AND UNDER	
						341		203	10001	341	CY	EXCAVATION, AS PER PLAN	6
			548			548		203	20001	548	CY	EMBANKMENT, AS PER PLAN	6
4						4		SPECIAL	69050350	4	EACH	MAILBOX REMOVED AND RESET	6
												EROSION CONTROL	
			411			411		659	00300	411	CY	TOPSOIL	
			3710			3710		659	10000	3710	SY	SEEDING AND MULCHING	
			186			186		659	14000	186	SY	REPAIR SEEDING AND MULCHING	
			186			186		659	15000	186	SY	INTER-SEEDING	
			0.50			0.50		659	20000	0.50	TON	COMMERCIAL FERTILIZER	
			0.77			0.77		659	31000	0.77	ACRE	LIME	
			20			20		659	35000	20	MGAL	WATER	
			836			836		670	00500	836	SY	SLOPE EROSION PROTECTION	
			283			283		670	00700	283	SY	DITCH EROSION PROTECTION	
						1000		832	30000	1000	EACH	EROSION CONTROL	
												DRAINAGE	
			35			35		611	04200	35	FT	12" CONDUIT, TYPE A, 706.02, 707.01 ALUMINIZED, 707.04, 707.33 WITH WELDED BELL	
			29			29		611	06100	29	FT	15" CONDUIT, TYPE C, 706.02, 707.01 ALUMINIZED, 707.04, 707.33 WITH WELDED BELL	
4		1				1		611	98470	1	EACH	CATCH BASIN, NO. 2-2B	
						4		611	98630	4	EACH	CATCH BASIN ADJUSTED TO GRADE	
						1		611	98635	1	EACH	CATCH BASIN RECONSTRUCTED TO GRADE, AS PER PLAN	6
4						4		611	99654	4	EACH	MANHOLE ADJUSTED TO GRADE	
												PAVEMENT	
			2676			2676		251	01041	2676	SY	PARTIAL DEPTH PAVEMENT REPAIR (ASPHALT CONCRETE BASE), AS PER PLAN, 6"	6
			1704			1704		253	02001	1704	CY	PAVEMENT REPAIR, AS PER PLAN, 14"	6
			235630			235630		254	01000	235630	SY	PAVEMENT PLANING, ASPHALT CONCRETE, 1.50"	
						1470		255	20000	1470	FT	FULL DEPTH PAVEMENT SAWING	
						18		301	56000	18	CY	ASPHALT CONCRETE BASE, PG64-22, (449)	
			1.2			1.2		304	20000	1.2	CY	AGGREGATE BASE	
			20035			20035		407	20000	20035	GAL	NON-TRACKING TACK COAT	
			7250			7250		442	00100	7250	CY	ANTI-SEGREGATION EQUIPMENT	
			9633			9633		442	10000	9633	CY	ASPHALT CONCRETE SURFACE COURSE, 12.5 MM, TYPE A (446)	
			185			185		442	20000	185	CY	ASPHALT CONCRETE SURFACE COURSE, 12.5 MM, TYPE A (448)	
			120			120		608	10000	120	SF	4" CONCRETE WALK	
			60			60		609	26000	60	FT	CURB, TYPE 6	
			781			781		617	10100	781	CY	COMPACTED AGGREGATE	
5						5		617	25000	5	MGAL	WATER	
			12.02			12.02		618	40600	12.02	MILE	RUMBLE STRIPS, SHOULDER (ASPHALT CONCRETE)	
			63188			63188		872	10000	63188	FT	VOID REDUCING ASPHALT MEMBRANE (VRAM)	

GENERAL SUMMARY

DESIGN AGENCY

 DESIGNER
MAK
 REVIEWER
DKR
 PROJECT ID
112877
 SHEET TOTAL
 P.11 | 44

