

STATION	SIDE	LENGTH (L)	AVERAGE WIDTH (W)	SURFACE AREA (A) = LxW	202	202	204	252	254	301	304	407	407	442	442	
					WEARING COURSE REMOVED	PAVEMENT REMOVED (ASPHALT)	SUBGRADE COMPACTION	FULL DEPTH PAVEMENT SAWING	PAVEMENT PLANING, ASPHALT CONCRETE	6" ASPHALT CONCRETE BASE, PG64-22	6" AGGREGATE BASE, AS PER PLAN	NON-TRACKING TACK COAT @ 0.085 GAL/SY	NON-TRACKING TACK COAT @ 0.055 GAL/SY	1 1/2" ASPHALT CONCRETE SURFACE COURSE, 12.5 MM, TYPE A (446), AS PER PLAN (PG70-22M)	1 3/4" ASPHALT CONCRETE INTERMEDIATE COURSE, 19 MM, TYPE A (446)	
FROM	TO		FT	FT	SF	SY	SY	SY	FT	SY	CY	CY	GAL	GAL	CY	CY
S.R. 14																
26+69.74	27+18.49	LT/RT	48.75	51.42	2506.73	278.53							23.67	15.32	11.61	
27+18.79	29+30.00	LT/RT	211.21	47.85	10106.40				2.00					61.76	46.79	54.59
27+18.79	29+30.00	LT/RT	211.21	47.20	9969.11				1107.68				94.15			
27+18.79	29+30.00	LT	211.21	2.00	422.42		93.87			7.82				2.58		
27+18.79	29+30.00	LT	211.21	4.50	950.45			105.61								
27+18.79	29+30.00	LT	211.21	5.50	1161.66						21.51					
27+18.79	29+30.00	RT	211.21	1.25	264.01		36.67			4.89				1.61		
27+18.79	29+30.00	RT	211.21	3.75	792.04			88.00								
27+18.79	29+30.00	RT	211.21	4.75	1003.25						18.58					
29+30.00	30+90.00	LT/RT	160.00	39.25	6280.00									38.38	29.07	33.92
29+30.00	30+90.00	LT/RT	160.00	37.10	5936.00					659.56			56.06			
29+30.00	30+90.00	LT	160.00	3.80	608.00		256.71			11.26				3.72		
29+30.00	30+90.00	LT	160.00	6.30	1008.00			112.00								
29+30.00	30+90.00	LT	160.00	7.30	1168.00						21.63					
29+30.00	30+90.00	RT	160.00	2.80	448.00		139.38			8.30				2.74		
29+30.00	30+90.00	RT	160.00	5.30	848.00			94.22								
29+30.00	30+90.00	RT	160.00	6.30	1008.00						18.67					
30+90.00	84+30.00	LT/RT	5340.00	36.00	192240.00									1174.80	890.00	1038.33
30+90.00	84+30.00	LT/RT	5340.00	33.00	176220.00					19580.00			1664.30			
30+90.00	84+30.00	LT	5340.00	3.13	16714.20		5812.83			309.52				102.14		
30+90.00	84+30.00	LT	5340.00	5.63	30064.20			3340.47								
30+90.00	84+30.00	LT	5340.00	6.63	35404.20						655.63					
30+90.00	84+30.00	RT	5340.00	2.67	14257.80		4229.81			264.03				87.13		
30+90.00	84+30.00	RT	5340.00	5.17	27607.80			3067.53								
30+90.00	84+30.00	RT	5340.00	6.17	32947.80						610.14					
84+30.00	84+80.00	LT/RT	50.00	42.00	2100.00									12.83	9.72	11.34
84+30.00	84+80.00	LT/RT	50.00	40.00	2000.00					222.22			18.89			
84+30.00	84+80.00	LT	50.00	3.30	165.00		60.50			3.06				1.01		
84+30.00	84+80.00	LT	50.00	5.80	290.00			32.22								
84+30.00	84+80.00	LT	50.00	6.80	340.00						6.30					
84+30.00	84+80.00	RT	50.00	3.30	165.00		60.50			3.06				1.01		
84+30.00	84+80.00	RT	50.00	5.80	290.00			32.22								
84+30.00	84+80.00	RT	50.00	6.80	340.00						6.30					
84+80.00	86+07.91	LT/RT	127.91	46.00	5883.86									35.96	27.24	31.78
84+80.00	86+07.91	LT/RT	127.91	43.53	5567.92					618.66			52.59			
84+80.00	86+07.91	LT	127.91	2.70	345.36		103.61			6.40				2.11		
84+80.00	86+07.91	LT	127.91	5.20	665.13			73.90								
84+80.00	86+07.91	LT	127.91	6.20	793.04						14.69					
84+80.00	86+07.91	RT	127.91	2.84	363.26		114.63			6.73				2.22		
84+80.00	86+07.91	RT	127.91	5.34	683.04			75.89								
84+80.00	86+07.91	RT	127.91	6.34	810.95						15.02					
86+07.91	87+00.00	LT/RT	92.09	40.00	3683.60									22.51	17.05	19.90
86+07.91	87+00.00	LT/RT	92.09	39.71	3656.89					406.32			34.54			
86+07.91	87+00.00	LT	92.09	2.07	190.63		43.84				3.53			1.16		
86+07.91	87+00.00	LT	92.09	4.57	420.85			46.76								
86+07.91	87+00.00	LT	92.09	5.57	512.94						9.50					
86+07.91	87+00.00	RT	92.09	4.95	455.85		250.72			8.44				2.79		
86+07.91	87+00.00	RT	92.09	7.45	686.07			76.23								
86+07.91	87+00.00	RT	92.09	8.45	778.16						14.41					
87+00.00	87+50.00	LT/RT	50.00	44.10	2205.00									13.48	10.21	11.91
87+00.00	87+50.00	LT/RT	50.00	46.60	2330.00					258.89			22.01			
87+00.00	87+50.00	LT	50.00	2.00	100.00		22.22			1.85				0.61		
87+00.00	87+50.00	LT	50.00	4.50	225.00			25.00								
87+00.00	87+50.00	LT	50.00	5.50	275.00						5.09					
87+00.00	87+50.00	RT	50.00	7.25	362.50		292.01			6.71				2.22		
87+00.00	87+50.00	RT	50.00	9.75	487.50			54.17								
87+00.00	87+50.00	RT	50.00	10.75	537.50						9.95					
87+50.00	89+31.78	LT/RT	181.78	48.00	8725.44									53.32	40.40	47.13
87+50.00	89+31.78	LT/RT	181.78	52.42	9528.91					1058.77			90.00			
87+50.00	89+31.78	LT	181.78	2.40	436.27		116.34			8.08				2.67		
87+50.00	89+31.78	LT	181.78	4.90	890.72			98.97								
87+50.00	89+31.78	LT	181.78	5.90	1072.50						19.86					
87+50.00	89+31.78	RT	181.78	9.00	1636.02		1636.02			30.30				10.00		
87+50.00	89+31.78	RT	181.78	11.50	2090.47			232.27								
87+50.00	89+31.78	RT	181.78	12.50	2272.25						42.08					
89+31.78	90+37.60	LT/RT	105.82	42.00	4444.44									27.16	20.58	24.01
89+31.78	90+37.60	LT/RT	105.82	49.99	5289.94					587.77			49.96			
89+31.78	90+37.60	LT	105.82	2.55	269.84		76.45			5.00				1.65		
89+31.78	90+37.60	LT	105.82	5.05	534.39			59.38								
89+31.78	90+37.60	LT	105.82	6.05	640.21						11.86					
89+31.78	90+37.60	RT	105.82	13.40	1417.99		2111.23			26.26				8.67		
89+31.78	90+37.60	RT	105.82	15.90	1682.54			186.95								
89+31.78	90+37.60	RT	105.82	16.90	1788.36						33.12					
90+37.60	98+12.50	LT/RT	774.90	36.00	27896.40									170.48	129.15	150.68
90+37.60	98+12.50	LT/RT	774.90	37.79	29283.47					3253.72			276.57			
90+37.60	98+12.50	LT	774.90	1.90	1472.31		310.82			27.27				9.00		
90+37.60	98+12.50	LT	774.90	4.40	3409.56			378.84								
90+37.60	98+12.50	LT	774.90	5.40	4184.46						77.49					
90+37.60	98+12.50	RT	774.90	8.90	6896.61		6819.98			127.72				42.15		
90+37.60	98+12.50	RT	774.90	11.40	8833.86			981.54								
90+37.60	98+12.50	RT	774.90	12.40	9608.76						177.9					

STATION	SIDE	LENGTH (L)	AVERAGE WIDTH (W)	SURFACE AREA (A) = LxW	202	202	202	203	204	252	254	301	304	407	407	442	442		
					WEARING COURSE REMOVED	PAVEMENT REMOVED (CONCRETE)	PAVEMENT REMOVED (ASPHALT)	EXCAVATION (T=15.25")	SUBGRADE COMPACTION	FULL DEPTH PAVEMENT SAWING	PAVEMENT PLANING, ASPHALT CONCRETE	6" ASPHALT CONCRETE BASE, PG64-22	6" AGGREGATE BASE, AS PER PLAN	NON-TRACKING TACK COAT @ 0.085 GAL/SY	NON-TRACKING TACK COAT @ 0.055 GAL/SY	1 1/2" ASPHALT CONCRETE SURFACE COURSE, 12.5 MM, TYPE A (446), AS PER PLAN (PG70-22M)	1 3/4" ASPHALT CONCRETE INTERMEDIATE COURSE, 19 MM, TYPE A (446)		
FROM	TO		FT	FT	SF	SY	SY	SY	CY	SY	FT	SY	CY	CY	GAL	GAL	CY	CY	
PORTAGE POINTE DR.																			
9+26.25	9+73.71	LT/RT	CADD AREA	1777.69		197.52					115.83								
9+26.25	9+73.71	LT/RT	CADD AREA	1764.73															
9+26.25	9+73.71	LT/RT	CADD AREA	1815.88					201.76										
9+26.25	9+73.71	LT/RT	CADD AREA	1915.82									35.48						
SUMMERS AVE.																			
10+18.00	10+52.50	LT/RT	CADD AREA	1161.25							114.68						7.10	5.38	6.27
10+18.00	10+52.50	LT/RT	CADD AREA	929.32	103.26									8.78					
10+18.00	10+52.50	LT/RT	CADD AREA	653.24					72.58										
10+18.00	10+52.50	LT/RT	CADD AREA	390.69								7.24					2.39		
10+18.00	10+52.50	LT/RT	CADD AREA	752.77									13.94						
10+18.00	10+52.50	LT/RT	CADD AREA	158.77		17.64													
10+18.00	10+52.50	LT/RT	CADD AREA	594.00				12.43											
VALLEY BROOK RD.																			
10+18.00	10+51.86	LT/RT	CADD AREA	1284.69							124.89						7.85	5.95	6.94
10+18.00	10+51.86	LT/RT	CADD AREA	1209.94	134.44									11.43					
10+18.00	10+51.86	LT/RT	CADD AREA	416.77					46.31										
10+18.00	10+51.86	LT/RT	CADD AREA	157.26								2.91					0.96		
10+18.00	10+51.86	LT/RT	CADD AREA	515.23									9.54						
10+18.00	10+51.86	LT/RT	CADD AREA	82.22		9.14													
10+18.00	10+51.86	LT/RT	CADD AREA	432.39				9.05											
DEER MEADOW BLVD.																			
10+18.00	10+45.92	LT/RT	CADD AREA	1232.62		136.96					101.43								
10+18.00	10+45.92	LT/RT	CADD AREA	1552.60															
10+18.00	10+45.92	LT/RT	CADD AREA	1611.32					179.04										
10+18.00	10+45.92	LT/RT	CADD AREA	1724.10									31.93						
LAUREL LANE																			
10+18.00	10+58.00	LT/RT	CADD AREA	1490.78							152.04						9.11	6.90	8.05
10+18.00	10+58.00	LT/RT	CADD AREA	1525.72	169.52									14.41					
10+18.00	10+58.00	LT/RT	CADD AREA	515.83					57.31										
10+18.00	10+58.00	LT/RT	CADD AREA	218.64								4.05					1.34		
10+18.00	10+58.00	LT/RT	CADD AREA	629.19									11.65						
10+18.00	10+58.00	LT/RT	CADD AREA	260.89		28.99													
10+18.00	10+58.00	LT/RT	CADD AREA	385.04				8.05											
SUB-TOTALS						407.22	334.48	55.77	29.53	557.00	608.87		14.20	102.54	34.62	28.75	18.23	21.26	
SUB-TOTALS CARRIED FROM SHEET 1						495.36		24771.88		11002.22	5.78	33943.75	1020.65	2158.95	2927.33	2350.31	1525.35	1755.52	
SUB-TOTALS CARRIED FROM SHEET 3											1636.08			138.16					
SUB-TOTALS						902.58	25162.13		29.53	11559.22	614.65	35579.83	1034.85	2261.49	5479.17		1543.58	1776.78	
TOTALS CARRIED TO GENERAL SUMMARY						903	25162		30	11559	615	35580	1035	2261	5479		1544	1777	

LEVELING COURSE								
LOCATION	STATION		SIDE	AVG. THICKNESS	AVG. WIDTH	254	407	441
						PAVEMENT PLANING, ASPHALT CONCRETE	NON-TRACKING TACK COAT @ 0.085 GAL/SY	ASPHALT CONCRETE INTERMEDIATE COURSE, TYPE 1 (448)
	FROM	TO		INCHES	FT	SY	GAL	CY
S.R. 14	36+00	36+50	RT.	2.5	7.7	42.78	3.64	2.97
S.R. 14	36+50	37+00	RT.	3.0	7.4	41.11	3.49	3.43
S.R. 14	37+00	37+50	RT.	1.0	4.8	26.67	2.27	0.74
S.R. 14	37+50	38+00	RT.	2.0	4.7	26.11	2.22	1.45
S.R. 14	38+00	38+50	RT.	1.5	7.7	42.78	3.64	1.78
S.R. 14	38+50	39+00	RT.	0.2	6.1	33.89	2.88	0.19
S.R. 14	39+00	39+50	RT.	0.5	3.1	17.22	1.46	0.24
S.R. 14	39+50	40+00	RT.	1.0	4.8	26.67	2.27	0.74
S.R. 14	40+00	40+50	RT.	0.8	5.3	29.44	2.50	0.65
S.R. 14	40+50	41+00	LT.	0.4	1.7	9.44	0.80	0.11
S.R. 14	41+00	41+50	LT.	1.3	4.7	26.11	2.22	0.94
S.R. 14	41+50	42+00	LT.	1.8	6.9	38.33	3.26	1.92
S.R. 14	42+00	42+50	LT.	2.0	8.0	44.44	3.78	2.47
S.R. 14	42+50	43+00	LT.	1.9	8.0	44.44	3.78	2.35
S.R. 14	43+00	43+50	LT.	1.4	7.5	41.67	3.54	1.62
S.R. 14	45+50	46+00	LT.	0.8	5.3	29.44	2.50	0.65
S.R. 14	46+00	46+50	LT.	0.8	2.2	12.22	1.04	0.27
S.R. 14	48+00	48+50	LT.	0.3	1.8	10.00	0.85	0.08
S.R. 14	49+00	49+50	LT.	0.3	1.3	7.22	0.61	0.06
S.R. 14	49+50	50+00	LT.	0.7	3.4	18.89	1.61	0.37
S.R. 14	50+00	50+50	LT.	0.7	4.2	23.33	1.98	0.45
S.R. 14	52+00	52+50	LT.	1.3	6.2	34.44	2.93	1.24
S.R. 14	52+50	53+00	LT.	1.6	7.8	43.33	3.68	1.93
S.R. 14	53+00	53+50	LT.	1.8	7.9	43.89	3.73	2.19
S.R. 14	53+50	54+00	LT.	0.6	6.0	33.33	2.83	0.56
S.R. 14	55+00	55+50	RT.	2.6	8.6	47.78	4.06	3.45
S.R. 14	55+50	56+00	RT.	2.2	9.2	51.11	4.34	3.12
S.R. 14	56+00	56+50	RT.	2.2	8.8	48.89	4.16	2.99
S.R. 14	56+50	57+00	RT.	2.2	9.1	50.56	4.30	3.09
S.R. 14	57+00	57+50	LT.	2.0	4.5	25.00	2.13	1.39
S.R. 14	57+50	58+00	LT.	1.3	8.4	46.67	3.97	1.69
S.R. 14	58+00	58+50	LT.	1.1	7.0	38.89	3.31	1.19
S.R. 14	58+50	59+00	LT.	0.6	4.7	26.11	2.22	0.44
S.R. 14	59+00	59+50	LT.	0.4	3.4	18.89	1.61	0.21
S.R. 14	64+00	64+50	LT.	0.9	1.3	7.22	0.61	0.18
S.R. 14	69+00	69+50	LT.	0.7	3.6	20.00	1.70	0.39
S.R. 14	69+50	70+00	LT.	2.6	8.0	44.44	3.78	3.21
S.R. 14	70+00	70+50	LT.	2.6	9.9	55.00	4.68	3.97
S.R. 14	72+00	72+50	LT.	1.4	7.9	43.89	3.73	1.71
S.R. 14	72+50	73+00	LT.	2.1	8.5	47.22	4.01	2.75
S.R. 14	73+00	73+50	LT.	1.3	8.7	48.33	4.11	1.75
S.R. 14	73+50	74+00	LT.	0.5	6.5	36.11	3.07	0.50
S.R. 14	74+00	74+50	LT.	2.1	6.9	38.33	3.26	2.24
S.R. 14	83+50	84+00	LT.	2.0	8.8	48.89	4.16	2.72
S.R. 14	84+00	84+30	LT.	1.3	5.0	27.78	1.42	0.60
S.R. 14	104+00	104+50	LT.	0.5	4.8	26.67	2.27	0.37
S.R. 14	104+50	105+00	LT.	0.7	3.9	21.67	1.84	0.42
S.R. 14	105+00	105+50	LT.	0.7	4.4	24.44	2.08	0.48
S.R. 14	105+50	106+00	LT.	0.7	4.4	24.44	2.08	0.48
S.R. 14	106+00	106+50	LT.	0.4	3.7	20.56	1.75	0.23
TOTALS						1636.08	138.16	68.97
TOTAL CARRIED TO SHEET 2						1636.08	138.16	
TOTAL CARRIED TO THE GENERAL SUMMARY								69