

I:\Project+Data\SCI\12919_SCI-335_348-11.27_6.70\Design\Roadway\Sheets\12919_MN001.dgn_Sheet 7/8/2021 10:48:01 AM ewoodbr1

ITEM 614, MAINTAINING TRAFFIC

BEFORE THE WORK BEGINS, THE CONTRACTOR SHALL SUBMIT TO THE ENGINEER THE NAME(S) AND TELEPHONE NUMBER(S) OF A PERSON OR PERSONS WHO CAN BE CONTACTED TWENTY-FOUR (24) HOURS PER DAY BY THE OHIO DEPARTMENT OF TRANSPORTATION AND ALL INTERESTED POLICE AGENCIES. THIS PERSON OR PERSONS SHALL BE RESPONSIBLE FOR PLACING OR REPLACING NECESSARY TRAFFIC CONTROL DEVICES IN ACCORDANCE WITH THE OHIO MANUAL OF UNIFORM TRAFFIC CONTROL DEVICES.

THE CONTRACTOR WILL ADVISE THE DISTRICT PUBLIC INFORMATION OFFICER AT (740) 774-8834, OR FAX (740) 773-2710 FOURTEEN (14) DAYS PRIOR TO THE START OF CONSTRUCTION ACTIVITIES. THE PROJECT ENGINEER WILL PROVIDE ASSISTANCE/CLARIFICATION FOR ANY QUESTIONS.

THE CONTRACTOR SHALL ARRANGE FOR ALL MAINTENANCE OF TRAFFIC OPERATIONS SUCH THAT THERE WILL BE NO OBSTRUCTIONS TO THE CONTINUOUS FLOW OF TRAFFIC. ALL INTERSECTIONS AND DRIVEWAYS SHALL BE OPEN TO TRAFFIC AT ALL TIMES UNLESS OTHERWISE SHOWN IN THE PLAN.

LENGTH AND DURATION OF LANE CLOSURES AND RESTRICTIONS SHALL BE AT THE APPROVAL OF THE ENGINEER. IT IS THE INTENT TO MINIMIZE THE IMPACT TO THE TRAVELING PUBLIC. LANE CLOSURES OR RESTRICTIONS OVER SEGMENTS OF THE PROJECT IN WHICH NO WORK IS ANTICIPATED WITHIN A REASONABLE TIME FRAME, AS DETERMINED BY THE ENGINEER, SHALL NOT BE PERMITTED. THE LEVEL OF UTILIZATION OF MAINTENANCE OF TRAFFIC DEVICES SHALL BE COMMENSURATE WITH THE WORK IN PROGRESS.

ALL WORK AND TRAFFIC CONTROL DEVICES SHALL BE IN ACCORDANCE WITH C&MS 614 AND OTHER APPLICABLE PORTIONS OF THE SPECIFICATIONS, AS WELL AS THE OHIO MANUAL OF UNIFORM TRAFFIC CONTROL DEVICES. PAYMENT FOR ALL LABOR, EQUIPMENT AND MATERIALS SHALL BE INCLUDED IN THE LUMP SUM CONTRACT PRICE FOR ITEM 614, MAINTAINING TRAFFIC, UNLESS SEPARATELY ITEMIZED IN THE PLAN.

A MINIMUM OF 1 LANE(S) OF TRAFFIC IN EACH DIRECTION SHALL BE MAINTAINED AT ALL TIMES BY USE OF THE EXISTING PAVEMENT, THE COMPLETED PAVEMENT, ITEM 502 STRUCTURE FOR MAINTAINING TRAFFIC, ITEM 615 PAVEMENT FOR MAINTAINING TRAFFIC, ITEM 615 ROADS FOR MAINTAINING TRAFFIC, AND TEMPORARY SURFACES USING ITEMS 410 AND 614.

PLACEMENT OF ASPHALT CONCRETE

TWO-WAY TRAFFIC SHALL BE MAINTAINED AT ALL TIMES EXCEPT THAT ONE-WAY TRAFFIC WILL BE PERMITTED FOR MINIMUM PERIODS OF TIME CONSISTENT WITH THE REQUIREMENTS OF THE SPECIFICATIONS FOR PROTECTION OF COMPLETED ASPHALT CONCRETE COURSES.

WORK ZONE MARKINGS AND SIGNS

THE FOLLOWING ESTIMATED QUANTITIES HAVE BEEN CARRIED TO THE GENERAL SUMMARY FOR USE AT LOCATIONS IDENTIFIED BY THE ENGINEER FOR WORK ZONE PAVEMENT MARKINGS AND SIGNS PER THE REQUIREMENTS OF C&MS 614.04 AND 614.11.

- ITEM 614, WORK ZONE MARKING SIGN 56 EACH
- ITEM 614, WORK ZONE EDGE LINE, CLASS III, 6" 642 PAINT 64.98 MILE
- ITEM 614, WORK ZONE CENTER LINE, CLASS III, 642 PAINT 32.49 MILE

CALCULATED
EJWW
CHECKED
CLC

MAINTENANCE OF TRAFFIC GENERAL NOTES

SCI-335-11.27
SCI-348-6.70



I:\ProjectData\SCI\12919_SCI-335_348-11.27_6.70\Design\Roadway\Sheets\12919_GG001.dgn Sheet 7/8/2021 10:48:02 AM ewoodbr1

SHEET NUM.				PART.	ITEM	ITEM	GRAND	UNIT	DESCRIPTION	SEE SHEET NO.
5	7	8	9	01/STR/PV		EXT	TOTAL			
									PAVEMENT	
	65,631	85,245			422	11000	150,876	SY	AGGREGATE, SINGLE CHIP SEAL, TYPE A	
	26,144	34,098			422	25000	60,242	GAL	EMULSION, CHIP SEAL	
	9,804	12,788			886	11000	22,592	GAL	FOG SEAL	
									TRAFFIC CONTROL	
					782	00100	782	EACH	RPM	
					782	54000	782	EACH	RAISED PAVEMENT MARKER REMOVED	
					21.66	00104	21.66	MILE	EDGE LINE, 6", TYPE 1	
					10.83	00300	10.83	MILE	CENTER LINE, TYPE 1	
					32.49	30030	32.49	MILE	REMOVAL OF PAVEMENT MARKING	
									MAINTENANCE OF TRAFFIC	
56					56	12460	56	EACH	WORK ZONE MARKING SIGN	
64.98					64.98	22360	64.98	MILE	WORK ZONE EDGE LINE, CLASS III, 6", 642 PAINT	
32.49					32.49	21550	32.49	MILE	WORK ZONE CENTER LINE, CLASS III, 642 PAINT	
									INCIDENTALS	
					1	11000		LS	MAINTAINING TRAFFIC	
					1	10000		LS	MOBILIZATION	

GENERAL SUMMARY

SCI-335-11.27
SCI-348-6.70



CALCULATED
 EWW
 CHECKED
 CLC