SOM PROJECT ASSIGNMENT FORM

PID	C-R-S	Ellis Award Date:	Request Date:	Requested by:	Department:
92116	WIL-2-7.00/13.25		7/15/2025	JOSH PARADYSZ	P & E

Structure Type:	Survey Type:	Requested Survey Completion Date:
RESURFACE	TOPO	12/1/2025

Resurface info

- [x] Locate Pavement width
  - [ ] 100'
  - [ ] 500'
- [x] Stationing BEG/END Butt Joints
- [x] Bridge Information
- [ ] Railroad Crossing Information
- [x] Pavement Markings
  - [x] RPM
  - [ ] Detector Loop
- [x] Locate Guardrail
  - [x] Type
  - [x] Height
- [x] End Treatments
- [x] Locate Drainage Structures
- [x] Locate Curbs
- [x] Topo Curb Ramps
- [x] Locate Side Road Apron
- [ ] Locate Drive Aprons
- [ ] Locate Mailboxes
- [ ] Locate Signs
- [x] Locate Utilities
- [ ] Locate Geotech Boring
- [ ] Locate Bad Pavement Areas
- [ ] See Special Instructions

Project Request Notes

THE PROJECT IS TO RESURFACE WIL-2-7.00 TO 13.25 AND REPLACE A 3 BARREL CONCRETE CULVERT AT 7.43 WHICH WILL REQUIRE FULL TOPO 75 ' NORTH AND SOUTH OF CENTERLINE OF PAVEMENT ALONG THE ROAD FOR 200' EAST AND WEST OF THE CULVERTS, AND 100' WIDE ALONG THE DITCH, 200' UP AND DOWNSTREAM.

↑ 350'

-CENTERLINE SURVEY CONTROL/ GPS, TIE DOWN, REFERENCE.
-ESTABLISH RIGHT OF WAY (NO ADDITIONAL R/W WILL BE NEEDED)
-ESTABLISH BENCHMARKS/ LOCATE AND DESCRIBE.
-STATIONING/ BEGIN THRU END LOCATIONS PER SLM.
-PAVEMENT/ WIDTHS AS NEEDED, MARKINGS, BUTT JOINTS, CORP LIMITS.
-PAVEMENT STRUCTURES/ CBS., MHS.,WVS.,GSVS., RPMS
-DRAINAGE STRUCTURES/ TYPES, SIZES, TOP, BOTTOM, PIPE INVERTS, DIRECTION
-CURBS/ GUTTERS, SIDE APRONS, DRIVE APPRONS, CURB RAMPS
-CURB RAMP AREAS/ UTILITIES, TREES, SIGNS, OBSTRUCTIONS WITHIN 10 FEET.
-GUARDRAIL/ TYPE, HEIGHTS, END TREATMENTS, UTILITIES,
-UTILITIES, (OVERHEAD OR UNDERGROUND), TREES, BRUSH, SIGNS, HEADWALL,OHWM, RIP RAP ETC,
CONTACT JOSHUA PARADYSZ 419-373-4481 FOR QUESTIONS

Field Crew Assigned	Field Work Started	Field Work Completed	Field Work Completed
MILLER	9/24/25		☐

Processed by	Data Processed	Basemap Completed	Survey Folder File Path:

Processing Required	Real Estate Involvement	Courthouse research request	Survey Involvement Complete
☐	☐	☐	☐

RPM COUNT: 324

COORDINATES IN CONTROLLER TO START TOPO 11/19/25

COORDINATES IN CONTROLLER WITH CORRECT ELEVATION/COORDINATES.

FIRST SET UP CP200 TO CP100 * NOT GOOD. DID NOT USE

ΔH: -0.022 ΔV: 0.063
ΔH: -0.022 ΔV: 0.063

2nd CP200 TO CP400 & CHECK INTO CP300

ΔH: 0.007 ΔV: -0.016
ΔH: 0.007 ΔV: -0.016
CHECK CP300

POINT CHECK

JAM03	JAM03
320008.396	320008.396
170873.485	170873.485
736.992	736.962

ΔH: 0.023 ΔV: 0.023
ΔH: 0.023 ΔV: 0.017
CHANGE BATTERY CHECK IN CP400

POINT CHECK

JAM125	JAM125
320024.238	320024.238
170883.943	170883.943
736.689	736.649

ΔH: 0.021 ΔV: -0.015
ΔH: 0.021 ΔV: -0.005
ENDING SURVEY * CONTROLLER DIED BECAUSE OF BAD BATTERY SO IT LOOKS LIKE A RESTART.

ΔH: 0.032 ΔV: -0.017
ΔH: 0.032 ΔV: -0.007

11/24/25

CP200 TO CP150 * DID NOT USE BECAUSE OF THE VERTICAL

POINT CHECK

JAM285	JAM285
320037.643	320037.643
171120.468	171120.468
732.656	732.586

ΔH: -0.006 ΔV: 0.069
ΔH: -0.006 ΔV: 0.069

CP200 TO CP400

ΔH: 0.012 ΔV: -0.014
ΔH: 0.012 ΔV: -0.014
END SURVEY CHECK ✓

NOTE: USED ~~150~~ CP150 HOPING IT WAS AN ELEVATION PROBLEM BECAUSE ELEVATION FROM BENCH RUN HAD NOT BEEN KEYED IN.

ΔH: 0.008 Δ: -0.012
ΔH: 0.008 Δ: -0.002

CP200 ~~CP150~~ TO CP150

JAM377	JAM377
320068.526	320068.529
171216.117	171216.120
734.073	734.033


POINT CHECK


ΔH: -0.002 ΔV: 0.071
ΔH: -0.002 ΔV: 0.071
END SURVEY CHECK

ΔH: ~~0.002~~ 0.007 ~~0.007~~ ΔV: 0.071 ΔH: 0.033 ΔV: 0.001

ΔN: 0.003
ΔE: 0.033

NOTE:
- THIS SHEET IS TO COMPARE THE DELTAS OF THE SETUPS FOR THE TWO DAYS OF TOPO WORK. THERE HAS BEEN SOME ERROR WITH THE CONTROL ON THE WEST SIDE OF THE PROJECT, CP100. HAD MULTIPLE DAYS WHERE WE DID 12 OBSERVATIONS OF 5 SECONDS THAT DID NOT MATCH EACH OTHER AND DID NOT CHECK INTO THE OTHER CONTROL WELL. THIS IS WHY CP150 WAS ADDED AS AN EXTRA CP.
- AFTER UPDATING THE COORDINATES IN THE CONTROLLER ~~I~~ I ~~CAN~~ BELIEVE THE CURRENT CP'S ARE GOOD.
- IT DOES LOOK LIKE IT CORRECTS THE CP COORDINATE USED IN THE SETUPS AND THEN CORRECTS THE TOPO DATA COORDINATE COLLECTED. THE DELTAS ON THE INITIAL SETUPS DO NOT SHOW THE CHANGE BUT THE "END SURVEY CHECKS" DO.


Stryker
State Route 15
US Highway 127
US Highway 127 EW
Bryan
Bryan Recreation Park
Williams County Airport
County Road E
County Road D
County Road 17
County Road 15
County Road 1575
County Road 1950
County Road 20.60
County Road E50
County Road F
W Curtis St
E Trevitt St
E Perry St
S Main
S Union St
S Portland St
S Beech St
Paige St
2
REF28L
REF29
REF30
REF31
REF39
REF40A
REF41
REF42
REF43
FD IPIPE
REF 44
REF47
REF47A
REF47B
REF47C
REF48
REF49
REF49A
REF50
REF51
PI
PI
LOOK
LOOK
LOOK
LOOK
9/24/25
9/25/25
FD IPIPE W/ MPK
IN THE CENTER
DOWN 4"
ENDS/STARTS
@ THE DRIVEWAY
OF EASTLAND
BAPTIST CHURCH.


STRYKER
STATE ROUTE 2 & 191
STATE ROUTE 2 & 34
ROUTE 127
U.S. ROUTE 6
PENNSYLVANIA LINES LLC
MEMORIAL BIKE TRAIL
WILLIAMS COUNTY AIRPORT
PULASKI TWP
SPRINGFIELD TWP
COUNTY ROAD 15/D
COUNTY ROAD 15/C
COUNTY ROAD D
COUNTY ROAD C
TOWNSHIP ROAD F
TOWNSHIP ROAD E.50
TOWNSHIP ROAD E
TOWNSHIP ROAD D.30
TOWNSHIP ROAD C.50
TOWNSHIP ROAD A
TOWNSHIP ROAD A.50
TOWNSHIP ROAD E.25
TOWNSHIP ROAD F.70
COUNTY ROAD A
COUNTY ROAD 22/A
LOOK FD
OKAY
LOOK
LOOK FOR
FD 1PIPE 4" DOWN REF46
FD_1PIPE REF44
REF29
REF29A
REF30
REF30A
REF31
REF34
REF40A
REF41
REF41A
REF42
REF43
REF46
REF47
REF47A
REF47B
REF47C
REF48
REF49
REF49A
REF50
REF50A
REF47A
REF47B
0.89 Rdy
Ck?
11.82 Rdy

Nuhfer, Ryan

From: Geckle, David
Sent: Tuesday, July 15, 2025 2:51 PM
To: Nuhfer, Ryan
Cc: Paradysz, Joshua
Subject: WIL-92116 Survey

Follow Up Flag: Follow up
Flag Status: Flagged

Ryan,

Sorry that you weren't invited to the scoping meeting for the WIL-92116 project...I was filling in for Ben who is off today.

PID 92116 is a resurfacing project on WIL-2 from SLM 7.00 to 13.25. There is an existing 3 barrel concrete culvert at SLM 7.43 that we are proposing to replace with this project. We would need survey for the culvert replacement including existing R/W, topo, etc. The remainder of the project would just need pavement shots at the normal interval for resurfacing and to locate the guardrail. Josh can provide any needed additional details.

The schedule was set hoping to have survey completed by 12/1/25. Is this a feasible date to complete survey?

Let me know if you have any questions.

Thanks,
David Geckle, P.E.
District Design Engineer
ODOT District 2
317 East Poe Rd.
Bowling Green, Ohio 43402
D: 419.373.4377 C: 419.409.0380
David.Geckle@dot.ohio.gov

Department of Transportation

Nuhfer, Ryan

From: Geckle, David
Sent: Tuesday, July 15, 2025 11:48 AM
To: Noirot, Jaclyn; Nuhfer, Ryan
Subject: WIL-92116 Scoping Meeting
Attachments: const007.tif

Jackie/Ryan,

In advance of the scoping meeting today, I wanted to let you know that we are planning on potentially replacing a 3 "span" culvert on SR 2 near SLM 7.43 East of Bryan. I've attached the 1948 plans for reference. We probably will not be clear zone grading the new culvert due to utility impacts, and it looks like we might have plenty of R/W for the proposed replacement. The remainder of the project is just a resurfacing.

Just passing this along in advance of the meeting so you aren't too surprised.

Thanks,

David Geckle, P.E.
District Design Engineer
ODOT District 2
317 East Poe Rd.
Bowling Green, Ohio 43402
D: 419.373.4377 C: 419.409.0380
David.Geckle@dot.ohio.gov

Department of Transportation

Nuhfer, Ryan

From: Geckle, David
Sent: Tuesday, July 15, 2025 11:48 AM
To: Noirot, Jaclyn; Nuhfer, Ryan
Subject: WIL-92116 Scoping Meeting
Attachments: const007.tif

Jackie/Ryan,

In advance of the scoping meeting today, I wanted to let you know that we are planning on potentially replacing a 3 "span" culvert on SR 2 near SLM 7.43 East of Bryan. I've attached the 1948 plans for reference. We probably will not be clear zone grading the new culvert due to utility impacts, and it looks like we might have plenty of R/W for the proposed replacement. The remainder of the project is just a resurfacing.

Just passing this along in advance of the meeting so you aren't too surprised.

Thanks,

David Geckle, P.E.
District Design Engineer
ODOT District 2
317 East Poe Rd.
Bowling Green, Ohio 43402
D: 419.373.4377 C: 419.409.0380
David.Geckle@dot.ohio.gov

Department of Transportation

Nuhfer, Ryan

Subject:	Scope/Schedule WIL 2 7.00/ PID 92116
Location:	Microsoft Teams Meeting; DOT D02 Lobby Conference Room
Start:	Tue 7/15/2025 1:00 PM
End:	Tue 7/15/2025 2:00 PM
Recurrence:	(none)
Meeting Status:	Accepted
Organizer:	Cordes, Benjamin

-----Original Appointment-----
From: Cordes, Benjamin <Ben.Cordes@dot.ohio.gov>
Sent: Monday, June 9, 2025 10:49 AM
To: Cordes, Benjamin; Young, Kacey; Geckle, David; Fahy, Julie; Cherry, Joanie; Noirot, Jaclyn; Golnick, Phoenix; Baker, Allie; Foukes, Dylan; Maas, Jordan; Paradysz, Joshua; Ryder, Chad; Slusher, Joseph; Vaughan, Tyler; Miller, Nicklaus
Cc: Sommerfeld, Matthew; Richardson, Eliott; Barnes, Adam; Summersett, Jorey; Fox, Bradley
Subject: Scope/Schedule WIL 2 7.00/ PID 92116
When: Tuesday, July 15, 2025 1:00 PM-2:00 PM (UTC-05:00) Eastern Time (US & Canada).
Where: Microsoft Teams Meeting; DOT D02 Lobby Conference Room

All

Meeting to set scope and schedule for this project, I have reserved the lobby conference room but also a Teams link for those who want to attend remotely. If you are unable to attend, please send comments to me.

Respectivley
Ben Cordes
Planning Administrator
Office/Division of Capital Programs
317 E Poe Rd.
Bowling Green Ohio, 43402
D: 419 373 4467 C: 419 409 0182
Ben.Cordes@dot.ohio.gov

Department of Transportation

ODOT DISTRICT 2
PROJECT SCOPE FORM

A. PROJECT IDENTIFICATION

CRS: WIL-2-7.00 Resurfacing	**PID: 92116**	**Scope Date: 7/15/25**
Work Category/Type: Roadway Minor Rehabilitation		
Project Manager: Josh Paradysz	**Design:** ☒ In-House ☒ Task Order ☐ Programmatic	
Fiscal Year: 2027	**Reservoir?** ☐ Yes ☒ No	**Year:**
Project Description (proposed work, issues to be corrected, and project termini, required noise waivers): A project to resurface a portion SR-2 in Williams County, Ohio; perform necessary related work. Replace 3 culverts at SLM 7.43.		

B. PROJECT DETAILS

PROPOSED WORK-ROADWAY

Curbs	☐ Yes	☒ No	Comments: Click or tap here to enter text.
Curb ramps	☒ Yes	☐ No	Comments: Couple of locations in Bryan
Sidewalks	☒ Yes	☐ No	Comments: Replace what is removed for culvert work
Guardrail	☒ Yes	☐ No	Comments: Click or tap here to enter text.
Alleys	☐ Yes	☒ No	If yes, ☐ Concrete ☐ Asphalt ☐ Stone
Storm Sewers	☒ Yes	☐ No	If yes, excavation > 6ft? ☒ Yes ☐ No
Sanitary Sewers	☐ Yes	☒ No	If yes, excavation > 6ft? ☐ Yes ☐ No
Catch basins/manholes	☐ Yes	☒ No	If yes, ☒ New ☐ Adjust
Signing	☒ Yes	☐ No	If yes, excavation > 6ft? ☐ Yes ☒ No
Lighting	☐ Yes	☒ No	If yes, excavation > 6ft? ☐ Yes ☐ No
Signals	☐ Yes	☒ No	If yes, excavation > 6ft? ☐ Yes ☐ No
Loops/Camera/Radar	☐ Yes	☒ No	Comments: Click or tap here to enter text.
Additional Comments:			

PROPOSED WORK- PAVEMENT

Pavement Work- Overlay	☐ Yes	☒ No	Comments: Click or tap here to enter text.
Pavement Work- Mill & Fill	☒ Yes	☐ No	If yes, ☐ 1 Course ☒ 2 Course
Pavement Work- Full Depth	☒ Yes	☐ No	If yes, ☐ Concrete ☒ Asphalt
Pavement Repairs	☒ Yes	☐ No	If yes, ☐ Concrete ☒ Asphalt Percentage: 5%
Rumble Strips *4 lanes only*	☐ Yes	☒ No	Comments: Click or tap here to enter text.

Rumble Stripes	☒ Yes	☐ No	Comments: Click or tap here to enter text.
Pavement Width >29': Both edge and center			
Pavement Width 26' to 29': Edge OR Center based on crash patterns, roadside recovery areas, geometrics, biking, driveway density, Amish.			
Pavement Width <26': Neither			
Additional Comments: Check with Chris Waterfield on edge vs. center rumble stripes			

STRUCTURES ☐ Yes ☒ No

Location			
Crossing			
Structure File Number			Comments: Click or tap here to enter text.
Eligible for the National Register	☐ Yes	☐ No	Comments: Click or tap here to enter text.
Work Description			
Additional Comments:			

CULVERTS ☒ Yes ☐ No

Location WIL-2-7.43 (3 side-by-side culverts)			
Crossing Ditch 40			
Culvert File Number: 1996635, 1998295, 1998035			Comments: Click or tap here to enter text.
Eligible for the National Register	☐ Yes	☒ No	Comments: Click or tap here to enter text.
Work Description Culvert replacement			
Additional Comments:			

C. MAINTENANCE OF TRAFFIC

Part-Width	☒ Yes	☐ No	Tunnel Lights? ☐ Yes ☒ No
Detour	☒ Yes	☐ No	Closure Duration: 30 days
Routes to be used: US 127 to US 6 to SR 191			
Local Detour	☒ Yes	☐ No	Signed? ☐ Yes ☒ No
Routes to be used: Jordan to provide			
Adjacent Projects with Detour?	☐ Yes	☒ No	PID(s):
Project Timing Concerns (Special Events, Festivals, Parades): None			
Additional Comments:			

D. GEOTECHNICAL

Required?	☒ Yes	☐ No		
Responsible Party	☒ Task Order	☐ Central Office		
Tasks	☒ Borings	☐ Laboratory Testing	☐ Sulfate Testing	☐ GB-1
Submittals	☐ Soil Profile Sheets		☒ Structure Foundation Sheets	
Additional Comments:				

E. MISCELLANEOUS

Railroad Coordination Required	☐ Yes ☒ No	Owner:
Airway Clearance Required	☒ Yes ☐ No	Facility: Williams County Airport
Additional Comments:		

F. RIGHT OF WAY

New Right of Way	☐ Yes	☒ No	☐ Temporary	☐ Permanent	# of Parcels:
Relocations	☐ Yes	☒ No	☐ Possible	Number of Relocations:	
Special Acquisitions (Parks, Railroads, State Agencies): N/A					
Encroachments	☐ Yes	☒ No	Comments:		
Additional Comments:					

G. UTILITIES

Are any utilities in a reimbursable position?	☒ Yes	☐ No	Company: Electric and Gas				
Phone	☐ None	☒ Aerial	☒ Buried	Impacts:	☒ Yes	☐ No	☐ Unknown
Cable	☐ None	☒ Aerial	☒ Buried	Impacts:	☒ Yes	☐ No	☐ Unknown
Electric	☐ None	☒ Aerial	☐ Buried	Impacts:	☒ Yes	☐ No	☐ Unknown
Gas	☒ Yes	☐ No		Impacts:	☐ Yes	☒ No	☐ Unknown
Water	☒ Yes	☐ No		Impacts:	☐ Yes	☐ No	☒ Unknown
Storm Sewer	☒ Yes	☐ No		Impacts:	☒ Yes	☐ No	☐ Unknown
Sanitary Sewer	☒ Yes	☐ No		Impacts:	☐ Yes	☐ No	☒ Unknown
ITS/RWIS	☐ Yes	☒ No		Impacts:	☐ Yes	☒ No	☐ Unknown
Other	☐ Yes	☒ No		Impacts:	☐ Yes	☒ No	☐ Unknown
Additional Comments:							

H. PROJECT FUNDING

Cost Estimate:	$3,520,000 + $400,000 for culvert
Plan Splits	☒ Yes ☐ No Type(s): 01/S<2, 02/STR
Legislation	☒ Yes ☐ No Jurisdiction(s): Bryan

I. PROJECT SCHEDULE

Milestone	Final Schedule
Project Initiation Package (N/A for projects < $20M)	N/A
Consultant Authorization	N/A
Survey	12/1/25
Geotechnical	12/15/25
Feasibility Study Submitted	N/A
Alternative Evaluation Report Submitted	N/A
Begin Planning Phase (Footprint Submitted)	7/22/25
NEPA Start	7/22/25
Stage 1 Submitted	N/A
Stage 2 Submitted	3/31/26
Preliminary R/W Plans Submitted	N/A
Compliance R/W Plans Submitted	N/A
Waterway Permit Determination Submitted- 30-day review	5/1/26
Waterway Permit Determination Complete	6/1/26
Environmental Approval	6/15/26
404/401 Permits Submitted to Agencies- 6-18-month review	6/15/26
404/401 Permits Received from Agencies	9/15/26
Stage 3 Submitted	7/1/26
R/W Acquisition Complete (60 days before R/W certification)	N/A
Final R/W Plans Approved	N/A
Final Tracings Complete	N/A
R/W Certification	9/15/2026
Plan Package Submitted to Central Office	10/1/2026
Sale	1/1/2027
Begin Construction	4/1/2027
End Construction	10/31/2027 ECD 150 days

J. ROLES & RESPONSIBILITIES

Task	Responsible Party
Survey	In-house
Geotechnical	Task Order
Environmental Studies & Document	In-house
Plan Development	In-house and Task Order
R/W Plan Development	N/A
R/W Acquisition/Appraisals	N/A

D50
15591
15627
E High St
34
2
Image © 2025 Airbus
Huntington Dr
E High
311