

O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL _____ REFERENCE NO. 1 SHEET 1 OF 39
NOTES RHOADES DATE 6/11/13 ROUTE SR 224
H.C. ROUSOS WEATHER CLOUDY COUNTY SENECA
R.C. WESTFALL TEMP. 66° TOWNSHIP LOUDON
SECTION 31
T 2 N R 13 E

TYPE MONUMENT R.R.SPIKE


~~ON SURFACE~~ - BELOW 10"

LEFT - ℄ PAV'T - RIGHT ON

- TO - EDGE PAVEMENT

S.L.M. 0+00


Grid: Northing: 516064.480 Easting: 1714625.122



$\Delta = 0^\circ 27' \text{ LT}$
FD R.R.SPIKE
11/26/63, EK
2/10/12, DCH
GPS, REF1

SET MAG/WASHER
GPS, REF1
5/21/14, EBW

2' UP
CO.LINE
SIGN POST




O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL _____ REFERENCE NO. 2 SHEET 2 OF 39
NOTES RHOADES DATE 6/11/13 ROUTE SR 224
H.C. ROUSOS WEATHER CLOUDY COUNTY SENECA
R.C. WESTFALL TEMP. 66° TOWNSHIP LOUDON
SECTION 31
T 2 N R 13 E

TYPE MONUMENT P.K./WASHER
~~ON SURFACE~~ - BELOW 4"
LEFT - C PAV'T - ~~RIGHT~~ 0.6'
- TO - EDGE PAVEMENT
S.L.M. 20+01.44


Grid: Northing: 516424.377 Easting: 1716593.993



RECORD: P.O.T.
FD R.R.SPIKE
11/26/63, EK
2/10/12, DCH
GPS, REF2

SET MAG/WASHER
GPS, REF2
5/21/14, EBW

1.5' UP
SET NOTCH
SIGN POST





O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL _____ REFERENCE NO. 3 SHEET 3 OF 39
 NOTES RHOADES DATE 6/11/13 ROUTE SR 224
 H.C. ROUSOS WEATHER CLOUDY COUNTY SENECA
 R.C. WESTFALL TEMP. 66° TOWNSHIP LOUDON
 SECTION 31
 T 2 N R 13 E

TYPE MONUMENT MAG/WASHER
 ON SURFACE - ~~BELOW~~ ON _____
 LEFT - ℄ PAV'T - ~~RIGHT~~ 4.0'
8.5' TO LT EDGE PAVEMENT
 S.L.M. 41+55.84

Grid: Northing: 516811.755 Easting: 1718713.262




O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL _____ REFERENCE NO. 5 SHEET 4 OF 39
NOTES RHOADES DATE 6/11/13 ROUTE SR 224
H.C. ROUSOS WEATHER CLOUDY COUNTY SENECA
R.C. WESTFALL TEMP. 66° TOWNSHIP LOUDON
SECTION 31
T 2 N R 13 E

TYPE MONUMENT P.K./WASHER
ON SURFACE - ~~BELOW~~ ON
~~LEFT~~ - CL PAV'T - RIGHT 4.5'
- TO - EDGE PAVEMENT
S.L.M. 55+19.91


Grid: Northing: 516917.099 Easting: 1720073.236



RECORD: P.O.T.
FD P.K.NAIL
3/13/73, SCHNEIDER

FD P.K.NAIL
2/10/12, DCH
GPS, REF5

SET MAG/WASHER
GPS, REF5
5/21/14, EBW




O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL _____ REFERENCE NO. 5 A SHEET 5 OF 39
NOTES RHOADES DATE 6/11/13 ROUTE SR 224
H.C. ROUSOS WEATHER CLOUDY COUNTY SENECA
R.C. WESTFALL TEMP. 66° TOWNSHIP LOUDON
SECTION 31
T 2 N R 13 E

TYPE MONUMENT P.K.SHANK
ON SURFACE - ~~BELOW~~ ON _____
~~LEFT~~ - Q PAV'T - RIGHT 4.5'
- TO - EDGE PAVEMENT
S.L.M. 55+36.47


Grid: Northing: 516918.324 Easting: 1720089.817



RECORD: P.I.
 $\Delta = 5^\circ 05' RT$
FD SM.R.R.SPIKE
11/26/63, EK

FD P.K.SHANK
2/10/12, DCH
GPS, REF6

SET MAG/WASHER
GPS, REFA5
5/21/14, EBW



O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 6

SHEET 6 OF 39

NOTES RHOADES

DATE 6/11/13

ROUTE SR 224

H.C. ROUSOS

WEATHER CLOUDY

COUNTY SENECA

R.C. WESTFALL

TEMP. 66°

TOWNSHIP LOUDON

SECTION 32

T 2 N R 13 E

TYPE MONUMENT P.K.NAIL


ON SURFACE - ~~BELOW~~ ON

~~LEFT~~ - ℄ PAV'T - RIGHT 0.6'

- TO - EDGE PAVEMENT

S.L.M. 58+05.50


Grid: Northing: 516962.420 Easting: 1720355.162



RECORD: P.1.
FD R.R.SPIKE
11/26/63, EK

FD P.K.NAIL
2/10/12, DCH
GPS, REF7

SET MAG/WASHER
GPS, REF6
5/21/14, EBW




O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL _____ REFERENCE NO. 7 SHEET 7 OF 39
NOTES RHOADES DATE 6/11/13 ROUTE SR 224
H.C. ROUSOS WEATHER CLOUDY COUNTY SENECA
R.C. WESTFALL TEMP. 66° TOWNSHIP LOUDON
SECTION 32
T 2 N R 13 E

TYPE MONUMENT P.K./WASHER
ON SURFACE - ~~BELOW~~ ON
LEFT - ℄ PAV'T - RIGHT ON
- TO - EDGE PAVEMENT
S.L.M. 74+46.35

Grid: Northing: 517268.008 Easting: 1721967.307




RECORD: P.I.
 $\Delta = 0^\circ 33' \text{ RT}$
STA. 74+46
FD P.K./WASHER
3/30/92, CHENEY
PREVIOUS MON:
R.R.SPIKE

RES.#11625

FD P.K./WASHER
2/10/12, DCH
GPS, REF8

SET MAG/WASHER
GPS, REF7
5/21/14, EBW




O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL _____ REFERENCE NO. 8 SHEET 8 OF 39
NOTES RHOADES DATE 6/11/13 ROUTE SR 224
H.C. ROUSOS WEATHER CLOUDY COUNTY SENECA
R.C. WESTFALL TEMP. 66° TOWNSHIP LOUDON
SECTION 32
T 2 N R 13 E

TYPE MONUMENT MAG NAIL
ON SURFACE - ~~BELOW~~ ON _____
~~LEFT~~ - ℄ PAV'T - RIGHT 1.0'
- TO - EDGE PAVEMENT
S.L.M. 82+15.08


Grid: Northing: 517403.850 Easting: 1722723.938



RECORD:
FD R.R. SPIKE
11/27/63, KRABILL

FD MAG NAIL
6/30/11
2/10/12, DCH
GPS, REF9

SET MAG/WASHER
GPS, REF8
5/21/14, EBW



O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL _____ REFERENCE NO. 9 SHEET 9 OF 39

NOTES WESTFALL DATE 6/26/14 ROUTE SR 224

H.C. HOMAN WEATHER OVERCAST COUNTY SENECA

R.C. THOMAS TEMP. 70° TOWNSHIP LOUDON

RHOADES SECTION 32

T 2 N R 13 E

TYPE MONUMENT P.K.NAIL


ON SURFACE - ~~BELOW~~ ON

~~LEFT~~ - ℄ PAV'T - RIGHT 1.0'

- TO - EDGE PAVEMENT

S.L.M. 82+39.83


Grid: Northing: 517408.221 Easting: 1722748.341



RECORD: P.I.
 $\Delta = 0^\circ 39' \text{ LT}$
 11/27/63, KRABILL

FD P.K.NAIL
 3.0" DOWN
 6/30/11
 2/10/12, DCH
 GPS, REF10


SET MAG/WASHER
 GPS, REF9
 6/26/14, EBW



O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL	REFERENCE NO.	<u>10</u>	SHEET	<u>10</u>	OF	<u>39</u>
NOTES	DATE	<u>6/26/14</u>	ROUTE	<u>SR 224</u>		
H.C. <u>WESTFALL</u>	WEATHER	<u>OVERCAST</u>	COUNTY	<u>SENECA</u>		
R.C. <u>HOMAN</u>	TEMP.	<u>70°</u>	TOWNSHIP	<u>LOUDON</u>		
<u>THOMAS</u>			SECTION	<u>32</u>		
<u>LEU</u>			T <u>2</u> N	R <u>13</u> E		
<u>RHOADES</u>						

TYPE MONUMENT MAG/WASHER
 ON SURFACE - ~~BELOW~~ ON
 LEFT - ℄ PAV'T - RIGHT -
 TO EDGE PAVEMENT
 S.L.M. 93+05.16




Grid: Northing: 517608.014 Easting: 1723794.789

RECORD: P.I.
 $\Delta = 0^\circ 08' LT$
 FD R.R.SPIKE
 11/27/63, KRABILL

RES#11285

FD MAG NAIL
 2/10/12, DCH
 GPS, REF11

SET MAG/WASHER
 GPS, REF10
 6/26/14, EBW





O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL _____ REFERENCE NO. 11 SHEET 11 OF 39
NOTES RHOADES DATE 6/11/13 ROUTE SR 224
H.C. ROUSOS WEATHER CLOUDY COUNTY SENECA
R.C. WESTFALL TEMP. 73° TOWNSHIP LOUDON
SECTION 33
T 2 N R 13 E

TYPE MONUMENT P.K.NAIL
~~ON SURFACE~~ - BELOW 4"
LEFT - ℄ PAV'T - RIGHT ON
- TO - EDGE PAVEMENT
S.L.M. 114+99.88

Grid: Northing: 518024.402 Easting: 1725949.567



RECORD: P.I.
 $\Delta = 0^{\circ} 08' \text{ LT}$
FD R.R.SPIKE
11/27/63, KRABILL

FD P.K. NAIL
2/10/12, DCH
GPS, REF12

SET MAG/WASHER
GPS, REF11
5/21/14, EBW

O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 12

SHEET 12 OF 39

NOTES RHOADES

DATE 6/26/14

ROUTE SR 224

H.C. HOMAN

WEATHER OVERCAST

COUNTY SENECA

R.C. LEU

TEMP. 70°

TOWNSHIP LOUDON

THOMAS

SECTION 33

MEYER

T 2 N R 13 E

TYPE MONUMENT P.K. SHANK


~~ON SURFACE~~ - BELOW 3"

~~LEFT~~ - Q PAV'T - RIGHT 0.4'

- TO - EDGE PAVEMENT

S.L.M. 126+32.53


Grid: Northing: 518242.340 Easting: 1727061.064



RECORD: P.I.
 $\Delta = 0^\circ 35' \text{ LT}$
FD R.R.SPIKE
11/27/63, KRABILL

FD P.K. NAIL
3" DOWN
2/10/12, DCH
GPS, REF13

SET MAG/WASHER
GPS, REF12
6/26/14, EBW



O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 13

SHEET 13 OF 39

NOTES RHOADES

DATE 6/26/14

ROUTE SR 224

H.C. HOMAN

WEATHER OVERCAST

COUNTY SENECA

R.C. LEU

TEMP. 70°

TOWNSHIP LOUDON

THOMAS

SECTION 33

MEYER

T 2 N R 13 E

TYPE MONUMENT P.K./WASHER


~~ON SURFACE~~ - BELOW 6"

LEFT - Q PAV'T - ~~RIGHT~~ 1.2'

- TO - EDGE PAVEMENT

S.L.M. 145+22.78


Grid: Northing: 518624.443 Easting: 1728912.381



RECORD: P.I.
 $\Delta = 01^{\circ}11'$ RT
11/27/63, KRABILL

FD P.K. NAIL
6" DOWN
2/10/12, DCH
GPS, REF14

SET MAG/WASHER
GPS, REF13
6/26/14, EBW



O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL _____ REFERENCE NO. 14 SHEET 14 OF 39
NOTES RHOADES DATE 6/11/13 ROUTE SR 224
H.C. ROUSOS WEATHER CLOUDY COUNTY SENECA
R.C. WESTFALL TEMP. 73° TOWNSHIP LOUDON
SECTION 33
T 2 N R 13 E

TYPE MONUMENT P.K./WASHER


~~ON SURFACE~~ - BELOW 4"

LEFT - ☉ PAV'T - RIGHT ON

- TO - EDGE PAVEMENT

S.L.M. 163+74.79


Grid: Northing: 518961.051 Easting: 1730733.464



RECORD: P.I.
 $\Delta = 0^\circ 22' \text{ RT}$
FD R.R.SPIKE
11/27/63, KRABILL

FD P.K. NAIL
4" DOWN
2/10/12, DCH
GPS, REF15

SET MAG/WASHER
GPS, REF14
6/26/14, EBW



O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL	REFERENCE NO.	<u>15</u>	SHEET	<u>15</u>	OF	<u>39</u>
NOTES	RHOADES	DATE	<u>6/26/14</u>	ROUTE	<u>SR 224</u>	
H.C.	HOMAN	WEATHER	<u>OVERCAST</u>	COUNTY	<u>SENECA</u>	
R.C.	LEU	TEMP.	<u>70°</u>	TOWNSHIP	<u>LOUDON</u>	
	THOMAS			SECTION	<u>34</u>	
	MEYER			T <u>2</u> N	R <u>13</u> E	

TYPE MONUMENT P.K./NAIL


~~ON SURFACE~~ - BELOW 4"

~~LEFT~~ - ℄ PAV'T - RIGHT 1.0'

- TO - EDGE PAVEMENT

S.L.M. 176+96.14

Grid: Northing: 519193.277 Easting: 1732034.054




RECORD: P.J.
 $\Delta = 01^{\circ}31' \text{ LT}$
 FD R.R. SPIKE
 12/3/63, KRABILL

FD P.K./WASHER
 AT SURFACE
 1' RT ℄
 11/86, HOFFMAN

FD P.K. NAIL
 4" DOWN
 2/10/12, DCH
 GPS, REF16

SET MAG/WASHER
 GPS, REF15
 6/26/14, EBW



O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 15A

SHEET OF

NOTES WESTFAL

DATE 6/10/22

ROUTE SR 224/587

H.C. AUBLE

WEATHER SUNNY

COUNTY SENECA

R.C. WESTFALL

TEMP. 76°

TOWNSHIP LOUDON

DWG BY BARRIERE

PID 107952

SECTION 34

T 2 N R 13 E

TYPE MONUMENT MAG NAIL / WASHER

ON SURFACE - BELOW ON

OFFSET Q PAVEMENT LT : RT

 TO EDGE PAVEMENT

STATION: 192+29.74

HORIZ.DATUM: NAD83 2011/SEN LDP


GEOID: 18

GRID: NORTHING: 519502.152

EASTING: 1733536.397


LDP: NORTHING: 287867.879

EASTING: 108237.139



RECORD:
FD P.K./WASHER
9/10/00, MB
SET P.K./WASHER
10/17/00, MB
FD P.K. NAIL
2/10/12, DCH
GPS, REF17
SET MAG/WASHER
GPS, REF17
6/26/14, EBW
FD CMON
"ODOT CL
PS No 7973
GARCIA SURVEYS"
REF15A
9/10/24, TDN

NOTE: REF23 OF SR 587



O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO.

16 B

SHEET

18

OF 39

NOTES RHOADES

DATE 6/11/13

ROUTE SR 224

H.C. ROUSOS

WEATHER CLOUDY

COUNTY SENECA

R.C. WESTFALL

TEMP. 73°

TOWNSHIP LOUDON

SECTION 34

T 2 N R 13 E

TYPE MONUMENT P.K. NAIL



ON SURFACE - ~~BELOW~~ ON

LEFT - CL PAV'T - RIGHT ON

11.8' TO LT EDGE PAVEMENT

S.L.M. 208+18.41

Grid: Northing: 519801.506 Easting: 1735096.708



FD P.K. NAIL
2/10/12, DCH
GPS, REF19

SET MAG/WASHER
GPS, REF16
7/23/14, EBW

O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL _____ REFERENCE NO. 17 SHEET 19 OF 39
NOTES RHOADES DATE 6/11/13 ROUTE SR 224
H.C. ROUSOS WEATHER CLOUDY COUNTY SENECA
R.C. WESTFALL TEMP. 73° TOWNSHIP LOUDON
SECTION 34
T 2 N R 13 E

TYPE MONUMENT P.K. SHANK



~~ON SURFACE~~ - BELOW 3"

LEFT - ℄ PAV'T - RIGHT ON

11.8' TO LT EDGE PAVEMENT

S.L.M. 208+84.71

Grid: Northing: 519813.550 Easting: 1735161.919



RECORD: P.O.T.
FD P.K. NAIL
12/3/63, KRABILL


SET MAG/WASHER
GPS, REFA16
7/23/14, EBW

O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL _____ REFERENCE NO. 18 SHEET 20 OF 39
NOTES LEU DATE 7/9/14 ROUTE SR 224
H.C. HOMAN WEATHER SUNNY COUNTY SENECA
R.C. MEYER TEMP. 68° TOWNSHIP LOUDON
THOMAS SECTION 34
T 2 N R 13 E

TYPE MONUMENT MAG/WASHER
~~ON SURFACE~~ - BELOW 4"
LEFT - ℄ PAV'T - RIGHT ON
- TO - EDGE PAVEMENT
S.L.M. 217+02.44


Grid: Northing: 519967.478 Easting: 1735964.938



RECORD: P.I.
 $\Delta = 0^\circ 18' \text{ LT}$
FD R.R. SPIKE
12/3/63, KRABILL

FD P.K. NAIL
6" DOWN
2/10/12, DCH
GPS, REF20

SET MAG/WASHER
GPS, REF20
7/23/14, EBW



O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO.

19

SHEET

21

OF 39

NOTES WESTFALL

DATE

6/12/13

ROUTE

SR 224

H.C. ROUSOS

WEATHER

FAIR

COUNTY

SENECA

R.C. HOMAN

TEMP.

73°

TOWNSHIP

LOUDON

SECTION

35

T 2 N R 13 E

TYPE MONUMENT P.K./WASHER


~~ON SURFACE~~ - BELOW 4"

LEFT - ℄ PAV'T - RIGHT ON

- TO - EDGE PAVEMENT

S.L.M. 230+64.28


Grid: Northing: 520229.506 Easting: 1737295.209



RECORD: P.I.
 $\Delta = 0^\circ 21' \text{ RT}$
FD P.K. NAIL
12/3/63, KRABILL

FD P.K. NAIL
4" DOWN
2/10/12, DCH
GPS, REF21

SET MAG/WASHER
GPS, REF21
7/23/14, EBW





O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL	REFERENCE NO. <u>21</u>	SHEET <u>22</u> OF <u>39</u>
NOTES <u>LEU</u>	DATE <u>7/9/14</u>	ROUTE <u>SR 224</u>
H.C. <u>HOMAN</u>	WEATHER <u>SUNNY</u>	COUNTY <u>SENECA</u>
R.C. <u>MEYER</u>	TEMP. <u>68°</u>	TOWNSHIP <u>LOUDON</u>
<u>THOMAS</u>		SECTION <u>35</u>
		T <u>2</u> N R <u>13</u> E

TYPE MONUMENT P.K./WASHER
~~ON SURFACE~~ - BELOW 3"
 LEFT - ℄ PAV'T - ~~RIGHT~~ 0.5'
- TO - EDGE PAVEMENT
 S.L.M. 265+30.06

Grid: Northing: 520879.458 Easting: 1740699.763



SET NOTCH ON
N. LEG INTERS.
SIGN POST

RECORD: P.I.
 $\Delta = 0^\circ 21' \text{ RT}$
 FD P.K. NAIL
 12/3/63, KRABILL

FD P.K. NAIL
 4" DOWN
 2/10/12, DCH
 GPS, REF21

SET MAG/WASHER
 GPS, REF21
 7/23/14, EBW

O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL _____ REFERENCE NO. 22 SHEET 23 OF 39
NOTES WESTFALL DATE 6/12/13 ROUTE SR 224
H.C. ROUSOS WEATHER FAIR COUNTY SENECA
R.C. HOMAN TEMP. 73° TOWNSHIP LOUDON
SECTION 36
T 2 N R 13 E

TYPE MONUMENT P.K.NAIL



~~ON SURFACE~~ - BELOW 3"

LEFT - ℄ PAV'T - RIGHT ON

- TO - EDGE PAVEMENT

S.L.M. 282+95

Grid: Northing: 521195.829 Easting: 1742379.170



RECORD: P.I.
 $\Delta = 0^\circ 10' \text{ RT}$
FD P.K. NAIL
12/3/63, KRABILL

FD P.K. NAIL
4" DOWN
2/10/12, DCH
GPS, REF23


SET MAG/WASHER
GPS, REF23
7/23/14, EBW

O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL	REFERENCE NO. <u>23</u>	SHEET <u>24</u> OF <u>39</u>
NOTES <u>WESTFALL</u>	DATE <u>6/12/13</u>	ROUTE <u>SR 224</u>
H.C. <u>ROUSOS</u>	WEATHER <u>FAIR</u>	COUNTY <u>SENECA</u>
R.C. <u>HOMAN</u>	TEMP. <u>73°</u>	TOWNSHIP <u>LOUDON</u>
		SECTION <u>25</u>
		T <u>2</u> N R <u>13</u> E

TYPE MONUMENT P.K./WASHER
~~ON SURFACE~~ - BELOW 4"
 LEFT - Q PAV'T - RIGHT ON
- TO - EDGE PAVEMENT
 S.L.M. 289+87


Grid: Northing: 521321.762 Easting: 1743059.437



RECORD: P.I.
 $\Delta = 0^{\circ}04'$ LT
 TIES NOT GOOD.
 POINT NOT SET
 12/4/63, KRABILL

FD P.K. NAIL
 4" DOWN
 2/10/12, DCH
 GPS, REF24

SET MAG/WASHER
 GPS, REF24
 7/23/14, EBW




O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL	REFERENCE NO. <u>24</u>	SHEET <u>25</u> OF <u>39</u>
NOTES <u>WESTFALL</u>	DATE <u>6/12/13</u>	ROUTE <u>SR 224</u>
H.C. <u>ROUSOS</u>	WEATHER <u>FAIR</u>	COUNTY <u>SENECA</u>
R.C. <u>HOMAN</u>	TEMP. <u>73°</u>	TOWNSHIP <u>LOUDON</u>
		SECTION <u>25</u>
		T <u>2</u> N R <u>13</u> E

TYPE MONUMENT P.K. SHANK
~~ON SURFACE~~ - BELOW 4"
 LEFT - ℄ PAV'T - RIGHT ON
- TO - EDGE PAVEMENT
 S.L.M. 297+73


Grid: Northing: 521465.437 Easting: 1743831.916



RECORD: P.I.
 $\Delta = 0^{\circ}06'$ LT
 FD P.K. NAIL
 12/4/63, KRABILL

FD P.K. NAIL
 3" DOWN
 2/10/12, DCH
 GPS, REF25

SET MAG/WASHER
 GPS, REF25
 7/23/14, EBW



O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 25

SHEET 26 OF 39

NOTES WESTFALL

DATE 6/12/13

ROUTE SR 224

H.C. ROUSOS

WEATHER FAIR

COUNTY SENECA

R.C. HOMAN

TEMP. 73°

TOWNSHIP LOUDON

SECTION 25

T 2 N R 13 E

TYPE MONUMENT P.K.NAIL


~~ON SURFACE~~ - BELOW 4"

LEFT - ℄ PAV'T - RIGHT ON


- TO - EDGE PAVEMENT

S.L.M. 316+65

Grid: Northing: 521814.292 Easting: 1745690.894



RES.#7185



RECORD: P.I.
 $\Delta = 0^{\circ} 35' \text{ RT}$
FD P.K.NAIL
12/4/63, KRABILL

FD P.K. NAIL
4" DOWN
2/10/12, DCH
GPS, REF26

SET MAG/WASHER
7/9/14, DCH
GPS, REFA25
7/23/14, EBW

O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO.

25 A

SHEET 27 OF 39

NOTES WESTFALL

DATE 6/12/13

ROUTE SR 224

H.C. ROUSOS

WEATHER FAIR

COUNTY SENECA

R.C. HOMAN

TEMP. 73°

TOWNSHIP LOUDON

SECTION 25

T 2 N R 13 E

TYPE MONUMENT MASONRY NAIL


~~ON SURFACE~~ - BELOW 2"

LEFT - $\odot$ PAV'T - RIGHT ON

- TO - EDGE PAVEMENT

S.L.M. 326+59


Grid: Northing: 521987.805 Easting: 1746670.350



RECORD:
FD MASONRY NAIL
2" DOWN, ORIGIN
UNKNOWN.
4/16/04, DCH

FD MASONRY NAIL
3" DOWN
2/10/12, DCH
GPS, REF27


SET MAG/WASHER
7/9/14, DCH
GPS, REF26
7/23/14, EBW



O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL _____ REFERENCE NO. 26 SHEET 28 OF 39
NOTES WESTFALL DATE 6/12/13 ROUTE SR 224
H.C. ROUSOS WEATHER FAIR COUNTY SENECA
R.C. HOMAN TEMP. 73° TOWNSHIP HOPEWELL
SECTION 30
T 2 N R 14 E


TYPE MONUMENT P.K.SHANK
~~ON SURFACE~~ - BELOW 2"
LEFT - ℄ PAV'T - RIGHT -
- TO - EDGE PAVEMENT
S.L.M. 326+77.90
Grid: Northing: 521990.807 Easting: 1746688.436



RECORD: P.I.
 $\Delta = 0^{\circ}08' \text{ LT}$
FD P.K.NAIL
12/4/63, KRABILL

FD P.K./WASHER
2" DOWN
4/16/04, DCH
FD P.K.SHANK
3" DOWN
2/10/12, DCH
GPS, REF28

SET MAG/WASHER
7/9/14, DCH
GPS, REFA26
7/23/14, EBW



O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO.

27 A

SHEET

29

OF 39

NOTES

HOMAN

DATE

6/7/16

ROUTE

SR 224

H.C.

HOMAN

WEATHER

CLOUDY

COUNTY

SENECA

R.C.

ROUSOS

TEMP.

55°

TOWNSHIP

HOPEWELL

SECTION

30

T 2 N

R 14 E

TYPE MONUMENT

MAG NAIL

ON SURFACE - ~~BELOW~~

ON

LEFT - ℄ PAV'T - RIGHT


ON

- TO - EDGE PAVEMENT

S.L.M. 380+56

Grid: Northing: 522939.273

Easting: 1751969.768



RECORD:

FD LG.R.R.SPIKE

4/16/04, DCH

SET MAG/WASHER

8/6/04, SAH


FD MAG NAIL

2/10/12, DCH

SET MAG/WASHER

GPS, REF27

7/23/14, EBW




O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL	REFERENCE NO. <u>28</u>	SHEET <u>30</u> OF <u>39</u>
NOTES	DATE <u>7/9/14</u>	ROUTE <u>SR 224</u>
H.C. <u>HOMAN</u>	WEATHER <u>SUNNY</u>	COUNTY <u>SENECA</u>
R.C. <u>MEYER</u>	TEMP. <u>75°</u>	TOWNSHIP <u>HOPEWELL</u>
<u>THOMAS</u>		SECTION <u>29</u>
		T <u>2</u> N R <u>14</u> E

TYPE MONUMENT MAG NAIL
 ON SURFACE - ~~BELOW~~ ON
~~LEFT~~ - € PAV'T - RIGHT 1'
13.0' TO LT EDGE PAVEMENT
 S.L.M. 393+16


Grid: Northing: 523177.662 Easting: 1753296.630



RECORD: P.I.
 $\Delta = 0^\circ 34' \text{ LT}$
 FD P.K. NAIL
 4/16/04, DCH

SET MAG/WASHER
 8/6/04, SAH
 FD MAG NAIL
 2/10/12, DCH

SET MAG/WASHER
 7/9/14, DCH
 GPS, NEWREF28
 7/23/14, EBW




O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL _____ REFERENCE NO. 29 SHEET 31 OF 39
NOTES HOMAN DATE 6/7/13 ROUTE SR 224
H.C. HOMAN WEATHER CLOUDY COUNTY SENECA
R.C. ROUSOS TEMP. 55° TOWNSHIP HOPEWELL
SECTION 29
T 2 N R 14 E

TYPE MONUMENT MONBOX
ON SURFACE - ~~BELOW~~ ON
LEFT - CL PAV'T - ~~RIGHT~~ 0.7'
11.5' TO LT EDGE PAVEMENT
S.L.M. 410+87


Grid: Northing: 523506.900 Easting: 1755033.997



RECORD: P.I.
 $\Delta = 0^\circ 13' \text{ RT}$
FD MONBOX
4/16/04, DCH

FD MONBOX
2/10/12, DCH

GPS, NEWREF29
7/23/14, JMR





O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL _____ REFERENCE NO. 30 SHEET 32 OF 39
NOTES HOMAN DATE 6/7/13 ROUTE SR 224
H.C. HOMAN WEATHER CLOUDY COUNTY SENECA
R.C. ROUSOS TEMP. 55° TOWNSHIP HOPEWELL
SECTION 29
T 2 N R 14 E

TYPE MONUMENT MAG NAIL
ON SURFACE - ~~BELOW~~ ON _____
LEFT - ℄ PAV'T - ~~RIGHT~~ 0.5'
12.3' TO LT EDGE PAVEMENT
S.L.M. 431+14

Grid: Northing: 523876.512 Easting: 1757020.150



RECORD: P.O.T.
FD P.K./WASHER
4/16/04, DCH

SET MAG/WASHER
7/1/04, RGN

FD MAG NAIL
2/10/12, DCH

SET MAG/WASHER
10/25/13, RGN



GPS, NEWREF30
7/23/14, JMR

O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL _____ REFERENCE NO. 31 SHEET 33 OF 39
NOTES HOMAN DATE 6/7/13 ROUTE SR 224
H.C. HOMAN WEATHER CLOUDY COUNTY SENECA
R.C. ROUSOS TEMP. 60° TOWNSHIP HOPEWELL
SECTION 28
T 2 N R 14 E

TYPE MONUMENT MAG NAIL
ON SURFACE - ~~BELOW~~ ON
LEFT - CL PAV'T - RIGHT ON
12.7' TO RT EDGE PAVEMENT
S.L.M. 447+08

Grid: Northing: 524167.824 Easting: 1758588.523



RECORD: P.I.
 $\Delta = 0^{\circ}18' \text{ RT}$
P.K./WASHER
4/16/04, DCH
SET MAG/WASHER
8/7/04, SAH


FD MAG NAIL
2/10/12
SET MAG/WASHER
7/9/14, DCH
GPS, NEWREF31
7/23/14, JMR

O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL _____ REFERENCE NO. 32 SHEET 34 OF 39
 NOTES HOMAN DATE 6/7/13 ROUTE SR 224
 H.C. HOMAN WEATHER CLOUDY COUNTY SENECA
 R.C. ROUSOS TEMP. 60° TOWNSHIP HOPEWELL
 _____ SECTION 28
 _____ T 2 N R 14 E


TYPE MONUMENT MAGWASHER
 ON SURFACE - ~~BELOW~~ ON
~~LEFT~~ - CL PAV'T - RIGHT 0.5'
12.7' TO RT EDGE PAVEMENT
 S.L.M. 466+20

Grid: Northing: 524505.015 Easting: 1760464.012



RECORD: P.I.
 $\Delta = 0^{\circ} 01' RT$
 P.K./WASHER
 4/23/04, DCH
 SET MAG/WASHER
 7/1/04, RGN

FD MAG/WASHER
 2/10/12
 SET MAG/WASHER
 7/9/14, DCH
 GPS, NEWREF32
 7/23/14, JMR




O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL _____ REFERENCE NO. 33 SHEET 35 OF 39
NOTES HOMAN DATE 6/7/13 ROUTE SR 224
H.C. HOMAN WEATHER CLOUDY COUNTY SENECA
R.C. ROUSOS TEMP. 60° TOWNSHIP HOPEWELL
SECTION 28
T 2 N R 14 E


TYPE MONUMENT MAG NAIL
ON SURFACE - ~~BELOW~~ ON
~~LEFT~~ - C PAV'T - RIGHT 0.6'
- TO - EDGE PAVEMENT
S.L.M. 487+87.2

Grid: Northing: 524886.901 Easting: 1762591.494



RECORD: P.I.
 $\Delta = 0^\circ 41' \text{ LT}$
P.K./WASHER
4/23/04, DCH
SET MAG/WASHER
8/6/04, SAH

FD MAG/WASHER
2/10/12
SET MAG/WASHER
7/9/14, DCH
GPS, NEWREF33
7/23/14, JMR




O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL _____ REFERENCE NO. 34 SHEET 36 OF 39
 NOTES HOMAN DATE 6/7/13 ROUTE SR 224
 H.C. HOMAN WEATHER CLOUDY COUNTY SENECA
 R.C. ROUSOS TEMP. 60° TOWNSHIP LOUDON
 _____ SECTION 27
 _____ T 2 N R 14 E


TYPE MONUMENT MAG NAIL
 ON SURFACE - ~~BELOW~~ ON
 LEFT - ℄ PAV'T - ~~RIGHT~~ 1.0'
13.0' TO RT EDGE PAVEMENT
 S.L.M. 503+90

Grid: Northing: 525204.512 Easting: 1764252.475



RECORD: P.I.
 $\Delta = 0^{\circ}39' \text{ RT}$
 P.K./WASHER
 5/20/04, DCH
 SET MAG/WASHER
 7/1/04, RGN

FD MAG/WASHER
 2/10/12
 SET MAG/WASHER
 10/25/13, RGN
 GPS, NEWREF34
 7/23/14, JMR



O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO.

35

SHEET

37

OF 39

NOTES

HOMAN

DATE

6/7/13

ROUTE

SR 224

H.C.

HOMAN

WEATHER

CLOUDY

COUNTY

SENECA

R.C.

ROUSOS

TEMP.

60°

TOWNSHIP

HOPEWELL

SECTION

27

T 2 N R 14 E

TYPE MONUMENT MAG/WASHER


ON SURFACE - ~~BELOW~~ ON

~~LEFT~~ - ℄ PAV'T - RIGHT 0.3'

- TO - EDGE PAVEMENT

S.L.M. 527+42

Grid: Northing: 525619.756 Easting: 1766563.456



RECORD: P.I.

$\Delta = 0^{\circ}35' \text{ LT}$

P.K./WASHER

4/22/04, DCH

SET MAG/WASHER

7/1/04, RGN

FD MAG/WASHER


2/10/12

SET MAG/WASHER

10/25/13, RGN

GPS, NEWREF35

7/23/14, JMR





O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL _____ REFERENCE NO. 36 SHEET 38 OF 39
NOTES HOMAN DATE 6/7/13 ROUTE SR 224
H.C. HOMAN WEATHER CLOUDY COUNTY SENECA
R.C. ROUSOS TEMP. 60° TOWNSHIP HOPEWELL
SECTION 27
T 2 N R 14 E

TYPE MONUMENT MAG/WASHER
ON SURFACE - ~~BELOW~~ ON _____
LEFT - ℄ PAV'T - ~~RIGHT~~ 1.0'
11.5' TO LT EDGE PAVEMENT
S.L.M. 540+67.2

Grid: Northing: 525863.973 Easting: 1767828.583



RECORD: P.I.
 $\Delta = 0^{\circ}11'$ LT
P.K./WASHER
4/23/04, DCH
SET MAG/WASHER
7/1/04, RGN

FD MAG/WASHER
2/10/12
SET MAG/WASHER
10/25/13, RGN
GPS, NEWREF36
7/23/14, JMR

O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO.

36 A

SHEET

39

OF 39

NOTES

HOMAN

DATE

6/7/13

ROUTE

SR 224

H.C.

HOMAN

WEATHER

CLOUDY

COUNTY

SENECA

R.C.

ROUSOS

TEMP.

60°

TOWNSHIP

HOPEWELL

SECTION

26

T 2 N R 14 E

TYPE MONUMENT MAG/WASHER



ON SURFACE - ~~BELOW~~ ON

LEFT - Q PAV'T - RIGHT ON

12' TO RT EDGE PAVEMENT

S.L.M. 550+14.2

Grid: Northing: 526042.910 Easting: 1768770.974



RECORD: P.I.
 $\Delta = 0^\circ 04' \text{ RT}$
P.K./WASHER
4/23/04, DCH
SET MAG/WASHER
8/6/04, SAH

FD MAG/WASHER
2/10/12
SET MAG/WASHER
10/25/13, RGN
GPS, NEWREFA36
7/23/14, JMR

O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 39

SHEET 3 OF 12

NOTES ASTON

DATE 9/14/23

ROUTE US 224

H.C. NIESE

WEATHER SUNNY

COUNTY SENECA

R.C. ASTON

TEMP. 70°

TOWNSHIP HOPEWELL

DWG BY RHOADES

PID R/W

SECTION 25

T 2 N R 14 E

TYPE MONUMENT MONBOX W/1" IPIN

ON SURFACE - ~~BELOW~~ ON

OFFSET Q PAVEMENT ON LT : RT

12.4' TO RT EDGE PAVEMENT


STATION: 611+17

HORZ.DATUM: NAD83 (2011)

GEOID: NAVD88 2018

GRID: NORTHING: 522948.033


EASTING: 1773504.881



SENECA LDP:
N: 291611.740
E: 148182.658

SET SHI
2ND WOOD
POST

RECORD: P.C.
STA. 62+22.22
FD P.K./WASHER
4-26-04, DCH
SET MAG/WASHER
8-17-04, MB
FD MAG/WASHER
REF39
5-30-17, JFO
SET MAG/WASHER
W/COORD.
12-17-18, JFO
FD MAG/WASHER
REF39
8/19/21, JFO
FD MONBOX
W/ 1" IPIN
REF39
9/26/22, DSA
REF39
9/14/23, TDN



O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 40

SHEET 4 OF 12

NOTES NUHFER

DATE 11/8/04

ROUTE US 224

H.C.

WEATHER SUNNY

COUNTY SENECA

R.C.

TEMP. 20°

TOWNSHIP HOPEWELL

DWG BY MILLER

PID 102819

SECTION 25

T 2 N R 14 E

TYPE MONUMENT IPIN

ON SURFACE - BELOW

OFFSET $\varnothing$ PAVEMENT LT : RT

 TO EDGE PAVEMENT


STATION: 622+46

HORZ.DATUM: -

GEOID: -


GRID: NORTHING: -

EASTING: -



RECORD: P.I.
STA. 80+51.15
 $\Delta = 14^{\circ} 58' \text{ LT}$
 $D = 0^{\circ} 40'$
 $R = 8594.37'$
 $T = 1128.93'$
 $L = 2245.00'$
FD OLD HUB
1971
FD IPIN
11/8/91, RC
D.N.F.
11/8/04, RGN

ALL RECORD DATA



O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 41

SHEET 5 OF 12

NOTES ASTON

DATE 9/8/23

ROUTE US 224

H.C. NIESE

WEATHER DRIZZLE

COUNTY SENECA

R.C. RHOADES

TEMP. 66°

TOWNSHIP HOPEWELL

DWG BY RHOADES PID R/W

SECTION 25

T 2 N R 14 E

TYPE MONUMENT MONBOX W/1" IPIN

ON SURFACE - ~~BELOW~~ ON

OFFSET ℄ PAVEMENT ON LT : RT

- TO - EDGE PAVEMENT


STATION: 632+98

HORZ.DATUM: NAD83 (2011)

GEOID: NAVD88 2018

GRID: NORTHING: 521703.128


EASTING: 1775288.453



RECORD: P.O.T.
STA 91+03.70
FD P.K./WASHER
4-26-04, DCH
SET MAG/WASHER
8-17-04, MB
FD MAG/WASHER
12-17-18, JFO
FD MAG/WASHER
REF41
8/19/21, JFO
FD MONBOX
W/ 1" IPIN
REF41
9/26/22, DSA
REF32A
9/8/23, TDN

NOTE: REF 32A SR 53

SENECA LDP:
N: 290379.981
E: 149975.670



O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 41 A

SHEET 6 OF 12

NOTES ASTON

DATE 9/8/23

ROUTE US 224H.C. NIESE

WEATHER DRIZZLE

COUNTY SENECA

R.C. ASTON

TEMP. 66°

TOWNSHIP HOPEWELLDWG BY RHOADESPID R/W T 2 N R 14 E

TYPE MONUMENT MONBOX W/1" IPIN

ON SURFACE - ~~BELOW~~ _____ ON

OFFSET C PAVEMENT ON LT : RT


____TO____EDGE PAVEMENT

STATION: 633+62

HORZ.DATUM: NAD83 (2011)


GEOID: NAVD88 2018

GRID: NORTHING: 521673.884

EASTING: 1775344.760

RECORD: P.T.
STA 91+67.22
ALL TIES TO
NEAREST TENTH
DID NOT OPEN BOX
FD MONBOX
4-26-04, DCH
SET MAG/WASHER
8-17-04, MB
FD MONBOX
12-17-18, JFO
FD MONBOX
W/ 1" IPIN
REFA41
8/18/21, DSA
REF41A
9/8/23, TDN

SENECA LDP:
N: 290351.248
E: 150032.139



O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 42

SHEET 7 OF 12

NOTES ASTON

DATE 9/8/23

ROUTE US 224

H.C. NIESE

WEATHER DRIZZLE

COUNTY SENECA

R.C. ASTON

TEMP. 66°

TOWNSHIP HOPEWELL

SECTION 36

DWG BY RHOADES

PID R/W

T 2 N R 14 E

TYPE MONUMENT MAG/WASHER

ON SURFACE - ~~BELOW~~ ON

OFFSET Q PAVEMENT ON LT : RT

- TO - EDGE PAVEMENT


STATION: 667+28.9

HORIZ.DATUM: NAD83 (2011)

GEOID: NAVD88 2018


GRID: NORTHING: 520134.068

EASTING: 1778336.810



RECORD:
STA. 125+34.1
FD P.K./WASHER
4-27-04, DCH
SET MAG/WASHER
8-17-04, MB
FD MAG/WASHER
REF42
5-30-17, JFO
UNCOVERED
12-17-18, JFO
FD MAG/WASHER
8/18/21, DSA
REF42
9/8/23, TDN

SENECA LDP:
N: 288833.607
E: 153035.835



O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 43

SHEET 8 OF 12

NOTES RHOADES

DATE 5/30/17

ROUTE US 224

H.C. O'DONNELL

WEATHER CLOUDY

COUNTY SENECA

R.C. POORE

TEMP. 72°

TOWNSHIP CLINTON

DWG BY MILLER

PID 102819

SECTION 31

T 2 N R 15 E

TYPE MONUMENT MAG/WASHER

ON SURFACE - ~~BELOW~~ ON

OFFSET Q PAVEMENT 0.5' LT : ~~RT~~

12' TO RT EDGE PAVEMENT



STATION: 700+55.9

HORIZ.DATUM: NAD83 (2011)

GEOID: NAVD88 2012A


GRID: NORTHING: 518611.673

EASTING: 1781295.349




O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL	REFERENCE NO. <u>44</u>	SHEET <u>9</u> OF <u>12</u>
NOTES <u>RHOADES</u>	DATE <u>5/30/17</u>	ROUTE <u>US 224</u>
H.C. <u>O'DONNELL</u>	WEATHER <u>SUNNY</u>	COUNTY <u>SENECA</u>
R.C. <u>POORE</u>	TEMP. <u>65°</u>	TOWNSHIP <u>CLINTON</u>
		SECTION <u>31</u>
DWG BY <u>MILLER</u>	PID <u>102819</u>	T <u>2</u> N R <u>15</u> E
TYPE MONUMENT <u>MAG/WASHER</u>		
ON SURFACE - BELOW <u>ON</u>		
OFFSET <u>CL</u> PAVEMENT <u>1'</u> LT : RT		
<u>10.9'</u> TO <u>LT</u> EDGE PAVEMENT		
STATION: <u>711+32</u>		
HORZ.DATUM: <u>NAD83 (2011)</u>		GEOID: <u>2012A</u>
GRID: NORTHING: <u>518074.521</u>	EASTING: <u>1782227.928</u>	



RECORD: P.T.
 STA. 169+37.94
 FD PK/WASHER
 4-27-04, DCH
 SET MAG/WASHER
 8-17-04, MB
 FD MAG/WASHER
 REF44
 5-30-17
 UNCOVERED
 12-17-18, JFO



O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 45

SHEET 10 OF 12

NOTES RHOADES

DATE 6/13/17

ROUTE US 224

H.C. O'DONNELL

WEATHER SUNNY

COUNTY SENECA

R.C. POORE

TEMP. 80°

TOWNSHIP CLINTON

DWG BY MILLER PID 102819

SECTION 31

T 2 N R 15 E

TYPE MONUMENT R.R. SPIKE

~~ON SURFACE~~ - BELOW 3"

OFFSET CL PAVEMENT ON LT : RT

- TO - EDGE PAVEMENT


STATION: 714+40

HORZ.DATUM: NAD83 (2011)


GEOID: NAVD88 2012A

GRID: NORTHING: 517909.010

EASTING: 1782486.553



RECORD:
STA. 172+45.95
FD P.K./WASHER
4-27-04, DCH
SET MAG/WASHER
8-17-04, MB
FD R.R. SPIKE
3" DOWN
REF45
6-13-17, JFO
SET MAG/WASHER
W/ COORD.
12-17-18, JFO



O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 46

SHEET 11 OF 2

NOTES RHOADES

DATE 5/30/17

ROUTE US 224

H.C. O'DONNELL

WEATHER SUNNY

COUNTY SENECA

R.C. POORE

TEMP. 65°

TOWNSHIP CLINTON

DWG BY MILLER PID 102819

SECTION 32

T 2 N R 15 E

TYPE MONUMENT MAG/WASHER

ON SURFACE - ~~BELOW~~ ON

OFFSET Q PAVEMENT ON LT : RT

12' TO RT EDGE PAVEMENT


STATION: 743+39

HORIZ.DATUM: NAD83 (2011)


GEOID: 2012A

GRID: NORTHING: 516348.236

EASTING: 1784926.369



RECORD: P.C.
STA. 201+41.35
FD P.K./WASHER
4-27-04, DCH
SET MAG/WASHER
8-18-04, MB
FD MAG/WASHER
REF 46
5-30-17
UNCOVERED
12-17-18, JFO



O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 47

SHEET 12 OF 12

NOTES RHOADES

DATE 5/30/17

ROUTE US 224

H.C. O'DONNELL

WEATHER SUNNY

COUNTY SENECA

R.C. POORE

TEMP. 65°

TOWNSHIP CLINTON

DWG BY MILLER PID 102819

SECTION 32

T 2 N R 15 E

TYPE MONUMENT MAG/WASHER

ON SURFACE - ~~BELOW~~ ON

OFFSET Q PAVEMENT 0.5' ~~LT~~ : RT

11.2' TO RT EDGE PAVEMENT


STATION: 766+20

HORZ.DATUM: NAD83 (2011)


GEOID: NAVD88 2012A

GRID: NORTHING: 515748.909

EASTING: 1787103.702



RECORD: P.T.
STA 224+34.68
FD PK/WASHER
4-28-04, DCH
SET MAG/WASHER
8-18-04, MB
FD MAG/WASHER
REF47
5-30-17, JFO
UNCOVERED
12-17-18, JFO



O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 48

SHEET 1 OF 19

NOTES RHOADES
H.C. O'DONNELL
R.C. CARSON

DATE 5/26/17
WEATHER CLOUDY
TEMP. 63°

ROUTE SR 224
COUNTY SENECA
TOWNSHIP CLINTON
SECTION 32
T 2 N R 15 E

DWG BY MILLER PID 102819

TYPE MONUMENT MAG/WASHER

ON SURFACE - ~~BELOW~~ ON

OFFSET CL PAVEMENT ON LT : RT

- TO - EDGE PAVEMENT


STATION: 778+27.2

HORIZ.DATUM: NAD83 (2011)

GEOID: (2012A)


GRID: NORTHING: 515827.359

EASTING: 1788402.382



RECORD: TWP. LINE
FD R.R. SPIKE
OVER STONE
SET MAG/WASHER
8-18-04, MB
FD MAG/WASHER
1-15-13, SDC
REF48
1-16-13, DCH
FD MAG/WASHER
REF48
5-26-17, JFO

NOTE: REF 22 SR 100



DIST.
48-49= 32.97'
49-49A= 8.13'

O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 49

SHEET 2 OF 19

NOTES RHOADES
H.C. O'DONNELL
R.C. CARSON

DATE 5/26/17
WEATHER CLOUDY
TEMP. 63°

ROUTE SR 224
COUNTY SENECA
TOWNSHIP EDEN

SECTION 5

DWG BY MILLER PID 102819

T 1 N R 15 E

TYPE MONUMENT MAG/WASHER

ON SURFACE - ~~BELOW~~ ON

OFFSET Q PAVEMENT ON LT : RT

- TO - EDGE PAVEMENT



STATION: 778+27.2

HORZ.DATUM: NAD83 (2011)

GEOID: (2012A)

GRID: NORTHING: 515797.842

EASTING: 1788416.820



RECORD: P.I.
Q 224 EAST
STA: 828+43.20
SET P.K./WASHER
ATOP P.K.NAIL
ATOP IPIN
FIELD BOOK #54
1925-1926
1990 PLAN
SEN224-14.73
SET MAG/WASHER
8-18-04, MB
FD MAG/WASHER
1-15-13, SDC
REF49
1-16-13, DCH
FD MAG /WASHER
REF49
5-26-17
UNCOVERED
12-17-18, JFO

DIST.
48-49= 32.97'
49-49A= 8.13'

O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 49 A

SHEET 3 OF 19

NOTES RHOADESDATE 5/26/17ROUTE SR 224

H.C. O'DONNELL

WEATHER CLOUDY

COUNTY SENECA

R.C. CARSON

TEMP. 63°

TOWNSHIP EDEN

DWG BY MILLER

PID 102819

T_1_N R_15_E

TYPE MONUMENT P.K.SHANK

ON SURFACE - ~~BELOW~~ ON _____

OFFSET C PAVEMENT _____ ON _____ LT : RT



____TO____EDGE PAVEMENT

STATION: 778+27.2

HORZ.DATUM: NAD83 (2011)

GEOID: (2012A)

GRID: NORTHING: 515790.540

EASTING: 1788420.473

RECORD:
C 224 WEST
1990 PLAN
SEN224-14.73
SET MAG/WASHER
8-18-04, MB
FD MAG/WASHER
1-15-13, SDC
GPS, REFA49
1-16-13, DCH
FD SHANK
REFA49
5-26-17, JFO
SET MAG/WASHER
W/ COORD.
12-17-18, JFO

DIST.
48-49= 32.97'
49-49A= 8.13'

O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 50

SHEET 4 OF 19

NOTES RHOADES

DATE 5/26/17

ROUTE SR 224

H.C. O'DONNELL

WEATHER CLOUDY

COUNTY SENECA

R.C. CARSON

TEMP. 63°

TOWNSHIP EDEN

SECTION 4

DWG BY MILLER

PID 102819

T 1 N R 15 E

TYPE MONUMENT PK NAIL

~~ON SURFACE~~ - BELOW 2"

OFFSET ℄ PAVEMENT ON LT : RT

11.9' TO RT EDGE PAVEMENT


STATION: 785+25.99

HORZ.DATUM: NAD83 (2011)


GEOID: NAVD88 (2012A)

GRID: NORTHING: 515803.919

EASTING: 1789115.556





RECORD: P.I.
SET P.K./WASHER
ATOP BOAT SPIKE
FD P.K./WASHER
5-2-94, CHANEY
FD P.K./WASHER
REF50
1-16-13, DCH
FD P.K.NAIL
5-26-17, JFO
SET MAG/WASHER
W/ COORD.
12-17-18, JFO



O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL	REFERENCE NO.	51	SHEET	5	OF	19
NOTES	DATE	9/5/14	ROUTE	SR 224		
H.C.	WEATHER	SUNNY	COUNTY	SENECA		
R.C.	TEMP.	70°	TOWNSHIP	EDEN		
			SECTION	4		
			T	1	N	R 15 E

TYPE MONUMENT P.K./WASHER
~~ON SURFACE~~ - BELOW 1"
 LEFT - ℄ PAV'T - RIGHT ON
10.2' TO RT EDGE PAVEMENT
 S.L.M. 811+69.56
 Grid: Northing: 515792.621 Easting: 1791759.117



RECORD: P.I.
 SET P.K./WASHER
 ATOP BOAT SPIKE
 ATOP R.R.SPIKE

FD P.K./WASHER
 5/2/94
 SET P.K./WASHER
 9/28/94, MRC
 FD P.K./WASHER
 GPS, REF51
 1/16/13, DCH

SET MAG/WASHER
 12/15/14
 GPS, NEWREF51
 7/13/15, JFO

O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL _____ REFERENCE NO. 51 A SHEET 6 OF 19
 NOTES HOMAN DATE 9/9/14 ROUTE SR 224
 H.C. LEU WEATHER SUNNY COUNTY SENECA
 R.C. WESTFALL TEMP. 70° TOWNSHIP EDEN
 SECTION 4
 T 1 N R 15 E

TYPE MONUMENT 5/8" IPIN


ON SURFACE - ~~BELOW~~ ON

~~LEFT~~ - CL PAV'T - RIGHT 18.6'

6.4' RT TO RT EDGE PAVEMENT


S.L.M. 822+70.95

Grid: Northing: 515779.605 Easting: 1792860.395



RECORD: P.I.
 SET 5/8" IPIN
 8/16/99, MB

FD 5/8" IPIN
 1/15/13, SDC
 GPS, REFA51
 1/16/13, DCH



O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO.

51 AA

SHEET

7

OF 19

NOTES HOMAN

DATE 9/9/14

ROUTE SR 224

H.C. LEU

WEATHER SUNNY

COUNTY SENECA

R.C. WESTFALL

TEMP. 75°

TOWNSHIP EDEN

SECTION 4

T 1 N R 15 E

TYPE MONUMENT P.K./WASHER



ON SURFACE - ~~BELOW~~ ON

~~LEFT~~ - C PAV'T - RIGHT 4.0'

- TO - EDGE PAVEMENT

S.L.M. 824+12.80

Grid: Northing: 515797.893 Easting: 1793001.107



RECORD: P.O.T.
FD P.K./WASHER
8/16/99
SET P.K./WASHER
12/21/99, MB
FD P.K./WASHER
1/15/13, SDC
GPS, REFAA51
1/16/13, DCH
SET MAG/WASHER
GPS, NEWREFAA51
7/13/15, JFO

O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO.

51 B

SHEET

8

OF 19

NOTES

BARNHISEL

DATE

8/16/99

ROUTE

SR 224

H.C.

CANTERBURY

WEATHER

SUNNY

COUNTY

SENECA

R.C.

ROUSOS

TEMP.

85°

TOWNSHIP

EDEN

SECTION

4

T 1 N

R 15 E

TYPE MONUMENT

P.K./WASHER

ON SURFACE - ~~BELOW~~

ON


LEFT - ~~Q~~ PAV'T - ~~RIGHT~~ 3.9'

- TO - EDGE PAVEMENT

S.L.M. 824+72.34

Grid: Northing: 515805.809

Easting: 1793060.035



RECORD: P.I.

FD P.K./WASHER

8/16/99

SET P.K./WASHER


12/21/99, MB

FD P.K. SHANK

1/15/13, SDC

GPS, REFB51

1/16/13, DCH




O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)


PERSONNEL	REFERENCE NO.	51 C	SHEET	9	OF	19
NOTES	NUHFER	DATE	9/5/14	ROUTE	SR 224	
H.C.	LEU	WEATHER	SUNNY	COUNTY	SENECA	
R.C.	RHOADES	TEMP.	72°	TOWNSHIP	EDEN	
				SECTION	4	
				T	1	N
				R	15	E

TYPE MONUMENT P.K./WASHER
 ON SURFACE - ~~BELOW~~ ON
 LEFT - ℄ PAV'T - RIGHT ON
10.3' TO RT EDGE PAVEMENT
 S.L.M. 828+70.59

Grid: Northing: 515800.353 Easting: 1793458.371



RECORD: P.O.T.
 STA: 878+80
 FD P.K./WASHER
 5/2/94
 SET P.K./WASHER
 ATOP P.K./WASHER
 9/28/94, MRC
 FD P.K./WASHER
 1/15/13, SDC
 GPS, REFC51, DCH
 SET MAG/WASHER
 GPS, NEWREFC51
 7/13/15, JFO



O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 52

SHEET 10 OF 19

NOTES NUHFER

DATE 9/5/14

ROUTE SR 224

H.C. LEU

WEATHER SUNNY

COUNTY SENECA

R.C. RHOADES

TEMP. 72°

TOWNSHIP EDEN

SECTION 3

T 1 N R 15 E

TYPE MONUMENT P.K. SHANK



~~ON SURFACE~~ - BELOW 2"

LEFT - Q PAV'T - RIGHT ON

- TO - EDGE PAVEMENT

S.L.M. 837+51.25

Grid: Northing: 515788.499 Easting: 1794338.898



O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL	REFERENCE NO.	53	SHEET	11	OF	19
NOTES	HOMAN	DATE	9/8/14	ROUTE	SR 224	
H.C.	LEU	WEATHER	FAIR	COUNTY	SENECA	
R.C.	HOMAN	TEMP.	56°	TOWNSHIP	EDEN	
				SECTION	3	
				T	1	N
				R	15	E

TYPE MONUMENT P.K./WASHER


~~ON SURFACE~~ - BELOW 1"

LEFT - ℄ PAV'T - RIGHT ON


9.3' TO RT EDGE PAVEMENT

S.L.M. 864+43.33

Grid: Northing: 515763.316 Easting: 1797030.830



RECORD: P.I.
STA: 914+58.61
BOAT SPIKE ATOP
R.R.SPIKE
FIELD BOOK#54.
(FROM LOFT).
SET P.K./WASHER
9/28/94, MRC
FD P.K./WASHER
1/15/13, SDC
GPS, REF53
1/16/13, DCH
SET MAG/WASHER
12/15/14
GPS, NEWREF53
7/13/15, JFO





O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL	REFERENCE NO.	<u>54</u>	SHEET	<u>12</u>	OF	<u>19</u>
NOTES	<u>HOMAN</u>	DATE	<u>9/8/14</u>	ROUTE	<u>SR 224</u>	
H.C.	<u>LEU</u>	WEATHER	<u>FAIR</u>	COUNTY	<u>SENECA</u>	
R.C.	<u>HOMAN</u>	TEMP.	<u>60°</u>	TOWNSHIP	<u>EDEN</u>	
				SECTION	<u>2</u>	
				T	<u>1</u>	N
				R	<u>15</u>	E

TYPE MONUMENT P.K./WASHER
 ON SURFACE - ~~BELOW~~ 2"
~~LEFT~~ - CL PAV'T - RIGHT 1.0'
8.5' TO RT EDGE PAVEMENT
 S.L.M. 890+89.35

Grid: Northing: 515730.287 Easting: 1799676.622



RECORD: P.I.
 STA: 941+04.19
 P.K./WASHER ATOP
 P.K./WASHER ATOP
 R.R.SPIKE, 6/23/81
 STONE FIELD BOOK#54.
 (FROM LOFT).
 SET P.K./WASHER
 10/3/94, MRC
 FD P.K.NAIL
 1/15/13, SDC
 GPS, REF54
 1/16/13, DCH
 SET MAG/WASHER
 GPS, NEWREF54
 7/13/15, JFO

O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL	REFERENCE NO.	55	SHEET	13	OF	19
NOTES	HOMAN	DATE	9/8/14	ROUTE	SR 224	
H.C.	LEU	WEATHER	FAIR	COUNTY	SENECA	
R.C.	HOMAN	TEMP.	65°	TOWNSHIP	EDEN	
				SECTION	2	
				T	1	N
				R	15	E

TYPE MONUMENT P.K./WASHER



~~ON SURFACE~~ - BELOW 2"

LEFT - CL PAV'T - ~~RIGHT~~ 0.5'

10.0' TO LT EDGE PAVEMENT

S.L.M. 917+38.98

Grid: Northing: 515720.224 Easting: 1802326.276




RECORD: P.I.
 STA: 967+53.97
 P.K./WASHER ATOP
 P.K./WASHER
 STONE FIELD BOOK#54.
 (FROM LOFT).
 SET P.K./WASHER
 10/3/94, MRC
 FD P.K.NAIL
 1/15/13, SDC
 GPS, REF55
 1/16/13, DCH
 SET MAG/WASHER
 GPS, NEWREF55
 7/13/15, JFO

O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)


PERSONNEL	REFERENCE NO.	<u>56</u>	SHEET	<u>14</u>	OF	<u>19</u>
NOTES	<u>HOMAN</u>	DATE	<u>9/8/14</u>	ROUTE	<u>SR 224</u>	
H.C.	<u>LEU</u>	WEATHER	<u>FAIR</u>	COUNTY	<u>SENECA</u>	
R.C.	<u>HOMAN</u>	TEMP.	<u>70°</u>	TOWNSHIP	<u>EDEN</u>	
				SECTION	<u>1</u>	
				T	<u>1</u>	N
				R	<u>15</u>	E

TYPE MONUMENT P.K.NAIL
 ON SURFACE - ~~BELOW~~ ON
~~LEFT~~ - CL PAV'T - RIGHT 1.0'
8.5' TO RT EDGE PAVEMENT
 S.L.M. 944+20.70

Grid: Northing: 515709.892 Easting: 1805007.981



RECORD: P.I.
 STA: 994+35.54
 $\Delta = 0^\circ 11' \text{ LT}$
 P.K./WASHER ATOP
 P.K./WASHER ATOP
 STONE. FIELD BOOK#54.
 (FROM LOFT).
 SET P.K./WASHER
 10/3/94, MRC
 FD P.K.NAIL
 1/15/13, SDC
 GPS, REF56
 1/16/13, DCH
 SET MAG/WASHER
 12/15/14
 GPS, NEWREF56
 7/13/15, JFO



O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 57

SHEET 15 OF 19

NOTES HOMAN

DATE 9/9/14

ROUTE SR 224

H.C. LEU

WEATHER SUNNY

COUNTY SENECA

R.C. HOMAN

TEMP. 75°

TOWNSHIP EDEN

SECTION 1

T 1 N R 15 E

TYPE MONUMENT P.K./WASHER


ON SURFACE - ~~BELOW~~ ON

LEFT - ℄ PAV'T - ~~RIGHT~~ 0.5'


9.5' TO LT EDGE PAVEMENT

S.L.M. 970+69.07

Grid: Northing: 515709.701 Easting: 1807656.406




RECORD: P.I.
STA: 1020+83.66
 $\Delta = 0^\circ 12' \text{ LT- REC.}$
P.K./WASHER ATOP
BOAT SPIKE ATOP
R.R.SPIKE ATOP
STONE. FIELD BOOK#54.
(FROM LOFT).
SET P.K./WASHER
10/3/94, MRC
FD P.K./WASHER
1/15/13, SDC
GPS, REF57
1/16/13, DCH
SET MAG/WASHER
GPS, NEWREF57
7/13/15, JFO




O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL	REFERENCE NO.	58	SHEET	16	OF	19
NOTES	HOMAN	DATE	9/9/14	ROUTE	SR 224	
H.C.	LEU	WEATHER	SUNNY	COUNTY	SENECA	
R.C.	HOMAN	TEMP.	80°	TOWNSHIP	BLOOM	
				SECTION	6	
				T	1	N
				R	16	E

TYPE MONUMENT MAG NAIL
 ON SURFACE - ~~BELOW~~ ON
 LEFT - CL PAV'T - ~~RIGHT~~ 1.0'
9.0' TO LT EDGE PAVEMENT
 S.L.M. 997+68.14



Grid: Northing: 515718.074 Easting: 1810355.189



RECORD: P.I.
 STA: 1047+83
 $\Delta = 0^\circ 12'$ LT-REC.
 P.K.NAIL ATOP
 BOAT SPIKE ATOP
 R.R.SPIKE ATOP
 STONE. FIELD BOOK#54.
 (FROM LOFT).
 SET P.K./WASHER
 10/3/94, MRC
 FD P.K./WASHER
 9/7/11, RJL
 1/15/13, SDC
 GPS, REF58
 1/16/13, DCH
 SET MAG/WASHER
 GPS, NEWREF58
 7/13/15, JFO

O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 57

SHEET 15 OF 19

NOTES HOMAN

H.C. LEU

R.C. HOMAN

DATE 9/9/14

WEATHER SUNNY

TEMP. 75°

ROUTE SR 224

COUNTY SENECA

TOWNSHIP EDEN

SECTION 1

T 1 N R 15 E

DWG BY TRENKA

PID 94957

TYPE MONUMENT P.K.WASHER

ON SURFACE - ~~BELOW~~ ON

OFFSET $\varnothing$ PAVEMENT 0.5' LT : ~~RT~~

9.5' TO LT EDGE PAVEMENT


STATION: 970+69.07

HORZ.DATUM: NAD 2011


GEOID: NAVD 2012A

GRID: NORTHING: 515718.0702

EASTING: 1810355.1980



RECORD:
P.I. STA: 1020+83.66
 $\Delta=0^{\circ}12'$ LT-REC.
P.K.WASHER ATOP
BOAT SPIKE ATOP
R.R.SPIKE ATOP
SONE. FIELD BOOK#54.
(FROM LOFT).
SET P.K.WASHER
10-3-94, MRC
FD P.K.WASHER
1-15-13, SDC
REF57
1-16-13, DCH
SET MAG/WASHER
NEWREF57
7-13-15, JFO
FD MAG/WASHER
REF57
7-18-17, JFO



O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 58

SHEET 16 OF 19

NOTES HOMAN

DATE 9/9/14

ROUTE SR 224

H.C. LEU

WEATHER SUNNY

COUNTY SENECA

R.C. HOMAN

TEMP. 75°

TOWNSHIP BLOOM

DWG BY TRENKA

PID 94957

SECTION 6

T 1 N R 16 E

TYPE MONUMENT MAG/WASHER

ON SURFACE - ~~BELOW~~ ON

OFFSET CL PAVEMENT 1.0' LT : ~~RT~~

9.0' TO LT EDGE PAVEMENT



STATION: 997+68.14

HORZ.DATUM: NAD 2011

GEOID: NAVD 2012A

GRID: NORTHING: 515709.6844

EASTING: 1807656.3999




RECORD:
P.I. STA: 1047+83
 $\Delta = 0^\circ 12'$ LT-REC.
P.K.NAIL ATOP
BOAT SPIKE ATOP
R.R.SPIKE ATOP
STONE. FIELD BOOK#54.
(FROM LOFT).
SET P.K.WASHER
10/3/94, MRC
FD P.K.WASHER
9/7/11, RJL
1/15/13, SDC
REF58
1/16/13, DCH
SET MAG/WASHER
NEWREF58
7/13/15, JFO
FD MAG/WASHER
REF58
7-18-17, JFO

O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)


PERSONNEL	REFERENCE NO.	61	SHEET	19	OF	19
NOTES	HOMAN	DATE	9/9/14	ROUTE	SR 224	
H.C.	LEU	WEATHER	SUNNY	COUNTY	SENECA	
R.C.	HOMAN	TEMP.	75°	TOWNSHIP	BLOOM	
				SECTION	6	
				T	1	N
				R	16	E

TYPE MONUMENT P.K./WASHER
~~ON SURFACE~~ - BELOW 2"
 LEFT - CL PAV'T - ~~RIGHT~~ 0.5'
9.0' TO LT EDGE PAVEMENT
 S.L.M. 1038+86.49

Grid: Northing: 515722.254 Easting: 1814473.687



RECORD: P.O.T
 STA: 1089+01.55
 P.K.NAIL ATOP
 P.K.NAIL ATOP
 BOAT SPIKE ATOP
 SET P.K./WASHER
 10/12/94, MRC
 FD P.K.SHANK
 1/15/13, SDC
 GPS, REF61
 1/16/13, DCH
 SET MAG/WASHER
 12/15/14
 GPS, NEWREF61
 7/13/15, JFO




O.D.O.T. DISTRICT 2 SURVEY OFFICE

PERSONNEL	REFERENCE NO. <u>62</u>	SHEET <u>1</u> OF <u>35</u>
NOTES	DATE <u>9/8/14</u>	ROUTE <u>US 224</u>
H.C. <u>HOMAN</u>	WEATHER <u>FAIR</u>	COUNTY <u>SENECA</u>
R.C. <u>HOMAN</u>	TEMP. <u>75°</u>	TOWNSHIP <u>BLOOM</u>
		SECTION <u>6</u>
		T <u>1</u> N R <u>16</u> E


TYPE MONUMENT MAG/WASHER
 ON SURFACE - ~~BELOW~~ ON
 LEFT - ℄ PAV'T - RIGHT ON
 - TO - EDGE PAVEMENT
 S.L.M. 1047+29.04

GRID: NORTHING: 515722.022 EASTING: 1815316.312



RECORD:
 SET P.K./WASHER
 10/12/94 MRC
 FD P.K./WASHER
 1/12/08 KPM
 FD MAG/WASHER
 1/15/13, SDC
 GPS, REF62
 1/16/13, DCH
 SET MAG/WASHER
 12/15/14
 GPS, NEWREF62
 7/13/15, JFO
 FD MAG/WASHER
 REF19
 2/22/17, JFO

NOTE:
 REF 19 SR 67



O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 63

SHEET 2 OF 37

NOTES RHOADES

DATE 11/7/23

ROUTE US 224

H.C. AUBLE

WEATHER CLOUDY

COUNTY SENECA

R.C. ASTON

TEMP. 54°

TOWNSHIP BLOOM

NIESE

SECTION 6

DWG BY RHOADES

PID 101217

T 1 N R 16 E

TYPE MONUMENT MAG/WASHER

ON SURFACE - ~~BELOW~~ ON

OFFSET Q PAVEMENT ON LT : RT

10.1' TO LT EDGE PAVEMENT


STATION: 1049+91.34

HORIZ.DATUM: NAD83 2011

GEOID: NAVD88 2018

GRID: NORTHING: 515722.348

EASTING: 1815578.604



RECORD:

FD IPIN

8" DOWN

5/19/82

SET P.K./WASHER

10/28/82

FD P.K./WASHER

6/30/92, JLR

SET P.K./WASHER

11/30/92, JLR

FD P.K./WASHER

1/12/08, KPM

SET MAG/WASHER

8/4/09, MB

10/14/09, KPM

FD MAG/WASHER

1/16/13, DCH

FD MAG/WASHER

REF63


8/24/20, DSA

SET MAG/WASHER

7/27/21, DSA

SET MAG/WASHER

11/7/23, DSA



O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 63 A

SHEET 3 OF 37

NOTES RHOADES

DATE 11/7/23

ROUTE US 224

H.C. AUBLE

WEATHER CLOUDY

COUNTY SENECA

R.C. ASTON

TEMP. 54°

TOWNSHIP BLOOM

NIESE

SECTION 6

DWG BY RHOADES PID 101217

T 1 N R 16 E

TYPE MONUMENT MAG/WASHER

ON SURFACE - ~~BELOW~~ ON

OFFSET Q PAVEMENT ON LT : RT

10.1' TO LT EDGE PAVEMENT


STATION: 1049+71.54

HORZ.DATUM: NAD83 2011

GEOID: NAVD88 2018


GRID: NORTHING: 515722.012

EASTING: 1815581.999



RECORD:

FD P.K./WASHER
6/30/92 JLR
SET P.K./WASHER
11/30/92 JLR
D.N.F.
1/12/08 KPM
FD MAG/WASHER
8/4/09, KPM
SET MAG/WASHER
10/14/09 KPM
FD MAG/WASHER
1/16/13, DCH
FD MAG NAIL
REFA63
8/24/20, DSA
SET MAG/WASHER
7/27/21, DSA
SET MAG/WASHER
11/7/23, DSA



O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 64 A

SHEET 4 OF 37

NOTES RHOADES

DATE 11/7/23

ROUTE US 224

H.C. AUBLE

WEATHER CLOUDY

COUNTY SENECA

R.C. ASTON

TEMP. 54°

TOWNSHIP SCIPIO

NIESE

SECTION 31

DWG BY RHOADES

PID 101217

T 2 N R 16 E

TYPE MONUMENT MAG/WASHER

ON SURFACE - ~~BELOW~~ ON

OFFSET ℄ PAVEMENT ON LT : RT

10.1' TO LT EDGE PAVEMENT


STATION: 1052+82.81

HORZ.DATUM: NAD83 2011

GEOID: NAVD88 2018

GRID: NORTHING: 515722.299

EASTING: 1815870.040



RECORD:

STA. 1102+98.08

FD BOAT SPIKE/WASHER

ATOP R.R.SPIKE

SET P.K./WASHER

10/28/82

FD P.K./WASHER

6/30/92, JLR

SET P.K./WASHER

11/30/92, JLR

SET MAG/WASHER

8/4/09, MB

10/14/09, KPM

FD MAG/WASHER

2/1/13, DCH

FD MAG/WASHER

REFA64


8/24/20, DSA

SET MAG/WASHER

7/27/21, DSA

SET MAG/WASHER

11/7/23, DSA



O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 64 B

SHEET 5 OF 37

NOTES RHOADES

DATE 11/7/23

ROUTE US 224

H.C. AUBLE

WEATHER CLOUDY

COUNTY SENECA

R.C. ASTON

TEMP. 54°

TOWNSHIP SCIPIO

NIESE

SECTION 31

DWG BY RHOADES

PID 101217

T 2 N R 16 E

TYPE MONUMENT MAG/WASHER

ON SURFACE - ~~BELOW~~ ON

OFFSET CL PAVEMENT 0.5' LT : ~~RT~~

9.6' TO LT EDGE PAVEMENT


STATION: 1052+89.67

HORZ.DATUM: NAD83 2011


GEOID: NAVD88 2018

GRID: NORTHING: 515723.182

EASTING: 1815876.891



RECORD:
FD MAG/WASHER
6/15/23, DSA
SET MAG/WASHER
REF64B
11/7/23, DSA



O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 65

SHEET 6 OF 37

NOTES RHOADES DATE 11/7/23
H.C. AUBLE WEATHER CLOUDY
R.C. ASTON TEMP. 54°
NIESE

ROUTE US 224
COUNTY SENECA
TOWNSHIP SCIPIO
SECTION 32

DWG BY RHOADES PID 101217

T 2 N R 16 E

TYPE MONUMENT MAG/WASHER

ON SURFACE - ~~BELOW~~ ON

OFFSET 0.6' LT : RT

10.8' TO RT EDGE PAVEMENT


STATION: 1079+31.77

HORZ.DATUM: NAD83 2011


GEOID: NAVD88 2018

GRID: NORTHING: 515731.314

EASTING: 1818519.011



RECORD: P.I.
STA. 1129+47.48
FD BOAT SPIKE/WASHER
ATOP P.K.NAIL
SET P.K./WASHER
10/28/82
FD P.K./WASHER
6/30/92, JLR
SET P.K./WASHER
11/30/92, JLR
FD P.K.SHANK
1/17/08
SET MAG/WASHER
8/3/09, MB
10/14/09, KPM
FD MAG/WASHER
2/1/13, DCH
FD MAG/WASHER
REF65
8/24/20, DSA
3/7/21, JFO
SET MAG/WASHER
11/7/23, DSA



O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 66

SHEET 8 OF 37

NOTES RHOADES

DATE 11/7/23

ROUTE US 224

H.C. AUBLE

WEATHER CLOUDY

COUNTY SENECA

R.C. ASTON

TEMP. 54°

TOWNSHIP SCIPIO

NIESE

SECTION 32

DWG BY RHOADES PID 101217

T 2 N R 16 E

TYPE MONUMENT MAG/WASHER

ON SURFACE - ~~BELOW~~ ON

OFFSET CL PAVEMENT ON LT : RT

10.4' TO RT EDGE PAVEMENT


STATION: 1105+75.05

HORIZ.DATUM: NAD83 2011


GEOID: NAVD88 2018

GRID: NORTHING: 515752.955

EASTING: 1821188.958



RECORD: P.I.
STA. 1156+17.52
FD P.K.NAIL
SET P.K./WASHER
10/28/82
FD P.K./WASHER
6/30/92, JLR
SET P.K./WASHER
11/30/92, JLR
FD P.K./WASHER
2" DOWN
6/16/08
SET MAG/WASHER
8/4/09, MB
10/14/09, KPM
FD MAG/WASHER
REF66
8/24/20, DSA
SET MAG/WASHER
7/27/21, DSA
SET MAG/WASHER
11/7/23, DSA



O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 66 A

SHEET 9 OF 37

NOTES RHOADES

DATE 11/7/23

ROUTE US 224

H.C. AUBLE

WEATHER CLOUDY

COUNTY SENECA

R.C. ASTON

TEMP. 54°

TOWNSHIP BLOOM

NIESE

SECTION 4

DWG BY RHOADES PID 101217

T 1 N R 16 E

TYPE MONUMENT MAG/WASHER

ON SURFACE - ~~BELOW~~ ON

OFFSET CL PAVEMENT ON LT : RT

10.7' TO RT EDGE PAVEMENT


STATION: 1131+98.71

HORZ.DATUM: NAD83 2011


GEOID: NAVD88 2018

GRID: NORTHING: 515752.791

EASTING: 1823812.530



RECORD:
UNKNOW ORIGIN
FD MAG/WASHER
REFA66
9/1/20, DSA
SET MAG SHANK
7/27/21, DSA
SET MAG/WASHER
11/7/23, DSA



O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 67

SHEET 10 OF 37

NOTES RHOADES

DATE 11/7/23

ROUTE US 224

H.C. AUBLE

WEATHER CLOUDY

COUNTY SENECA

R.C. ASTON

TEMP. 54°

TOWNSHIP BLOOM

NIESE

SECTION 4

DWG BY RHOADES

PID 101217

T 1 N R 16 E

TYPE MONUMENT MAG/WASHER

ON SURFACE - ~~BELOW~~ ON

OFFSET Q PAVEMENT ON LT : RT

10.7' TO RT EDGE PAVEMENT


STATION: 1132+08.65

HORIZ.DATUM: NAD83 2011

GEOID: NAVD88 2018


GRID: NORTHING: 515752.761

EASTING: 1823822.449



RECORD: P.I.
STA. 1182+50.91
FD BOAT SPIKE/WASHER
2" DOWN
ATOP R.R.SPIKE
10/28/82
FD P.K./WASHER
6/30/92, JLR
SET P.K./WASHER
11/30/92, JLR

FD P.K./WASHER
1/17/08
SET MAG/WASHER
8/4/09, MB
10/14/09, KPM
FD MAG NAIL
REF67
9/1/20, DSA
SET MAG/WASHER
11/7/23, DSA



DIST. 66A-67= 9.91'

O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 68

SHEET 11 OF 37

NOTES RHOADES

DATE 11/7/23

ROUTE US 224

H.C. AUBLE

WEATHER CLOUDY

COUNTY SENECA

R.C. ASTON

TEMP. 54°

TOWNSHIP SCIPIO

NIESE

SECTION 34

DWG BY RHOADES

PID 101217

T 2 N R 16 E

TYPE MONUMENT MAG/WASHER

ON SURFACE - ~~BELOW~~ ON

OFFSET 0.5' LT : ~~RT~~

10.5' TO LT EDGE PAVEMENT


STATION: 1158+47.52

HORIZ.DATUM: NAD83 2011

GEOID: NAVD88 2018

GRID: NORTHING: 515759.107

EASTING: 1826461.300



RECORD: P.I.

STA.1208+89.68

FD BOAT SPIKE/WASHER

ATOP R.R.SPIKE

SET P.K./WASHER

10/28/82

FD BOAT SPIKE

3" DOWN

6/30/92, JLR

SET P.K./WASHER

11/30/92, JLR

FD SM.R.R.SPIKE

3" DOWN

6/16/08

SET MAG/WASHER

8/4/09, MB

10/14/09, KPM

FD MAG NAIL

REF68

9/1/20, DSA

3/17/21, JFO

FD P.K.NAIL


5" DOWN

REF68

6/15/23, DSA

SET MAG/WASHER

11/7/23, DSA



O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 69

SHEET 12 OF 37

NOTES RHOADES

DATE 11/7/23

ROUTE US 224

H.C. AUBLE

WEATHER CLOUDY

COUNTY SENECA

R.C. ASTON

TEMP. 54°

TOWNSHIP SCIPIO

NIESE

SECTION 34

DWG BY RHOADES PID 101217

T 2 N R 16 E

TYPE MONUMENT MAG/WASHER

ON SURFACE - ~~BELOW~~ ON

OFFSET CL PAVEMENT ON LT : RT

10.7' TO RT EDGE PAVEMENT


STATION: 1170+92.85

HORZ.DATUM: NAD83 2011


GEOID: NAVD88 2018

GRID: NORTHING: 515752.284

EASTING: 1827706.654



RECORD: P.O.T.
STA. 1221+34.86
FD BOAT SPIKE/WASHER
SET P.K./WASHER
10/28/82
FD P.K./WASHER
6/30/92, JLR
SET P.K./WASHER
11/30/92, JLR
FD P.K./WASHER
1/17/08
SET MAG/WASHER
8/3/09, MB
10/14/09, KPM
FD MAG/WASHER
REF69
9/1/20, DSA
3/17/21, JFO
SET MAG/WASHER
11/7/23, DSA



O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 70

SHEET 13 OF 37

NOTES RHOADES

DATE 11/7/23

ROUTE US 224

H.C. AUBLE

WEATHER CLOUDY

COUNTY SENECA

R.C. ASTON

TEMP. 54°

TOWNSHIP SCIPIO

NIESE

SECTION 34

DWG BY RHOADES

PID 101217

T 2 N R 16 E

TYPE MONUMENT MAG/WASHER

ON SURFACE - ~~BELOW~~ ON

OFFSET CL PAVEMENT 6" LT : ~~RT~~

9.5' TO LT EDGE PAVEMENT


STATION: 1185+05.85

HORZ.DATUM: NAD83 2011


GEOID: NAVD88 2018

GRID: NORTHING: 515744.457

EASTING: 1829119.686



RECORD: P.I.
STA. 1235+44.68
FD BOAT SPIKE/WASHER
ATOP R.R.SPIKE
SET P.K./WASHER
10/28/82
FD P.K./WASHER
6/30/92, JLR
SET P.K./WASHER
11/30/92, JLR
FD P.K./WASHER
1/17/08
SET MAG/WASHER
8/4/09, MB
10/14/09, KPM
FD MAG/WASHER
REF70
9/1/20, DSA
3/17/21, JFO
SET MAG/WASHER
11/7/23, DSA



O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 71

SHEET 14 OF 37

NOTES RHOADES

DATE 11/7/23

ROUTE US 224

H.C. AUBLE

WEATHER CLOUDY

COUNTY SENECA

R.C. ASTON

TEMP. 54°

TOWNSHIP SCIPIO

NIESE

SECTION 34

DWG BY RHOADES

PID 101217

T 2 N R 16 E

TYPE MONUMENT MAG/WASHER

ON SURFACE - ~~BELOW~~ ON

OFFSET Q PAVEMENT ON LT : RT

10.2' TO RT EDGE PAVEMENT


STATION: 1200+26.26

HORZ.DATUM: NAD83 2011


GEOID: NAVD88 2018

GRID: NORTHING: 515738.435

EASTING: 1830639.979



RECORD: P.O.T.
STA.1252+50.88
FD BOAT SPIKE/WASHER
ATOP R.R.SPIKE
SET P.K./WASHER
10/28/82
FD P.K./WASHER
6/30/92, JLR
SET P.K./WASHER
11/30/92, JLR
FD P.K./WASHER
1/17/08
SET MAG/WASHER
8/4/09, MB
10/14/09, KPM
FD MAG/WASHER
REF71
9/1/20, DSA
3/17/21, JFO
SET MAG/WASHER
11/7/23, DSA



O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 72

SHEET 15 OF 37

NOTES RHOADES

DATE 11/8/23

ROUTE US 224

H.C. AUBLE

WEATHER CLOUDY

COUNTY SENECA

R.C. ASTON

TEMP. 43°

TOWNSHIP SCIPIO

NIESE

SECTION 35

DWG BY RHOADES

PID 101217

T 2 N R 16 E

TYPE MONUMENT MAG/WASHER

ON SURFACE - ~~BELOW~~ ON

OFFSET 0.6' LT : ~~RT~~

11.8' TO LT EDGE PAVEMENT


STATION: 1211+35

HORIZ.DATUM: NAD83 2011


GEOID: NAVD88 2018

GRID: NORTHING: 515733.818

EASTING: 1831758.712



RECORD: P.I.
STA. 1261+89.20
FD P.K./WASHER
1.5" DOWN
ATOP R.R.SPIKE
SET P.K./WASHER
10/28/82
FD P.K./WASHER
6/30/92, JLR
SET P.K./WASHER
11/30/92, JLR
FD P.K./WASHER
1/17/08
SET MAG/WASHER
8/4/09, MB
10/14/09, KPM
FD MAG/WASHER
REF72
9/1/20, DSA
3/17/21, JFO
SET MAG/WASHER
11/8/23, DSA



O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 72 A

SHEET 16 OF 37

NOTES RHOADES

DATE 11/8/23

ROUTE US 224

H.C. AUBLE

WEATHER CLOUDY

COUNTY SENECA

R.C. ASTON

TEMP. 43°

TOWNSHIP SCIPIO

NIESE

SECTION 35

DWG BY RHOADES PID 101217

T 2 N R 16 E

TYPE MONUMENT MAG/WASHER

ON SURFACE - ~~BELOW~~ ON

OFFSET ℄ PAVEMENT ON LT : RT

10.8' TO RT EDGE PAVEMENT


STATION: 1233+70

HORZ.DATUM: NAD83 2011


GEOID: NAVD88 2018

GRID: NORTHING: 515725.303

EASTING: 1833996.231



RECORD: P.O.T.
FD P.K./WASHER
ATOP R.R.SPIKE
SET P.K./WASHER
10/28/82
FD P.K./WASHER
6/30/92, JLR
SET P.K./WASHER
12/7/92, JLR
FD P.K./WASHER
5/6/08
SET MAG/WASHER
8/4/09, MB
10/14/09, KPM
FD MAG/WASHER
REFA72
9/14/20, DSA
3/17/21, JFO
SET MAG/WASHER
11/8/23, DSA



O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 73

SHEET 17 OF 37

NOTES RHOADES

DATE 11/8/23

ROUTE US 224

H.C. AUBLE

WEATHER CLOUDY

COUNTY SENECA

R.C. ASTON

TEMP. 43°

TOWNSHIP SCIP10

NIESE

SECTION 35

DWG BY RHOADES

PID 101217

T 2 N R 16 E

TYPE MONUMENT MAG/WASHER

ON SURFACE - ~~BELOW~~ ON

OFFSET Q PAVEMENT 1.1' LT : ~~RT~~

12.5' TO RT EDGE PAVEMENT


STATION: 1264+48.26

HORZ.DATUM: NAD83 2011

GEOID: NAVD88 2018

GRID: NORTHING: 515713.224

EASTING: 1837062.059



DIST.
73-73A= 1.27'
73-73B= 17.79'
73A-73B= 16.60'

Q US 224

FD
SHI

69.04'

73A

73B

RECORD: P.I.
STA. 1314+97.41
FD BOAT SPIKE/WASHER
ATOP R.R.SPIKE
SET P.K./WASHER
10/28/82
FD P.K.SHANK
6/30/92, JLR
SET P.K./WASHER
12/7/92, JLR
FD P.K./WASHER
1/17/08
SET MAG/WASHER
8/4/09, MB
10/14/09, KPM
FD MAG/WASHER
REF73
9/14/20, DSA
3/17/21, JFO
SET MAG/WASHER
11/8/23, DSA

FD
SHI

0.9' UP
STR.SIGN
POLL

SET
SHI

71.14'

43.52'

101.34'

Q TR 77

79.32' REC

TOP 1ST
STONE BLOCK

BRICK
HOUSE

O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 73 A

SHEET 18 OF 37

NOTES RHOADES

DATE 11/8/23

ROUTE US 224

H.C. AUBLE

WEATHER CLOUDY

COUNTY SENECA

R.C. ASTON

TEMP. 43°

TOWNSHIP SCIPIO

NIESE

SECTION 36

DWG BY RHOADES PID 101217

T 2 N R 16 E

TYPE MONUMENT MAG/WASHER

ON SURFACE - ~~BELOW~~ ON

OFFSET CL PAVEMENT 1.4' LT : ~~RT~~

- TO - EDGE PAVEMENT


STATION: 1264+49.53

HORZ.DATUM: NAD83 2011

GEOID: NAVD88 2018

GRID: NORTHING: 515713.585

EASTING: 1837063.266



DIST.
73-73A= 1.27'
73-73B= 17.79'
73A-73B= 16.60'

FD
SHI

69.19'

CL US 224

73

73B

FD
SHI

0.9' UP
STR.SIGN
POLL

SET
SHI

101.99'

CL TR 77

79.19' REC

TOP 1ST
STONE BLOCK

BRICK
HOUSE

RECORD:
FD P.K./WASHER
6/30/92, JLR
SET P.K./WASHER
12/7/92, JLR
FD P.K./WASHER
5/6/08
SET MAG/WASHER
8/4/09, MB
10/14/09, KPM
D.N.F.
9/14/20, DSA
FD MAG/WASHER
3" DOWN
REF 73A
6/16/23, DSA
SET MAG/WASHER
11/8/23, DSA

PERSONNEL

REFERENCE NO. 73 B

SHEET 19 OF 37

NOTES RHOADES

DATE 11/8/23

ROUTE US 224

H.C. AUBLE

WEATHER CLOUDY

COUNTY SENECA

R.C. ASTON

TEMP. 43°

TOWNSHIP SCIPIO

NIESE

DWG BY RHOADES

PID 101217

T 2 N R 16 F

TYPE MONUMENT MAG/WASHER

ON SURFACE - ~~BELOW~~ ON

OFFSET C PAVEMENT 1.5' LT : RT


_____TO_____EDGE PAVEMENT

STATION: 1264+66.05


HORZ.DATUM: NAD83 2011

GEOID: NAVD88 2018

GRID: NORTHING: 515713.443

EASTING: 1837079.836

RECORD:
FD P.K./WASHER
6/30/92, JLR
SET P.K./WASHER
12/7/92, JLR
FD P.K./WASHER
5/6/08
SET MAG/WASHER
8/4/09, MB
10/14/09, KPM
FD MAG/WASHER
REF73B
6/16/23, DSA
SET MAG/WASHER
11/8/23, DSA



DIST.
73-73A= 1.27'
73-73B= 17.79'
73A-73B= 16.60'

O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 74 A

SHEET 20 OF 37

NOTES RHOADES

DATE 11/8/23

ROUTE US 224

H.C. AUBLE

WEATHER CLOUDY

COUNTY SENECA

R.C. ASTON

TEMP. 43°

TOWNSHIP SCIPIO

NIESE

SECTION 36

DWG BY RHOADES

PID 101217

T 2 N R 16 E

TYPE MONUMENT MAG/WASHER

ON SURFACE - ~~BELOW~~ ON

OFFSET Q PAVEMENT 1.0' LT : ~~RT~~

10.2' TO LT EDGE PAVEMENT


STATION: 1277+05.70

HORIZ.DATUM: NAD83 2011


GEOID: NAVD88 2018

GRID: NORTHING: 515693.593

EASTING: 1838319.271



RECORD: P.O.T.
STA. 1327+52.20
FD BOAT SPIKE/WASHER
ATOP R.R.SPIKE
SET P.K./WASHER
10/28/82
SET P.K./WASHER
12/7/92, JLR
FD P.K./WASHER
1/17/08
SET MAG/WASHER
8/3/09, MB
10/14/09, KPM
FD MAG/WASHER
REFA74
9/14/20, DSA
3/17/21, JFO
SET MAG/WASHER
11/8/23, DSA



O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 75

SHEET 21 OF 37

NOTES RHOADES

DATE 11/8/23

ROUTE US 224

H.C. AUBLE

WEATHER CLOUDY

COUNTY SENECA

R.C. ASTON

TEMP. 43°

TOWNSHIP SCIPIO

NIESE

SECTION 36

DWG BY RHOADES

PID 101217

T 2 N R 16 E

TYPE MONUMENT MAG/WASHER

ON SURFACE - ~~BELOW~~ ON

OFFSET Q PAVEMENT 1' LT : ~~RT~~

9' TO LT EDGE PAVEMENT


STATION: 1291+16.61

HORZ.DATUM: NAD83 2011


GEOID: NAVD88 2018

GRID: NORTHING: 515672.007

EASTING: 1839729.934



RECORD: P.I.
STA. 1341+63.50
FD P.K./WASHER
ATOP R.R.SPIKE
SET P.K./WASHER
10/28/82
FD P.K./WASHER
6/30/92, JLR
SET P.K./WASHER
12/7/92, JLR
FD P.K./WASHER
1/17/08
SET MAG/WASHER
8/3/09, MB
10/14/09, KPM
FD MAG/WASHER
REF75
9/14/20, DSA
3/17/21, JFO
SET MAG/WASHER
11/8/23, DSA



O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 76

SHEET 22 OF 37

NOTES RHOADES

DATE 11/8/23

ROUTE US 224

H.C. AUBLE

WEATHER CLOUDY

COUNTY SENECA

R.C. ASTON

TEMP. 43°

TOWNSHIP SCIPIO

NIESE

SECTION 36

DWG BY RHOADES

PID 101217

T 2 N R 16 E

TYPE MONUMENT MAG/WASHER

ON SURFACE - ~~BELOW~~ ON

OFFSET CL PAVEMENT 0.5' LT : ~~RT~~

9.5' TO LT EDGE PAVEMENT


STATION: 1296+39.82

HORZ.DATUM: NAD83 2011


GEOID: NAVD88 2018

GRID: NORTHING: 515644.028

EASTING: 1840253.112



RECORD: P.I.
STA. 1346+88
FD BOAT SPIKE/WASHER
1.5" DOWN
ATOP R.R.SPIKE
ATOP IPIN
SET P.K./WASHER
10/28/82
FD P.K./WASHER
6/30/92, JLR
SET P.K./WASHER
12/7/92, JLR
FD P.K./WASHER
1/17/08
SET MAG/WASHER
8/3/09, MB
10/14/09, KPM
FD MAG/WASHER
REF76
9/14/20, DSA
3/17/21, JFO
SET MAG/WASHER
11/8/23, DSA



O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 78

SHEET 23 OF 37

NOTES RHOADES

DATE 11/8/23

ROUTE US 224

H.C. AUBLE

WEATHER CLOUDY

COUNTY SENECA

R.C. ASTON

TEMP. 43°

TOWNSHIP SCIPIO

NIESE

SECTION 36

DWG BY RHOADES PID 101217

T 2 N R 16 E

TYPE MONUMENT MAG/WASHER

ON SURFACE - ~~BELOW~~ ON

OFFSET CL PAVEMENT ON LT : RT

10.8' TO RT EDGE PAVEMENT


STATION: 1317+07.59

HORIZ.DATUM: NAD83 2011


GEOID: NAVD88 2018

GRID: NORTHING: 515629.871

EASTING: 1842400.661



RECORD: P.I.
STA. 1369+65.82
FD P.K./WASHER
ATOP R.R.SPIKE
SET P.K./WASHER
11/2/82
FD P.K./WASHER
6/30/92, JLR
SET P.K./WASHER
12/7/92, JLR
FD P.K./WASHER
1/17/08
SET MAG/WASHER
8/4/09, MB
10/14/09, KPM
FD MAG/WASHER
REF78
9/14/20, DSA
3/17/21, JFO
SET MAG/WASHER
11/8/23, DSA



O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 80

SHEET 24 OF 37

NOTES RHOADES

DATE 11/8/23

ROUTE US 224

H.C. AUBLE

WEATHER CLOUDY

COUNTY SENECA

R.C. ASTON

TEMP. 51°

TOWNSHIP REED

NIESE

SECTION 31

DWG BY RHOADES

PID 101217

T 2 N R 17 E

TYPE MONUMENT MAG/WASHER

ON SURFACE - ~~BELOW~~ ON

OFFSET Q PAVEMENT 1' LT : ~~RT~~

9.2' TO LT EDGE PAVEMENT


STATION: 1333+09

HORZ.DATUM: NAD83 2011


GEOID: NAVD88 2018

GRID: NORTHING: 515607.818

EASTING: 1843995.273



RECORD: P.O.T,
STA. 1386+13.1
SET P.K./WASHER
1 1/2" DOWN
ATOP R.R.SPIKE
ATOP R.R.SPIKE
11/2/82
FD P.K./WASHER
7/1/92, JLR
SET P.K./WASHER
12/7/92, JLR
FD P.K./WASHER
5/6/08
SET MAG/WASHER
8/3/09, MB
10/14/09, KPM
FD MAG NAIL
REF80
9/14/20, DSA
3/17/21, JFO
SET MAG/WASHER
11/8/23, DSA



O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 80 A

SHEET 25 OF 37

NOTES RHOADES

DATE 11/8/23

ROUTE US 224

H.C. AUBLE

WEATHER CLOUDY

COUNTY SENECA

R.C. ASTON

TEMP. 51°

TOWNSHIP REED

NIESE

SECTION 31

DWG BY RHOADES PID 101217

T 2 N R 17 E

TYPE MONUMENT ROUND MONBOX W/ 1" IPIN

ON SURFACE - ~~BELOW~~ ON

OFFSET 0 PAVEMENT ON LT : RT

10' TO RT EDGE PAVEMENT


STATION: 1342+75.60

HORZ.DATUM: NAD83 2011


GEOID: NAVD88 2018

GRID: NORTHING: 515595.470

EASTING: 1844888.372



RECORD:
SET R.R.SPIKE
4/19/88
FD MONBOX
12/7/92, JLR
1/17/08
10/14/09, KPM
FD MONBOX
W/ 1" IPIN
REFA80
9/14/20, DSA
3/17/21, JFO
REF80A
11/8/23, DSA



O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 81

SHEET 26 OF 37

NOTES RHOADES

DATE 11/8/23

ROUTE US 224

H.C. AUBLE

WEATHER CLOUDY

COUNTY SENECA

R.C. ASTON

TEMP. 51°

TOWNSHIP REED

NIESE

SECTION 31

DWG BY RHOADES

PID 101217

T 2 N R 17 E

TYPE MONUMENT ROUND MONBOX W/ 1" IPIN

ON SURFACE - ~~BELOW~~ ON

OFFSET CL PAVEMENT ON LT : RT

10' TO RT EDGE PAVEMENT


STATION: 1344+27.56

HORIZ.DATUM: NAD83 2011


GEOID: NAVD88 2018

GRID: NORTHING: 515593.484

EASTING: 1845040.261



RECORD:
STA.1396+58.72
D.N.F. STONE
SER R.R.SPIKE
4/19/88
FD MONBOX
12/7/92, JLR
FD MONBOX
FILLED W/ASPHALT
1/17/08
DUG UP MONBOX
TO BE REPLACED
6/16/08
10/14/09, KPM
FD MONBOX
W/ 1" IPIN
REF81
9/14/20, DSA
3/17/21, JFO
REF
11/8/23, DSA



O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 82

SHEET 27 OF 37

NOTES RHOADES

DATE 11/8/23

ROUTE US 224

H.C. AUBLE

WEATHER CLOUDY

COUNTY SENECA

R.C. ASTON

TEMP. 51°

TOWNSHIP REED

NIESE

SECTION 31

DWG BY RHOADES

PID 101217

T 2 N R 17 E

TYPE MONUMENT MAG/WASHER

ON SURFACE - ~~BELOW~~ ON

OFFSET CL PAVEMENT 1' LT : ~~RT~~

10.2' TO LT EDGE PAVEMENT



STATION: 1352+85.89

HORZ.DATUM: NAD83 2011

GEOID: NAVD88 2018

GRID: NORTHING: 515585.843

EASTING: 1845898.595



RECORD: P.O.T.
STA. 1405+17.95
FD P.K.NAIL
ATOP R.R.SPIKE
SET P.K./WASHER
11/2/82
FD P.K./WASHER
7/1/92
SET P.K./WASHER
12/7/92, JLR
FD P.K./WASHER
1/17/08
SET MAG/WASHER
8/5/09
10/14/09, KPM
FD MAG/WASHER
REF82
9/15/20, DSA
3/17/21, JFO
SET MAG/WASHER
11/8/23, DSA

O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 83

SHEET 28 OF 37

NOTES RHOADES

DATE 11/8/23

ROUTE US 224

H.C. AUBLE

WEATHER CLOUDY

COUNTY SENECA

R.C. ASTON

TEMP. 51°

TOWNSHIP REED

NIESE

SECTION 31

DWG BY RHOADES

PID 101217

T 2 N R 17 E

TYPE MONUMENT MAG/WASHER

ON SURFACE - ~~BELOW~~ ON

OFFSET Q PAVEMENT ON LT : RT

10.3' TO LT EDGE PAVEMENT


STATION: 1369+31.99

HORIZ.DATUM: NAD83 2011

GEOID: NAVD88 2018


GRID: NORTHING: 515570.738

EASTING: 1847544.608



RECORD: P.I.
STA. 1421+59.62
FD BOAT SPIKE/WASHER
ATOP R.R. SPIKE
ATOP IRON STAKE
SET P.K./WASHER
11/2/82
FD P.K./WASHER
7/1/92
SET P.K./WASHER
12/7/92, JLR
FD P.K./WASHER
1/17/08
SET MAG/WASHER
8/5/09
10/14/09, KPM
FD MAG/WASHER
REF83
9/15/20, DSA
3/17/21, JFO
SET MAG/WASHER
11/8/23, DSA

DIST .83-83A= 145.86'



O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 83 A

SHEET 29 OF 37

NOTES RHOADES

DATE 11/8/23

ROUTE US 224

H.C. AUBLE

WEATHER CLOUDY

COUNTY SENECA

R.C. ASTON

TEMP. 51°

TOWNSHIP REED

NIESE

SECTION 31

DWG BY RHOADES

PID 101217

T 2 N R 17 E

TYPE MONUMENT MAG/WASHER

ON SURFACE - ~~BELOW~~ ON

OFFSET Q PAVEMENT ON LT : RT

10.6' TO RT EDGE PAVEMENT


STATION: 1370+77.85

HORZ.DATUM: NAD83 2011


GEOID: NAVD88 2018

GRID: NORTHING: 515569.983

EASTING: 1847690.464



RECORD:
FD P.K./WASHER
7/1/92
SET P.K./WASHER
12/7/92, JLR
FD P.K./WASHER
1/17/08
SET MAG/WASHER
8/5/09
10/14/09, KPM
FD MAG/WASHER
REFA83
9/15/20, DSA
3/17/21, JFO
SET MAG/WASHER
11/8/23, DSA



O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 84

SHEET 30 OF 37

NOTES RHOADES

DATE 11/9/23

ROUTE US 224

H.C. AUBLE

WEATHER CLOUDY

COUNTY SENECA

R.C. ASTON

TEMP. 48°

TOWNSHIP REED

NIESE

SECTION 32

DWG BY RHOADES

PID 101217

T 2 N R 17 E

TYPE MONUMENT MAG/WASHER

ON SURFACE - ~~BELOW~~ ON

OFFSET Q PAVEMENT ON LT : RT

10.1' TO RT EDGE PAVEMENT


STATION: 1388+44.8

HORZ.DATUM: NAD83 2011


GEOID: NAVD88 2018

GRID: NORTHING: 515551.792

EASTING: 1849457.398



RECORD: P.O.T.
STA.1440+86.56
FD P.K.NAIL
0.5' DOWN
ATOP R.R.SPIKE
11/2/82
SET P.K./WASHER
12/7/92, JLR
FD P.K./WASHER
5/6/08
SET MAG/WASHER
8/5/09, MC
SET MAG/WASHER
10815/09, KPM
FD MAG/WASHER
REF84
9/15/20, DSA
3/17/21, JFO
SET MAG/WASHER
11/9/23, DSA



O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 84 AA

SHEET 31 OF 37

NOTES RHOADES

DATE 11/9/23

ROUTE US 224

H.C. AUBLE

WEATHER CLOUDY

COUNTY SENECA

R.C. ASTON

TEMP. 48°

TOWNSHIP REED

NIESE

SECTION 32

DWG BY RHOADES PID 101217

T 2 N R 17 E

TYPE MONUMENT MAG/WASHER

ON SURFACE - ~~BELOW~~ ON

OFFSET 0 PAVEMENT - LT : ~~RT~~

- TO LT EDGE PAVEMENT


STATION: 1395+81.47

HORIZ.DATUM: NAD83 2011


GEOID: NAVD88 2018

GRID: NORTHING: 515540.110

EASTING: 1850244.959



RECORD:
FD MAG NAIL
REFAA84
3/17/21, JFO
SET MAG/WASHER
11/9/23, DSA




O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)


PERSONNEL	REFERENCE NO. <u>84 A</u>	SHEET <u>32</u> OF <u>37</u>
NOTES <u>RHOADES</u>	DATE <u>11/9/23</u>	ROUTE <u>US 224</u>
H.C. <u>AUBLE</u>	WEATHER <u>CLOUDY</u>	COUNTY <u>SENECA</u>
R.C. <u>ASTON</u>	TEMP. <u>48°</u>	TOWNSHIP <u>REED</u>
<u>NIESE</u>		SECTION <u>32</u>
DWG BY <u>RHOADES</u>	PID <u>101217</u>	T <u>2</u> N R <u>17</u> E

TYPE MONUMENT MAG/WASHER
 ON SURFACE - ~~BELOW~~ ON
 OFFSET Q PAVEMENT ON LT : RT
10.4' TO RT EDGE PAVEMENT
 STATION: 1396+06.5

HORZ.DATUM: NAD83 2011 GEOID: NAVD88 2018
 GRID: NORTHING: 515533.101 EASTING: 1850268.958



RECORD:
 SET MAG/WASHER
 8/5/09, MB
 SET MAG/WASHER
 10/15/09, KPM
 FD MAG/WASHER
 REFA84
 9/15/20, DSA
 3/17/21, JFO
 SET MAG/WASHER
 11/9/23, DSA



O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. IPID

SHEET 33 OF 37

NOTES RHOADES

DATE 3/17/21

ROUTE US 224

H.C. AUBLE

WEATHER FAIR

COUNTY SENECA

R.C. ASTON

TEMP. 50°

TOWNSHIP REED

NIESE

SECTION 32

DWG BY RHOADES PID 101217

T 2 N R 17 E

TYPE MONUMENT IPID #8258 THELL

ON SURFACE - ~~BELOW~~ ON

OFFSET Q PAVEMENT - LT : ~~RT~~

- TO LT EDGE PAVEMENT


STATION: 1396+79.14

HORZ.DATUM: NAD83 2011


GEOID: NAVD88 2018

GRID: NORTHING: 515538.944

EASTING: 1850341.337



RECORD:
FD IPID
#8258 THELL
3/17/21, JFO
SET MAG/WASHER
11/9/23, DSA



O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 86

SHEET 34 OF 37

NOTES RHOADES

DATE 6/20/23

ROUTE US 224

H.C. AUBLE

WEATHER WINDY

COUNTY SENECA

R.C. RHOADES

TEMP. 44°

TOWNSHIP REED

DWG BY RHOADES

PID 101217

SECTION 32

T 2 N R 17 E

TYPE MONUMENT R.R.SPIKE

~~ON SURFACE~~ - BELOW 6"

OFFSET CL PAVEMENT 36' ± LT : ~~RT~~

25' TO LT EDGE PAVEMENT


STATION: 1398+01.8

HORIZ.DATUM: NAD83 2011


GEOID: NAVD88 2018

GRID: NORTHING: 515540.382

EASTING: 1850479.040



RECORD: P.I.
Δ = 27° 47' RT
STA.80+20.6
STA.134+60
FD R.R.SPIKE
3" DOWN
11/2/82
FD R.R.SPIKE
6" DOWN
REF86
9/15/20, DSA
3/17/21, JFO
6/20/23, DSA



O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 87 B

SHEET 35 OF 37

NOTES RHOADES

DATE 11/9/23

ROUTE US 224

H.C. AUBLE

WEATHER CLOUDY

COUNTY SENECA

R.C. ASTON

TEMP. 48°

TOWNSHIP VENICE

NIESE

SECTION 4

DWG BY RHOADES PID 101217

T 1 N R 17 E

TYPE MONUMENT MAG/WASHER

ON SURFACE - ~~BELOW~~ ON

OFFSET ¢ PAVEMENT 1' LT : ~~RT~~

9.5' TO LT EDGE PAVEMENT


STATION: 1442+15.81

HORIZ.DATUM: NAD83 2011


GEOID: NAVD88 2018

GRID: NORTHING: 513437.795

EASTING: 1854294.413



RECORD: P.O.T.
STA.172+ ±
FD P.K.NAIL
SET P.K./WASHER
11/2/82
FD P.K./WASHER
7/1/92
SET P.K./WASHER
12/7/92, JLR
FD P.K./WASHER
5/6/08
SET MAG/WASHER
8/5/09, MB
10/15/09, KPM
FD MAG/WASHER
REFB87
9/15/20, DSA
3/17/21, JFO
SET MAG/WASHER
11/9/23, DSA



O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 87 C

SHEET 36 OF 37

NOTES RHOADES

DATE 11/9/23

ROUTE US 224

H.C. AUBLE

WEATHER CLOUDY

COUNTY SENECA

R.C. ASTON

TEMP. 48°

TOWNSHIP VENICE

NIESE

SECTION 4

DWG BY RHOADES

PID 101217

T 1 N R 17 E

TYPE MONUMENT MAG/WASHER

ON SURFACE - ~~BELOW~~ ON

OFFSET Q PAVEMENT ON LT : RT

10.2' TO RT EDGE PAVEMENT


STATION: 1456+47.01

HORIZ.DATUM: NAD83 2011


GEOID: NAVD88 2018

GRID: NORTHING: 512750.092

EASTING: 1855549.524



RECORD: P.I.
STA.138+67.8
FD BOAT SPIKE/WASHER
ATOP R.R.SPIKE
1' DOWN
SET P.K./WASHER
11/2/82
FD P.K./WASHER
7/1/92
SET P.K./WASHER
12/7/92, JLR
FD P.K./WASHER
5/6/08
SET MAG/WASHER
8/5/09, MB
10/15/09, KPM
FD MAG/WASHER
REFC87
9/15/20, DSA
3/17/21, JFO
SET MAG/WASHER
11/9/23, DSA



O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 87 E

SHEET 37 OF 37

NOTES RHOADES

DATE 11/9/23

ROUTE US 224

H.C. AUBLE

WEATHER CLOUDY

COUNTY SENECA

R.C. ASTON

TEMP. 48°

TOWNSHIP VENICE

NIESE

SECTION 4

DWG BY RHOADES

PID 101217

T 1 N R 17 E

TYPE MONUMENT MAG/WASHER

ON SURFACE - ~~BELOW~~ ON

OFFSET CL PAVEMENT 1' ~~LT~~ : RT

10.2' TO RT EDGE PAVEMENT


STATION: 1471+50.41

HORZ.DATUM: NAD83 2011


GEOID: NAVD88 2018

GRID: NORTHING: 512032.571

EASTING: 1856870.646



RECORD: P.I.
STA. 153+71
FD BOAT SPIKE/WASHER
ATOP R.R.SPIKE
SET P.K./WASHER
11/2/82
FD P.K./WASHER
7/1/92
SET P.K./WASHER
12/7/92, JLR
FD P.K./WASHER
5/6/08
SET MAG/WASHER
8/5/09, MB
10/15/09, KPM
FD MAG/WASHER
REFE87
9/15/20, DSA
3/17/21, JFO
SET MAG/WASHER
11/9/23, DSA



O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 88 AA

SHEET 1 OF 16

NOTES _____ RHOADES

DATE 11/9/23

ROUTE US 224

H.C. AUBLE

WEATHER CLOUDY

COUNTY SENECA

R.C. ASTON

TEMP. 48°

TOWNSHIP _____ VENICE

NIESE

DWG BY RHOADES

PID 101217

T_1_N R_17_E

TYPE MONUMENT MAG/WASHER

ON SURFACE - ~~BELOW~~ _____ ON

OFFSET @ PAVEMENT _____ ON _____ LT : RT _____


11.4' TO RT EDGE PAVEMENT

STATION: 1486+47.08

HORZ.DATUM: NAD83 (2011)

GEOID: NAVD88 2018

GRID: NORTHING: 511325.886

EASTING: 1858190.016

RECORD:

FD P.K./WASHER

7-1-92, JLR
CET, B, K, W

SET P.K./WASHER
12 3 00 11 B

12-7-92, JLR
ED. D. K. (WASH)

FD P.K./WASHER
F C 08

5-6-08
CFT-MA

SET MAG/WASHER
8.5 00 MB

8-5-09, MB
CFT MAC /W

SET MAG/WASHER
10 15 00 RPM

10-15-09, KPM
ED, MAC / WASH

FD MAG/WASHER
5-24-17 JEO

5-24-17, JFO
ED MAG NATH

FD MAG I
REF AA88

REF AAOO
9/15/20

3/17/21 JFO

SFT MAG/WAS

11/9/23, DSA

117 OF 259, DSA

O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 88 AB

SHEET 2 OF 16

NOTES RHOADES

DATE 11/9/23

ROUTE US 224

H.C. AUBLE

WEATHER CLOUDY

COUNTY SENECA

R.C. ASTON

TEMP. 48°

TOWNSHIP _____ VENICE _____

NIESE

DWG BY RHOADES

PID 101217

T_1 N R_17 E

TYPE MONUMENT MAG/WASHER

ON SURFACE - ~~BELOW~~ ON

OFFSET @ PAVEMENT _____ ON _____ LT : RT _____

11.4' TO RT EDGE PAVEMENT



STATION: 1486+47.08

HORZ.DATUM: NAD83 (2011)

GEOID: NAVD88 2018

GRID: NORTHING: 511325.620

EASTING: 1858190.372



O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 88 A

SHEET 3 OF 16

NOTES ASTON

DATE 6/16/23

ROUTE US 224

H.C. NIESE

WEATHER CLOUDY

COUNTY SENECA

R.C. BEJARANO

TEMP. 62°

TOWNSHIP VENICE

DWG BY RHOADES

PID 101217

SECTION 3

T 1 N R 17 E

TYPE MONUMENT P.K./WASHER

ON SURFACE - ~~BELOW~~ ON

OFFSET Q PAVEMENT ON LT : RT

12.1' TO LT EDGE PAVEMENT


STATION: 1546+10.22

HORZ.DATUM: NAD83 (2011)

GEOID: NAVD88 2018

GRID: NORTHING: 511006.436

EASTING: 1858777.278



RECORD: P.O.T.

1931 PLAN

STA. 229+86

$\Delta = 00^{\circ}00'$

FD R.R. SPIKE

STA. 1546+59

FD P.K./WASHER

1/2" DOWN

7-15-83

SET P.K./WASHER

11-3-83

SET P.K./WASHER

9-9-93, RCC

FD P.K./WASHER

SV200

10-7-09

SET P.K./WASHER

FIN 200

10-22-10, KPM

FD P.K./WASHER

REF88

5-24-17


UNCOVERED

6-6-18, JFO

FD P.K./WASHER

REF88A

6/16/23, TDN



O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 88 C

SHEET 4 OF 16

NOTES RHOADES

DATE 5/24/17

ROUTE US 224

H.C. O'DONNELL

WEATHER CLOUDY

COUNTY SENECA

R.C. POORE

TEMP. 62°

TOWNSHIP VENICE

SECTION 3

DWG BY MILLER

PID 102819

T 1 N R 17 E

TYPE MONUMENT P.K./WASHER

ON SURFACE - ~~BELOW~~ ON

OFFSET Q PAVEMENT ON LT : RT

11.5' TO RT EDGE PAVEMENT



STATION: 1558+69.33

HORZ.DATUM: NAD83 (2011)

GEOID: NAVD88 2012A

GRID: NORTHING: 510406.768

EASTING: 1859884.377



O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 89

SHEET 5 OF 16

NOTES RHOADES

DATE 5/24/17

ROUTE US 224

H.C. O'DONNELL

WEATHER CLOUDY

COUNTY SENECA

R.C. POORE

TEMP. 62°

TOWNSHIP VENICE

SECTION 10

DWG BY MILLER

PID 102819

T 1 N R 17 E

TYPE MONUMENT P.K./WASHER

ON SURFACE - ~~BELOW~~ ON

OFFSET CL PAVEMENT 1.8' LT : RT

9.5' TO RT EDGE PAVEMENT


STATION: 1562+12.63

HORZ.DATUM: NAD83 (2011)


GEOID: NAVD88 2012A

GRID: NORTHING: 510243.170

EASTING: 1860186.271



RECORD:
STA. 1562+12.50
10/25/91
PREVIOUS MONUMENTS:
P.K.NAIL, R.R.SPIKE
SET P.K./WASHER
9-9-93, RCC
FD P.K.NAIL
SV202
10-7-09
SET P.K./WASHER
FIN 202
10-22-10, KPM
FD P.K./WASHER
REF89
5-24-17
6-6-18, JFO



O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 89 A

SHEET 6 OF 16

NOTES RHOADES

DATE 5/24/17

ROUTE US 224

H.C. O'DONNELL

WEATHER CLOUDY

COUNTY SENECA

R.C. POORE

TEMP. 62°

TOWNSHIP VENICE

SECTION 10

DWG BY MILLER

PID 102819

T 1 N R 17 E

TYPE MONUMENT P.K./WASHER

ON SURFACE - ~~BELOW~~ ON

OFFSET Q PAVEMENT 0.6' LT : RT

11.8' TO LT EDGE PAVEMENT



STATION: 1563+46.58

HORZ.DATUM: NAD83 (2011)

GEOID: NAVD88 2012A

GRID: NORTHING: 510187.544

EASTING: 1860308.112



RECORD:
 STA. 1563+46.58
 10/25/91
 SET P.K./WASHER
 9-9-1993, RCC
 FD P.K. SHANK
 2" DOWN
 SV300
 10-7-09
 SET P.K./WASHER
 FIN 203
 10-22-10, KPM
 FD P.K./WASHER
 REFA89
 5-24-17
 6-6-18, JFO

O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 89 B

SHEET 7 OF 16

NOTES HARBAUGH

DATE 8/16/10

ROUTE US 224

H.C. MOSER

WEATHER SUNNY

COUNTY SENECA

R.C. FINGER

TEMP. 80°

TOWNSHIP VENICE

SECTION 10

DWG BY MILLER

PID 102819

T 1 N R 17 E

TYPE MONUMENT MON BOX

ON SURFACE - ~~BELOW~~ ON

OFFSET Q PAVEMENT 1' LT : ~~RT~~

10.8' TO LT EDGE PAVEMENT


STATION: 1566+71.20

HORIZ.DATUM: NAD83 (2011)


GEOID: NAVD88 2012A

GRID: NORTHING: 510052.200

EASTING: 1860603.059



RECORD:
1931 PLAN
10/25/91
250+00 ATTICA S.H.272
250+01.2 SEC. F
PREVIOUS MONUMENTS:
P.K./WASHER, R.R. SPIKE
SET P.K./WASHER
STA 1513+33
9-9-93, RCC
FD MONBOX
SV204
10-7-09
COULD NOT OPEN
10-22-10, KPM
FD MONBOX
FD HARD SURFACE
16" DOWN
ONLY 3 CHISELED
STRATS ON MONBOX
RIMS REMAIN
5-24-17, JFO



O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 89 B1

SHEET 8 OF 16

NOTES RHOADES

DATE 5/24/17

ROUTE US 224

H.C. O'DONNELL

WEATHER CLOUDY

COUNTY SENECA

R.C. POORE

TEMP. 62TOWNSHIP VENICESECTION 10DWG BY MILLER

PID 102819

T_1_N R_17_E

TYPE MONUMENT P.K./WASHER

ON SURFACE - ~~BELOW~~ ON

OFFSET C PAVEMENT 2.5' ~~LT~~ : RT


13.2' TO RT EDGE PAVEMENT

STATION: 1571+59.14

HORZ.DATUM: NAD83 (2011)

GEOID: NAVD88 2012A

GRID: NORTHING: 509837.259

EASTING: 1861041.190

RECORD: P.I.
STA 1571+59.24
10/25/91
SET FOR BRIDGE
SURVEY USING
OLD PLAN
SET P.K./WASHER
9-9-93, RCC
FD P.K.NAIL
SV205
10-7-09
SET P.K./WASHER
GPS FIN 205
10-22-10, KPM
FD P.K./WASHER
REFB189
5-24-17
6-6-18, JFO

O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. .89 C

SHEET 9 OF 16

NOTES RHOADES

DATE 5/24/17

ROUTE US 224

H.C. O'DONNELL

WEATHER CLOUDY

COUNTY SENECA

R.C. POORE

TEMP. 62°

TOWNSHIP VENICE

SECTION 10

DWG BY MILLER

PID 102819

T 1 N R 17 E

TYPE MONUMENT P.K./WASHER

ON SURFACE - ~~BELOW~~ ON

OFFSET Q PAVEMENT ON LT : RT

25.75' TO RT EDGE PAVEMENT



STATION: 1576+70.87

HORIZ.DATUM: NAD83 (2011)

GEOID: NAVD88 2012A

GRID: NORTHING: 509645.084

EASTING: 1861515.519



PERSONNEL

REFERENCE NO. 89 CD

SHEET 10 OF 16

NOTES RHOADESDATE 5/24/17ROUTE US 224

H.C. O'DONNELL

WEATHER CLOUDY

COUNTY SENECA

R.C. POORE

TEMP. 62°

TOWNSHIP VENICESECTION 10

T_1_N R_17_E

DWG BY MILLER

PID 102819

TYPE MONUMENT MAG/WASHER

ON SURFACE - ~~BELOW~~ ON

OFFSET C PAVEMENT ON LT : RT


_____TO_____EDGE PAVEMENT

STATION: 1578+21.9


HORZ.DATUM: NAD83 (2011)

GEOID: NAVD88 2012A

GRID: NORTHING: 509593.798

EASTING: 1861657.623

RECORD:
SET MAG/WASHER
GPS FINAL125
10-21-10, KPM
FD MAG/WASHER
REFB289
5-24-17, JFO
NOT COVERED
6-6-18, JFO



O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 89 D

SHEET 11 OF 16

NOTES RHOADES

DATE 5/24/17

ROUTE US 224

H.C. O'DONNELL

WEATHER CLOUDY

COUNTY SENECA

R.C. POORE

TEMP. 70°

TOWNSHIP VENICE

SECTION 10

DWG BY MILLER

PID 102819

T 1 N R 17 E

TYPE MONUMENT P.K./WASHER

ON SURFACE - ~~BELOW~~ ON

OFFSET Q PAVEMENT 2.3' ~~LT:RT~~

- TO - EDGE PAVEMENT


STATION: 1584+94.32

HORZ.DATUM: NAD83 (2011)


GEOID: NAVD88 2012A

GRID: NORTHING: 509365.627

EASTING: 1862290.094



RECORD:
CALC.POINT, RGN
SET P.K./WASHER
FIN RN12
10-22-10, KPM
FD P.K./WASHER
REFD89
5-24-17
6-6-18, JFO



O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 90

SHEET 12 OF 16

NOTES RHOADES

DATE 5/24/17

ROUTE US 224

H.C. O'DONNELL

WEATHER CLOUDY

COUNTY SENECA

R.C. POORE

TEMP. 62°

TOWNSHIP VENICE

SECTION 10

DWG BY MILLER

PID 102819

T 1 N R 17 E

TYPE MONUMENT P.K./WASHER

ON SURFACE - ~~BELOW~~ ON

OFFSET Q PAVEMENT 2' ~~LT:RT~~

13.3' TO RT EDGE PAVEMENT



STATION: 1545+33

HORZ.DATUM: NAD83 (2011)

GEOID: NAVD88 2012A

GRID: NORTHING: 508752.744

EASTING: 1863508.052



RECORD: P.I.
STA.1598+25.60
 $\Delta = 00^{\circ} 33' 30''$
FD LG R.R. SPIKE
7/15/83
SET P.K./WASHER
11-3-83
SET P.K./WASHER
9-10-93, RCC
FD P.K.NAIL
SV207
10-7-09
SET P.K./WASHER
10-22-10, KPM
FIN 207
10-25-10, KPM
FD P.K./WASHER
REF90
5-24-17
6-6-18, JFO

O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 90 A

SHEET 13 OF 16

NOTES RHOADES

DATE 5/25/17

ROUTE US 224

H.C. O'DONNELL

WEATHER PTLY CLOUDY

COUNTY SENECA

R.C. POORE

TEMP. 61°

TOWNSHIP VENICEDWG BY MILLER

PID 102819

T_1 N R_18 E

TYPE MONUMENT P.K./WASHER

ON SURFACE - ~~BELOW~~ ON

OFFSET C PAVEMENT 2.5' LT : ~~RT~~


11.5' TO LT EDGE PAVEMENT

STATION: 1556+47

HORZ.DATUM: NAD83 (2011)

GEOID: NAVD88 2012A

GRID: NORTHING: 508243.215

EASTING: 1864495.300

O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 91

SHEET 14 OF 16

NOTES RHOADES

DATE 5/25/17

ROUTE US 224

H.C. O'DONNELL

WEATHER CLOUDY

COUNTY SENECA

R.C. POORE

TEMP. 62°

TOWNSHIP VENICE

DWG BY MILLER

PID 102819

SECTION 11

T 1 N R 18 E

TYPE MONUMENT P.K.NAIL

~~ON SURFACE~~ - BELOW 2"

OFFSET Q PAVEMENT 1.5' ~~LT~~ : RT

11.5' TO RT EDGE PAVEMENT



STATION: 1559+94

HORZ.DATUM: NAD83 (2011)

GEOID: NAVD88 2012A

GRID: NORTHING: 508084.103


EASTING: 1864803.741



O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL	REFERENCE NO.	91 A	SHEET	12	OF	13
NOTES	LEU	DATE	06-02-2015	ROUTE	224	
H.C.	O'DONNELL	WEATHER	CLOUDY	COUNTY	SENECA	
R.C.	RHOADES	TEMP.	80°	TOWNSHIP	VENICE	
	-----			SECTION	11	
				T	1	N
				R	18	E

TYPE MONUMENT _____ P.K. NAIL _____
 ON SURFACE - ~~BELOW~~ _____ ON _____
 LEFT - ~~C~~ PAV'T - ~~RIGHT~~ _____ 2' _____
 10.5' TO LT EDGE PAVEMENT
 S.L.M. 1623+23



GRID: NORTHING: 507649.5288 EASTING: 1865698.095

RECORD:
 P.O.T. STA. 1622+78.07
 S.L.M. 1623+80
 FD. RR SPK
 07-18-83


SET PK/WASHER
 11-03-83

SET PK/WASHER
 09-10-93

FD PK/WASHER
 09-02-09

FD PK NAIL
 GPS, REFA91
 06-02-15


SET MAG/WASHER
 GPS, NEWREFA91
 9-21-16, JFO



O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL	REFERENCE NO.	91 B	SHEET	13	OF	13
NOTES	RHOADES	DATE	9-21-16	ROUTE	US 224	
H.C.	O'DONNELL	WEATHER	SUNNY	COUNTY	SENECA	
R.C.	TODD	TEMP.	70°F	TOWNSHIP	VENICE	
				SECTION	11	
				T	1	N
				R	18	E

TYPE MONUMENT RR. SPIKE
~~ON SURFACE~~ - BELOW 4"
 LEFT - ℄ PAV'T - RIGHT ON
13.5' TO LT EDGE PAVEMENT
 S.L.M. 1628+06



GRID: NORTHING: 507438.684 EASTING: 1866132.012


RECORD:
 P.I. STA. 1627+60.55
 $\Delta=01^{\circ} 29' LT$
 FD R.R.SPIKE AT SURFACE
 7-8-1983

SET P.K./WASHER
 11/3/83

SET P.K./WASHER
 9/10/93 RCC

FD PK NAIL
 GPS, REFB91
 06-07-15

FD. RR.SPIKE
 4" BELOW
 9-21-16



O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO.

91 C

SHEET

1

OF 9

NOTES

LEU

DATE

06-02-15

ROUTE

US 224

H.C.

O'DONNELL

WEATHER

FAIR

COUNTY

SENECA

R.C.

RHOADES

TEMP.

80°

TOWNSHIP

VENICE

SECTION

11

T 1 N

R 18 E

TYPE MONUMENT

P.K./WASHER

ON SURFACE - ~~BELOW~~

ON

LEFT - ~~Q~~ PAV'T - ~~RIGHT~~

2.2'

8.7'

TO N


EDGE PAVEMENT

S.L.M.

1636+16 REC

GRID: NORTHING: 507128.7297

EASTING: 1866813.753



RECORD:

P.O.T.STA. 1635+09.53

S.L.M. 1636+16

FD R.R. SPIKE AT SURFACE

7-8-1983

SET P.K./WASHER

11/3/83

SET P.K./WASHER

9/10/93 RCC

FD PK/WASHER


GPS, REFC91

06-02-15

SET MAG/WASHER

GPS, NEWREFC91


9-21-16, JFO



O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL _____ REFERENCE NO. 91 D SHEET 2 OF 22
NOTES O'DONNELL DATE 6-12-15 ROUTE US 224
H.C. LEU WEATHER SUNNY COUNTY SENECA
R.C. RHOADES TEMP. 59°F TOWNSHIP VENICE
SECTION 11, 12
T 1 N R 18 E

TYPE MONUMENT R.R. SPIKE
ON SURFACE - ~~BELOW~~ ON _____
LEFT - ℄ PAV'T - RIGHT ON _____
10.9' TO N EDGE PAVEMENT
S.L.M. 1651+16 REC
GRID: NORTHING: 506510.3492 EASTING: 1868175.532




RECORD:
P.O.T. STA. 1650+04.78
S.L.M. 1651+16
7-8-83

SET CONC. NAILS FOR
STRADLES 11/3/83

SET P.K./WASHER
9/10/93 RCC

FD RR. SPIKE
W/DIMPLE
3" BELOW
GPS, REFD91
6-2-15, JFO


SET MAG/WASHER
GPS, NEWREFD91
9-21-16, JFO



O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL _____ REFERENCE NO. 91 E SHEET 3 OF 9
NOTES O'DONNELL DATE 6/12/15 ROUTE US 224
H.C. LEU WEATHER SUNNY COUNTY SENECA
R.C. RHOADES TEMP. 59° TOWNSHIP VENICE
SECTION 12
T 1 N R 18 E

TYPE MONUMENT P.K./WASHER
ON SURFACE - ~~BELOW~~ ON
LEFT - Q PAV'T - RIGHT ON
11.0' TO S EDGE PAVEMENT
S.L.M. 1664+84 REC
GRID: NORTHING: 505946.9487 EASTING: 1869416.004




RECORD:
P.O.T.STA. 1663+67.23
S.L.M.1664+84
FD R.R.SPIKE AT SURFACE
7-8-1983

SET P.K./WASHER
11/3/83

SET P.K./WASHER
9/10/93 RCC

FD SM. RR. SPIKE
1.5" BELOW
GPS, REFE91
6-2-15

SET MAG/WASHER
GPS, NEWREFE91
9-21-16, JFO



O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO.

91 F

SHEET

4

OF

9

NOTES

LEU

DATE

06-04-15

ROUTE

US 224

H.C.

O'DONNELL

WEATHER

SUNNY

COUNTY

SENECA

R.C.

RHOADES

TEMP.

74°F

TOWNSHIP

VENICE

SECTION

12

T 1 N

R 18 E

TYPE MONUMENT

P.K./WASHER

ON SURFACE - ~~BELOW~~

ON

LEFT - C PAV'T - RIGHT

ON



11.5' TO S EDGE PAVEMENT

S.L.M.

1671+99 REC

GRID: NORTHING: 505652.0703

EASTING: 1870065.25



RECORD:

P.O.T.STA. 1670+80.25

S.L.M. 1671+99

FD R.R.SPIKE

7-08-1983

SET P.K./WASHER

11/18/83

SET P.K./WASHER

9/10/93 RCC

FD PK/WASHER


GPS, REFF91

06-04-15

SET MAG/WASHER

GPS, NEWREFF91


9-22-16, JFO



O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL	REFERENCE NO. <u>91 G</u>	SHEET <u>5</u> OF <u>9</u>
NOTES <u>LEU</u>	DATE <u>06-04-15</u>	ROUTE <u>US 224</u>
H.C. <u>O'DONNELL</u>	WEATHER <u>SUNNY</u>	COUNTY <u>SENECA</u>
R.C. <u>RHOADES</u>	TEMP. <u>74°F</u>	TOWNSHIP <u>VENICE</u>
-----		SECTION <u>12</u>
		T <u>1</u> N R <u>18</u> E

TYPE MONUMENT P.K./WASHER
 ON SURFACE - ~~BELOW~~ ON
 LEFT - Q PAV'T - RIGHT ON
12' TO S EDGE PAVEMENT
 S.L.M. 1686+40 REC
 GRID: NORTHING: 505058.2459 EASTING: 1871373.082




RECORD
 P.I. STA. 1685+16.43
 $\Delta = 00^\circ 11' \text{ RT}$
 S.L.M. 1686+40
7-08-83

SET P.K./WASHER
11/8/83

SET P.K./WASHER
9/10/93 RCC

FD PK/WASHER
 GPS, REFG91
06-04-15

SET MAG/WASHER
 GPS, NEWREG91
9-22-16, JFO



O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL _____ REFERENCE NO. 91 GG SHEET 6 OF 9

NOTES LEU DATE 06-04-15 ROUTE US 224
H.C. O'DONNELL WEATHER SUNNY COUNTY SENECA
R.C. RHOADES TEMP. 75°F TOWNSHIP VENICE
SECTION 13
T 1 N R 18 E

TYPE MONUMENT _____ P.K./WASHER _____


ON SURFACE - ~~BELOW~~ _____ ON _____

LEFT - ℄ PAV'T - ~~RIGHT~~ 0.9'

11.1' TO N EDGE PAVEMENT

S.L.M. 1700+06 REC

GRID: NORTHING: 504491.6394 EASTING: 1872610.199




RECORD:
P.I. STA. 1698+76.81
 $\Delta = 00^\circ 05' \text{ RT}$
S.L.M. 1700+06
7-8-83

SET P.K./WASHER
11/8/83

SET P.K./WASHER
9/10/93 RCC

FD PK/WASHER
GPS, REFGG91
06-04-15

SET MAG/WASHER
GPS, NEWREFGG91
9-22-16, JFO




O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL _____ REFERENCE NO. 91 H SHEET 7 OF 9
NOTES LEU DATE 06-02-15 ROUTE US 224
H.C. O'DONNELL WEATHER SUNNY COUNTY SENECA
R.C. RHOADES TEMP. 76°F TOWNSHIP VENICE
SECTION 18
T 1 N R 18 E

TYPE MONUMENT P.K. NAIL
ON SURFACE - ~~BELOW~~ ON
LEFT - ℄ PAV'T - RIGHT ON
11' TO RT EDGE PAVEMENT
S.L.M. 1715+69 REC

GRID: NORTHING: 503840.4785 EASTING: 1874026.832




RECORD:
P.I. STA. 1714+35.47
 $\Delta = 00^\circ 10' \text{ LT}$
S.L.M. 1715+69
FD R.R. SPIKE
7-18-1983

SET P.K./WASHER
11/8/83

SET P.K./WASHER
9/10/93 RCC

FD PK NAIL
GPS, REFH91
06-02-15

SET MAG/WASHER
GPS, NEWREFH91
9-22-16, JFO



O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL _____ REFERENCE NO. 91 I SHEET 8 OF 9
NOTES LEU DATE 06-04-15 ROUTE US 224
H.C. O'DONNELL WEATHER FAIR COUNTY SENECA
R.C. RHOADES TEMP. 80° TOWNSHIP VENICE

SECTION 18
T 1 N R 18 E

TYPE MONUMENT PK NAIL



~~ON SURFACE~~ - BELOW 1"

LEFT - ℄ PAV'T - RIGHT ON

11.7' TO N EDGE PAVEMENT

S.L.M. 1727+28 REC

GRID: NORTHING: 503361.2884 EASTING: 1875077.868



RECORD:
POT STA. 1725+90.40
S.L.M. 1727+28
FD R.R. SPIKE
7-08-83


SET P.K./WASHER
11/8/83

SET P.K./WASHER
9/10/93 RCC

FD PK NAIL
GPS, REFI91
06-04-15

SET MAG/WASHER
GPS, NEWREFI91
9-22-16, JFO

SET BARN SPKS
4' OFF
FIELD LINE



O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL	REFERENCE NO.	92	SHEET	9	OF	9
NOTES	LEU	DATE	06-04-15	ROUTE	US 224	
H.C.	O'DONNELL	WEATHER	PARTLY CLDY	COUNTY	SENECA	
R.C.	RHOADES	TEMP.	75°F	TOWNSHIP	VENICE	
				SECTION	18	
				T	1	N
				R	18	E

TYPE MONUMENT FD RR SPIKE


~~ON SURFACE~~ - BELOW 4"

~~LEFT~~ - CL PAV'T - RIGHT 24'

12.5'N TO S EDGE PAVEMENT

S.L.M. 1749+86 REC

GRID: NORTHING: 502425.2037 EASTING: 1877130.436



RECORD:
P.O.T STA. 1748+46.30
S.L.M. 1749+86
FD P.K. NAIL SHANK 1" DOWN
7-08-83

SET P.K./WASHER
AT POT
(DNF P.I. 1748+54.25
 $\Delta = 20^\circ 06' 30''$)
11-8-83

SET P.K./WASHER
AT P.O.T.
DNF P.I.
9-10-93, RCC

FD RR SPIKE
GPS, REF92
06-04-15

SET MAG/WASHER
GPS, NEWREF92
DNF PI
9-22-16, JFO

SET SHI
#73-10992

SET SHI
N/S
#1300-10352

SET SHI
N/S

