IN THE COURT OF COMMON PLEAS, FAIRFIELD COUNTY, OHIO

Gordon Proctor, Director Department of Transportation State of Ohio

٧.

Case No. 2001-CV-706

JUDGE Martin

Plaintiff,

521-536

Eichhorn Limited Partnership, et al.

Defendants

ORIGINAL

#### JUDGMENT ENTRY ON SETTLEMENT WITH DEFENDANT EICHHORN LIMITED PARTNERSHIP

It appears to the Court that the landowner, Eichhorn Limited Partnership and Plaintiff, Director of Transportation, agree upon the amount of compensation and damages due said landowner by reason of the appropriation of the landowner's property as described more fully herein. The parties have agreed that the landowner shall receive the sum of Two-Million Four-Hundred-Thousand Dollars and No Cents (\$2,400,000.00), which shall be full payment for said appropriation of property. This settlement does not settle this case with respect to Defendant Lamar Outdoor Advertising.

The landowner in consideration of the foregoing agreed compensation does hereby release all claims that were or might have been raised with the instant action for further compensation including interest, resulting from the reconstruction and improvement of U.S. Route 33, Section 0.41, Fairfield County, Ohio, and from the appropriation of said property. In conformity with said Agreement, it is hereby **ORDERED**, **ADJUDGED** and **DECREED** that said Director of Transportation shall deposit with the Clerk of this Court, a sufficient sum, to wit: One-Million Six-Hundred Forty-Seven Thousand-Fifty Dollars and No Cents (\$1,647,050.00), which when added to the original deposit herein of Seven Hundred Fifty-Two Thousand Nine-Hundred Fifty-Dollars and No Cents (\$752,950) equals the total amount of the agreed settlement of Two-Million Four-Hundred Thousand Dollars and No Cents (\$2,400,000.00).

It is hereby **ORDERED**, **ADJUDGED** and **DECREED** that the date of acquisition of the hereinafter described property by the State of Ohio is April 16, 2002.

It is further ORDERED, ADJUDGED and DECREED that all right, title, and interest in fee simple, including limitation of access, in the premises described in the Petition as Parcel Nos.

2-WI-1 and 2-WL-2 be vested in the State of Ohio; that all right, title and interest in Fee Simple, without limitation of existing access rights, in the premises described in the petition as parcel No.

2-WDV be vested in the name, and for the use of the Board of Fairfield County Commissioners; that a Perpetual Easement to Construct and maintain a Channel in the premises described in the Petition as Parcel No. 2-CH be vested in the State of Ohio; that a Perpetual Easement for Utility purposes in the premises described in the Petition as Parcel No. 2-U be vested in the name, and for the use of Ohio Bell Telephone Company a.k.a. Ameritech Ohio, an Ohio Corporation, ("Ohio Bell") its successors and assigns; that a Temporary Easement for the Purpose of Performing the Work Necessary to Remove a Two-Story Wood Barn in the premises described in the Purpose of Performing the Work Necessary to Grade and Seed in the premises described in the

Petition as Parcel No. 2-T2 be vested in the State of Ohio; that a Temporary Easement for the Purpose of Performing the Work Necessary to Grade and Seed in the premises described in the Petition as Parcel No. 2-T3 be vested in the State of Ohio; and that all right, title and interest in the property described in the Petition as Parcel 2-BS1 (two billboards) be vested in the State of Ohio. The above listed parcels are completely described as follows:

# PARCEL 2-WL1 FAI-33-0.41 ALL RIGHT, TITLE AND INTEREST IN FEE SIMPLE IN THE FOLLOWING DESCRIBED PROPERTY INCLUDING LIMITATION OF ACCESS

The lands herein described are situated in Section 29, Township 15N, Range 20W, Violet Township, Fairfield County, State of Ohio. Being further described as follows:

Being a parcel of land lying on the right side of the centerline of a survey for Fai-33-0.41, made by the Ohio Department of Transportation and being located within the following described points in the boundary thereof:

Beginning at an iron pin found on the northeast corner of Section 29 of Violet Township.

thence along the east line of section 29 S 04°43'56" W a distance of 1,661.64 feet to a point on the southerly property line of Douglas E. Kellogg (551/663), said point being located 1.78' left of centerline station 59+17.08 of the proposed centerline of Diley Rd. and being THE TRUE POINT OF BEGINNING.

thence, S 04°43'56" W a distance of 983.95 feet to a point on the northerly property line of (John A. and Mildred M. Brown), said point being located 44.81' Lt. of Sta. 49+36.42 of the proposed centerline of Diley Rd. and 75.01' Rt. of Sta. 314+38.67 of the existing centerline of U.S.R. 33;

thence, along said property line N 86°42'18" W a distance of 739.54 feet to a point on the existing Limited Access line, said point being located 80.50' Lt. of Sta. 321+63.60 of the existing centerline of U.S.R 33;

thence, N 84°54′59" W a distance of 1,927.96 feet passing iron pins set at 362.80′, 925.59′ and 1426.42′ to a set iron pin on the easterly property line of the CXS Transportation, Inc. (operated by Indiana and Ohio Railway)(171/439), said pin being located 165.06′ Lt. of Sta. 340+79.06 of the existing centerline of U.S.R. 33;

thence, N 04°34'56" E a distance of 284.35 feet passing an iron pin set at 49.60' along said property line to a set iron pin, said pin being located 115.00' Rt. of Sta. 341+27.86 of the existing centerline of U.S.R. 33;

thence, along the proposed Limited Access line S 83°10'47" E a distance of 606.41 feet to a set iron pin, said pin being located 140.00' Rt. of Sta. 335+00.00 of the existing centerline of U.S.R. 33;

thence, along the said proposed Limited Access line S 86°10'09" E a distance of 375.13 feet to a set iron pin, said pin being located 150.00' Rt. of Sta. 331+25.00 of the existing centerline of U.S.R. 33;

thence, S 05°21'30" W a distance of 30.00 feet to a set iron pin, said pin being located 120.00' Rt. of Sta. 331+25.00 of the existing centerline of U.S.R. 33;

thence, S 88°04'31" E a distance of 50.09 feet to a set iron pin, said pin being located 123.00' Rt. of Sta. 330+75.00 of the existing centerline of U.S.R. 33;

thence, N 64°05'26" E a distance of 502.38 feet to a set iron pin, said pin being located 90.00' Rt. of Sta. 325+30.00 of the proposed baseline of Ramp A;

thence, N 53°31'12" E a distance of 568.10 feet to a set iron pin, said pin being located 105.00' Rt. of Sta. 319+75.00 of the proposed baseline of Ramp A;

thence, N 75°54'37" E a distance of 261.15 feet to a set iron pin, said pin being located 90.00' Rt. of Sta. 317+50.00 of the proposed baseline of Ramp A;

thence, S 86°27'25" E a distance of 412.23 feet to a set iron pin, said pin being located 120.00' Lt. of Sta. 58+90.00 of the proposed centerline of Diley Rd.;

thence, N 11°23'30" E a distance of 27.06 feet to a set iron pin on the southerly property line of Douglas E. Kellogg (551/663), said pin being located 116.90' Lt. of Sta. 59+16.88 of the proposed centerline of Diley Rd.;

thence, S 85°17'28" E a distance of 115.12 feet to the place of beginning.

It is understood that the above parcel of land described covers 33.975 acres, more or less.

All set iron pins are 3/4" x 30" solid steel rods with 2" aluminum caps stamped "ODOT R/W - District 5".

Bearings are shown for project use only and are from the Ohio State Plane Coordinate System, South Zone, NAD 83 as established by GPS measurements in 1999.

Said stations being the Station numbers as stipulated in the hereinbefore mentioned survey and as shown by plans on file in the Ohio Department of Transportation, Columbus Ohio.

Description prepared from an actual field survey by The Ohio Department of Transportation under the supervision of Thomas E. Andrews, P.S. #6964, December 12, 2000.

Prior Instrument Reference: OR 1135, Page 1452, Fairfield County Recorder's Office.

The above described 33.975 acres, more or less, of which the present road occupies 12.970 acres, more or less, are to be deleted from Auditor's Parcel 037-02154-00.

Owner, his heirs, executors, administrators, successors and assigns forever, are hereby divested of any and all abutter's rights, including access rights in, over and to the above described real estate, including such rights with respect to any highway facility constructed thereon.

# PARCEL 2-WL2 FAI-33-0.41 ALL RIGHT, TITLE AND INTEREST IN FEE SIMPLE IN THE FOLLOWING DESCRIBED PROPERTY INCLUDING LIMITATION OF ACCESS

The lands herein described are situated in Section 29, Township 15N, Range 20W, Violet Township, Fairfield County, State of Ohio. Being further described as follows:

Being a parcel of land lying on the left side of the centerline of a survey of Diley Rd. for Fai-33-0.41, made by the Ohio Department of Transportation and being located within the following described points in the boundary thereof:

Beginning at an iron pin found on the northeast corner of Section 29 of Violet Township.

thence along the east line of section 29 S 04°43'56" W a distance of 1,143.72 feet to a point on the proposed Limited Access line, said point being located 2.48' left of centerline station 64+35.00 of the proposed centerline of Diley Rd. and being THE TRUE POINT OF BEGINNING.

thence, along said section line S 04°43'56" W a distance of 142.97 feet to a point on the northerly

property line of Douglas E. Kellogg (551/663), said point being located 2.29' Lt. of Sta. 62+92.03 of the proposed centerline of Diley Rd.;

thence, along said property line N 76°57′59" W a distance of 83.17 feet to a set iron pin, said pin being located 84.60' Lt. of Sta. 63+03.93 of the proposed centerline of Diley Rd.;

thence, along the proposed Limited Access line N 06°49'09" E a distance of 131.15 feet to a set iron pin, said pin being located 80.00' Lt. of Sta. 64+35.00 of the proposed centerline of Diley Rd. and 65.00' Lt. of Sta. 10+80.00 of Service Rd. 8;

thence, along said proposed Limited Access line S 85°11'26" E a distance of 77.52 feet to the place of beginning.

It is understood that the above parcel of land described covers 0.252 acres, more or less.

All set iron pins are 3/4" x 30" solid steel rods with 2" aluminum caps stamped "ODOT R/W - District 5".

Bearings are shown for project use only and are from the Ohio State Plane Coordinate System, South Zone, NAD 83 as established by GPS measurements in 1999.

Said stations being the Station numbers as stipulated in the hereinbefore mentioned survey and as shown by plans on file in the Ohio Department of Transportation, Columbus Ohio.

Description prepared from an actual field survey by The Ohio Department of Transportation under the supervision of Thomas E. Andrews, P.S. #6964, December 12, 2000.

Prior Instrument Reference: OR 1135, Page 1452, Fairfield County Recorder's Office.

The above described 0.252 acres, more or less, of which the present road occupies 0.089 acres, more or less, are to be deleted from Auditor's Parcel 037-02154-00.

Owner, his heirs, executors, administrators, successors and assigns forever, are hereby divested of any and all abutter's rights, including access rights in, over and to the above described real estate, including such rights with respect to any highway facility constructed thereon.

#### PARCEL 2-WDV FAI-33-0.41

#### ALL RIGHT, TITLE AND INTEREST IN FEE SIMPLE IN THE FOLLOWING DESCRIBED PROPERTY WITHOUT LIMITATION OF EXISTING ACCESS RIGHTS IN THE NAME, AND FOR THE USE OF THE BOARD OF FAIRFIELD COUNTY COMMISSIONERS

Situated in the State of Ohio, County of Fairfield, Township of Violet, Section 29, Township 15N, Range 20W and bounded and described as follows:

Being a parcel of land lying on the left side of the centerline of a survey of Diley Rd. for Fai-33-0.41, made by the Ohio Department of Transportation and being located within the following described points in the boundary thereof:

Beginning at an iron pin found on the northeast corner of Section 29 of Violet Township.

thence, along the east line of section 29, S 04°43'56" W a distance of 223.73 feet to a point on the section line, said point being located 0.41' right of centerline station 73+55.00 of the proposed centerline of Diley Rd. and being THE TRUE POINT OF BEGINNING.

thence, along said section line S 04°43'56" W a distance of 919.99 feet to a point, said point being

located 2.48' Lt. of centerline Sta. 64+35.00 of the proposed centerline of Diley Rd.;

thence, along the proposed Right-Of-Way N 85°11'26" W a distance of 77.52 feet to a set iron pin,

said pin being located 80.00' Lt. of Sta. 64+35.00 of the proposed centerline of Diley Rd. and 65.00' Lt. of Sta. 10+80.00 of Service Rd. 8;

thence, continuing along said Right-Of-Way line N 86°28'16" W a distance of 378.48 feet to a set iron pin, said pin being located 73.46' Lt. of Sta. 14+58.39 of the proposed centerline of Service Rd. 8 and 47.31' Lt. of Sta. 20+23.46 of Service Rd. 9;

thence, along said Right-Of-Way line S 02°06'55' W a distance of 245.58 feet to a set iron pin on the northerly property line of Douglas E. Kellogg (596/484), said pin being located 58.86' Lt. of Sta. 22+68.77 of the proposed centerline of Service Rd. 9;

thence, along said property line N 85°16'00' W a distance of 70.29 feet to a point, said point being located 11.43' Rt. of Sta. 22+68.86 of the proposed centerline of Service Rd. 9;

thence, along said property line S 04°44'00' W a distance of 24.14 feet to a set iron pin on the westerly property line of Douglas E. Kellogg (596/484), said pin being located 11.40' Rt. of Sta. 22+93.00 of the proposed centerline of Service Rd. 9;

thence, along said Right-Of-Way line N 85°11'24' W a distance of 73.60 feet to a set iron pin, said pin being located 85.00' Rt. of Sta. 22+93.00 of the proposed centerline of Service Rd. 9;

thence, along said Right-Of-Way line N 01°55'38' E a distance of 388.49 feet to a set iron pin, said pin being located 45.00' Rt. of Sta. 16+10.24 of the proposed centerline of Service Rd. 8;

thence, along said Right-Of-Way line S 87°54'23' E a distance of 527.58 feet to a set iron pin, said pin being located 83.25' Lt. of Sta. 65+70.00 of the proposed centerline of Diley Rd. and 70.00' Rt. of Sta. 10+83.25 of Service Rd. 8;

thence, along said Right-Of-Way line N 06°34'17' E a distance of 784.61 feet to a set iron pin, said pin being located 55.00' Lt. of Sta. 73+55.00 of the proposed centerline of Diley Rd.;

thence, along said Right-Of-Way line S 85°58'17' E a distance of 55.41 feet passing an iron pin set at 25.00' to the place of beginning.

It is understood that the parcel of land described covers 3.875 acres, more or less.

All set iron pins are 3/4" x 30" solid steel rods with 2" aluminum caps stamped "ODOT R/W - District 5".

Bearings are shown for project use only and are from the Ohio State Plane Coordinate System, South Zone, NAD 83 as established by GPS measurements in 1999.

Said stations being the Station numbers as stipulated in the hereinbefore mentioned survey and as shown by plans on file in the Ohio Department of Transportation, Columbus Ohio.

Description prepared from an actual field survey by The Ohio Department of Transportation under the supervision of Thomas E. Andrews, P.S. #6964, December 12, 2000.

Prior Instrument Reference: OR 1135, Page 1452, Fairfield County Recorder's Office.

The above described 3.875 acres, more or less, of which the present road occupies 0.596 acres, more or less, are to be deleted from Auditor's Parcel 037-02154-00.

Owner, for himself and his heirs, executors, administrators, successors and assigns, reserves all existing rights of ingress and egress to and from any residual area.

#### PARCEL 2-CH FAI-33-0.41 PERPETUAL EASEMENT TO CONSTRUCT AND MAINTAIN A CHANNEL

A perpetual easement for the construction and maintenance of a perpetual watercourse, ditch, channel or other drainage facility upon the lands hereinafter described. Owner herein retains the right to use said lands for any and all other purposes provided that such use does not interfere with nor impair the exercise of the easement herein granted.

The lands herein described are situated in Section 29, Township 15N, Range 20W, Violet Township, Fairfield County, State of Ohio. Being further described as follows:

Being a parcel of land lying on the right side of the centerline of survey for Fai-33-0.41, made by the Ohio Department of Transportation, and being located within the following described points in the boundary thereof.

Beginning at a point, said point being located 135.70' Rt. of Sta. 339+30.00 of the existing centerline of U.S.R. 33.

thence, N 10°59'55" W a distance of 167.34 feet through the lands of Herbert Eichhorn (454/316) to a point, said point being located 290.00' Rt. of Sta. 340+00.00 of the existing centerline of U.S.R. 33;

thence, N 78°27'53"E a distance of 60.43 feet continuing through said lands to a point, said point being located 314.00' Rt. of Sta. 339+38.00 of the existing centerline of U.S.R. 33;

thence, S 11°57'01" E a distance of 188.37 feet continuing through said lands to a point, said point being located 139.85' Rt. of Sta. 338+60.00 of the existing centerline of U.S.R. 33;

thence, N 83°10'47" W a distance of 66.76 feet to the place of beginning.

It is understood that the above described area contains 0.253 acres, more or less.

Bearings are shown for project use only and are from the Ohio State Plane Coordinate System, South Zone, NAD 83 as established by GPS measurements in 1999.

Description is based upon an actual field survey performed by the Ohio Department of Transportation in 1999 under the supervision of Thomas E. Andrews P.S. 6964.

Prior Instrument Reference: OR 1135, Page 1452, Fairfield County Recorder's Office.

The above described area is located in Auditor's Parcel 037-02154-00.

## PARCEL 2-U FAI-33-0.41 PERPETUAL EASEMENT FOR UTILITY PURPOSES

Perpetual utility easement and right of way in the name, and for the use of Ohio Bell Telephone Company a.k.a. Ameritech Ohio, an Ohio Corporation, ("Ohio Bell") its successors and assigns forever, to construct, maintain, operate, remove, and/or reconstruct facilities and equipment used for the distribution of signals used in the provision of communication, video, and/or information services. The herein described tract of land is for the exclusive use of Ohio Bell, and any other use must be authorized in writing by Ohio Bell. Ohio Bell, its successors and assigns forever, shall have the perpetual right to re-enter the following described tract of land, at this time or any time in the future, with all necessary persons, vehicles, or equipment to perform any and all maintenance, without further compensation to Owner.

The lands herein described are situated in State of Ohio, County of Fairfield, Township of Violet, Section 29, Township 15N, Range 20W.

Being further described as follows:

Being a parcel of land lying on the right side of the centerline of survey for Fai-33-0.41 made by the Ohio Department of Transportation, and being located within the following described points in the boundary thereof.

Beginning at a set iron pin on the proposed Limited Access Right-Of-Way line for U.S.R. 33, said pin being located 115.00 feet right of centerline station 341+27.86 of the existing centerline of U.S.R. 33;

thence, N04°34'56"E a distance of 10.00 feet to a point, said point being located 124.84 feet right of centerline station 341+30.00 of the existing centerline of U.S.R. 33;

thence, S83°10'47"E a distance of 606.54 feet to a point, said point being located 150.00 feet right of centerline station 335+00.00 of the existing centerline of U.S.R. 33;

thence, S86°10'09"E a distance of 471.05 feet to a point, said point being located 162.56 feet right of centerline station 330+29.00 of the existing centerline of U.S.R. 33;

thence, N64°05'26"E a distance of 441.70 feet to a point, said point being located 100.01 feet right of centerline station 325+29.00 of the existing centerline of U.S.R. 33;

thence, N53°31'12"E a distance of 569.15 feet to a point, said point being located 115.18 feet right of centerline station 319+75.00 of the existing centerline of U.S.R. 33;

thence, N75°54'37"E a distance of 264.68 feet to a point, said point being located 100.12 feet right of centerline station 317+50.00 of the existing centerline of U.S.R. 33;

thence, S86°27'25"E a distance of 415.16 feet to a point, said point being located 118.84 feet left of centerline station 59+00.00 of the proposed centerline of Diley Rd.;

thence, S11°23'30"W a distance of 10.09 feet to a set iron pin, said pin being located 120.00 feet left of centerline station 58+90.00 of the proposed centerline of Diley Rd.;

thence, N86°27'25"W a distance of 412.23 feet to a set iron pin, said pin being located 90.00 feet right of baseline station 317+50.00 of the proposed baseline of Ramp A;

thence, S75°54'37"W a distance of 261.15 feet to a set iron pin, said pin being located 105.00 feet right of baseline station 319+75.00 of the proposed baseline of Ramp A;

thence, S53°31'12"W a distance of 568.10 feet to a set iron pin, said pin being located 90.00 feet right of baseline station 325+30.00 of the proposed baseline of Ramp A;

thence, S64°05'26"W a distance of 502.38 feet to a set iron pin, said pin being located 123.00 feet right of centerline station 330+75.00 of the existing centerline of U.S.R. 33;

thence, N88°04'31"W a distance of 50.09 feet to a set iron pin, said pin being located 120.00 feet right of centerline station 331+25.00 of the existing centerline of U.S.R. 33;

thence, N05°21'30"E a distance of 30.00 feet to a set iron pin, said pin being located 150.00 feet right of centerline station 331+25.00 of the existing centerline of U.S.R. 33;

thence, N86°10'09"W a distance of 375.13 feet to a set iron pin, said pin being located 140.00 feet right of centerline station 335+00.00 of the existing centerline of U.S.R. 33;

thence, N83°10'47"W a distance of 606.41 feet to the place of beginning.

It is understood that the parcel of land described covers 0.685 acres, more or less.

All set iron pins are 3/4" x 30" solid steel rods with 2" aluminum caps stamped "ODOT R/W - District 5".

Bearings are shown for project use only and are from the Ohio State Plane Coordinate System, South Zone, NAD 83 as established by GPS measurements in 1999.

Description is based upon an actual field survey performed by the Ohio Department of Transportation in 1999 under the supervision of Thomas E. Andrews P.S. 6964.

Prior Instrument Reference: OR 1135, Page 1452, Fairfield County Recorder's Office.

The above described area is located in Auditor's Parcel 037-02154-00.

#### PARCEL 2-T1 FAI-33-0.41

## TEMPORARY EASEMENT FOR THE PURPOSE OF PERFORMING THE WORK NECESSARY TO REMOVE A TWO-STORY WOOD BARN

The lands herein described are situated in State of Ohio, County of Fairfield, Township of Violet, Section 29, Township 15N, Range 20W; and lying on the right side of a survey made by the Ohio Department of Transportation for Fai-33-0.41, and being located within the following described points in the boundary thereof:

Beginning at a point on the proposed Limited Access line of Existing U.S.R. 33, said point being located 142.20 feet right of centerline station 335+95.00 of the existing centerline of U.S.R. 33;

thence, N 05°50'46" W a distance of 48.79 feet to a point, said point being located 190.00' Rt. of Sta. 336+05.00 of the existing centerline of U.S.R. 33;

thence, N 85°57'06" E a distance of 59.74 feet to a point, said point being located 200.00' Rt. of Sta. 335+45.00 of the existing centerline of U.S.R. 33;

thence, S 06°51'11" E a distance of 60.58 feet to a point, said point being located 140.80' Rt. of Sta. 335+32.00 of the existing centerline of U.S.R. 33;

thence, N 83°10'47" W a distance of 62.29 feet to the place of beginning.

It is understood that the above described area contains 0.076 acres, more or less.

Description is based upon an actual field survey performed by the Ohio Department of Transportation in 1999 under the supervision of Thomas E. Andrews P.S. 6964.

Prior Instrument Reference: OR 1135, Page 1452, Fairfield County Recorder's Office.

The above described area is located in Auditor's Parcel 037-02154-00.

#### PARCEL 2-T2 FAI-33-0.41

## TEMPORARY EASEMENT FOR THE PURPOSE OF PERFORMING THE WORK NECESSARY TO GRADE AND SEED

The lands herein described are situated in State of Ohio, County of Fairfield, Township of Violet, Section 29, Township 15N, Range 20W; and lying on the right side of a survey made by the Ohio Department of Transportation for Fai-33-0.41, and being located within the following described points in the boundary thereof:

Beginning at a point on the proposed Limited Access line of U.S.R. 33, said point being located 143.07 feet right of centerline station 333+85.00 of the existing centerline of U.S.R. 33;

thence, N 05°21'30" E a distance of 17.01 feet to a point, said point being located 160.07' Rt. of Sta. 333+85.00 of the existing centerline of U.S.R. 33;

thence, S 86°10'09" E a distance of 210.07 feet to a point, said point being located 165.67' Rt. of Sta. 331+75.00 of the existing centerline of U.S.R. 33;

thence, S 05°21'30" W a distance of 17.01 feet to a point, said point being located 148.67' Rt. of Sta. 331+75.00 of the existing centerline of U.S.R. 33;

thence, N 86°10'09" W a distance of 210.07 feet to the place of beginning.

It is understood that the above described area contains 0.082 acres, more or less.

Description is based upon an actual field survey performed by the Ohio Department of Transportation in 1999 under the supervision of Thomas E. Andrews P.S. 6964.

Prior Instrument Reference: OR 1135, Page 1452, Fairfield County Recorder's Office.

The above described area is located in Auditor's Parcel 037-02154-00.

## PARCEL 2-T3 FAI-33-0.41 TEMPORARY EASEMENT FOR THE PURPOSE OF PERFORMING THE WORK NECESSARY TO GRADE AND SEED

The lands herein described are situated in State of Ohio, County of Fairfield, Township of Violet, Section 29, Township 15N, Range 20W; and lying on the left side of a survey for Diley Road made by the Ohio Department of Transportation for Fai-33-0.41, and being located within the following described points in the boundary thereof:

Beginning at a point on the easterly property line of Herbert Eichhorn (454/316), said point being located 11.25' Rt. of centerline station 24+10.00 of the proposed centerline of Service Rd. 9;

thence, N 85°11'24" W a distance of 38.75 feet to a point, said point being located 50.00' Rt. of Sta. 24+10.00 of the proposed centerline of Service Rd. 9;

thence, N 11°50'39" W a distance of 122.12 feet to a set iron pin, said pin being located 85.00' Rt. of Sta. 22+93.00 of the proposed centerline of Service Rd. 9;

thence, S 85°11'24" E a distance of 73.60 feet to a set iron pin, said pin being located 11.40' Rt. of Sta. 22+93.00 of the proposed centerline of Service Rd. 9;

thence, S 04°44'00" W a distance of 117.00 feet to the place of beginning.

It is understood that the above described area contains 0.151 acres, more or less. Description is based upon an actual field survey performed by the Ohio Department of Transportation in 1999 under the supervision of Thomas E. Andrews P.S. 6964. Prior Instrument Reference: OR 1135, Page 1452, Fairfield County Recorder's Office.

The above described area is located in Auditor's Parcel 037-02154-00.

#### PARCEL 2-BS1 FAI-33-0.41 ALL RIGHT, TITLE AND INTEREST IN THE FOLLOWING PROPERTY

Situated in Section 29, Township 15 North, Range 20 West, Township of Violet, County of Fairfield, State of Ohio, and being more particularly described as follows:

(1) One  $12'4'' \times 32'$  double-sided billboard with six utility poles; and (2) one  $13' \times 32'$  double-sided billboard with six utility poles.

It is further *ORDERED*, *ADJUDGED* and *DECREED* that Parcel(s) 2-WL1, 2-WL2, 2-WDV, 2-CH, 2-U, 2-T1, 2-T2, 2-T3 and 2-BS1, are hereby duly vested in the State of Ohio, the Board of Fairfield County Commissioners, and Ohio Bell as set forth above, as these interests may appear, free and clear of all claims of the owners of said lands and any person or persons having or claiming an interest there, to wit:

			_
N	A	М	Е

#### Eichhorn Limited Partnership c/o CPM Statutory Agent Corporation Registered Agent

Stereo Limited, Inc. c/o Damon A. Pfeifer, Registered Agent

Ohio Bureau of Workman's Compensation c/o Attorney General Jim Petro Collections Enforcement Section

Barbara Curtis, or successor Fairfield County Auditor

John Slater, or successor Fairfield County Treasurer

#### **ADDRESS**

366 East Broad Street Columbus, Ohio 43215

5 Cemetery Road Canal Winchester, Ohio 43110

150 East Gay Street, 21st Floor Columbus, Ohio 43215

210 East Main Street Lancaster, Ohio 43130

210 East Main Street Lancaster, Ohio 43130 As noted above, the claim of Defendant Lamar Outdoor Advertising is still pending, and it will be resolved by a future Judgment Entry, or Settlement Agreement.

It is further **ORDERED** that the Clerk of this court withhold from the amount deposited herein any taxes required to be paid pursuant to law as directed by the County Auditor and further that the Clerk shall receive to be paid pursuant to law as directed by the County Auditor and further that the Clerk shall receive from the Auditor of this county a statement of such accrued taxes as of the date of the filing of this entry. After payment of such accrued taxes the balance of the monies deposited herein by the Director of Transportation shall be paid by the Clerk of this Court to the said landowner named herein and their interest may appear.

It is further **ORDERED** that a certified copy of this Entry be transmitted by the Clerk of Courts to the County Auditor for the purpose of making the proper notations relative to the transfer of title, if any, and changes of tax valuation and liability therefor, if any; that the County Auditor also cause Parcel Nos. 2-WL1, 2-WL2 and 2-WDV to be removed from the real estate tax records of this county, as of April 16, 2002, and to such extent that the State of Ohio is duly vested with title thereof, free and clear of any real estate tax consequences therefor (O.R.C. Section 163.15 and 163.16) that the County Auditor transmit said Entry to the County Recorder for recording in the deed records of this county, that all transfer fees of the County Auditor and the recordation fees of the County Recorder shall be charged as part of the court costs therein, pursuant to O.R.C. Section 163.15 and 163.16 and that the Director of Transportation of the State of Ohio pay all court costs herein accrued, and that a record be made of these proceedings according to law.

APPROVED: JIM PETRO

Attorney General of Ohio

FREDERICK C. SCHOCH (0008215)

Assistant Attorney General 150 East Gay Street, 17th Floor Columbus, Ohio 43215

Phone: (614) 466-4751 Fax (614) 466-1756

Attorney for Plaintiff

Assistant Prosecuting Attorney and ling to 201 South Broad Street, Fourth Floor

Lancaster, Ohio 43130

Telephone: (740) 653-4259 or

(614) 837-2699 Fax: (740) 653-4708

Attorney for the Auditor and Treasurer of Fairfield County MICHAEL BRAUNSTEIN (0031362)

GOLDMAN & BRAUNSTEIN

454 East Main Street, Suite 227 Columbus, Ohio 43215

Attorney for Defendant Eichhorn Limited Partnership

JAMES M. EVANS (0012618) Assistant Attorney General

Collections Enforcement Section 150 East Gay Street, 21st Floor

Columbus, Ohio 43215-5148

(614) 466-8360 Phone

(614) 752-9070 Fax

Attorney for State of Ohio Department of Taxation

FRANKLIN E. ECK, JR. (0041949)

SCHULER, PLANK & BRAHM

145 East Rich Street, 4th Floor

Columbus, Ohio 43215-5240

Phone (614) 228-4546 Fax (614) 228-1472

Attorney for Defendant Lamar Outdoor Advertising

(Submitted not signed.) DAMON PFEIFER

Stereo Limited 100 Pfeifer Drive

Canal Winchester, Ohio 43110

### FILED

Z301 OCT 24 PM 1: 33

PON BALSER CLEAK OF COURTS FAIRFIELD CO., OHIO



#### IN THE COMMON PLEAS COURT OF FAIRFIELD COUNTY, OHIO

Gordon Proctor, Director Ohio Department of Transportation 1980 West Broad Street P.O. Box 899 Columbus, Ohio 43216-0899

Plaintiff,

٧.

Eichhorn Limited Partnership c/o CPM Statutory Agent Corporation, Registered Agent 366 E. Broad Street Columbus, Ohio 43215

Lamar Outdoor Advertising 5551 Corporate Blvd., Suite A Baton Rouge, LA 70808

Stereo Limited, Inc. c/o Damon A. Pfeifer, Registered Agent 5 Cemetery Road Canal Winchester, Ohio 43110

Ohio Bureau of Workman's Compensation c/o Attorney General Betty D. Montgomery Revenue Recovery Section 101 East Town Street, 2<sup>nd</sup> & 3<sup>rd</sup> Floors Columbus, Ohio 43215-5148 CASE NO. 01 CV 7 0 6

JUDGE LUSE

PETITION TO
APPROPRIATE
PROPERTY AND TO
FIX COMPENSATION

Barbara Curtiss, or successor Fairfield County Auditor 210 E. Main Street Lancaster, Ohio 43130

and

John Slater, or successor Fairfield County Treasurer 210 E. Main Street Lancaster, Ohio 43130

#### Defendants.

#### PETITION TO APPROPRIATE PROPERTY AND TO FIX COMPENSATION

- 1. Plaintiff states that he is the Director of the Ohio Department of Transportation; that this action to appropriate property is brought in Plaintiff's official capacity; that Plaintiff is authorized and empowered by Section 19, Article I, Ohio Constitution, R.C. Title 55, and R.C. Chapter 163 to bring this cause of action to appropriate property for a public use; and, that Plaintiff has complied with the requirements of R.C. 163.04.
- 2. Plaintiff intends to obtain and take possession of and enter upon the property being appropriated for the purposes of making, constructing, or improving a state highway or interstate highway which shall be open to the public, without charge.
- 3. Plaintiff has been unable to agree with all the owners concerning the property to be appropriated.
- 4. Attached hereto, as a part of "Exhibit A," is a copy of the Findings, Declarations and Resolutions entered in the Journal of the Director of Transportation, Real Estate Administration Section, wherein the following are disclosed:
  - (a) A statement of the purpose of the appropriation.
  - (b) The identity of the road to be made, constructed or improved.

- (c) The names and addresses, so far as can be ascertained, of those persons or entities that are the owners, as defined in R.C. 163.01, of the property to be appropriated.
- (d) The description of the property, and the rights, titles, interests, and estates therein, to be appropriated.
- (e) The amount Plaintiff has determined to be the fair market value of the property, and the rights, titles, interests, and estates therein, to be appropriated, together with any damages to the residue thereof.
- (f) The identity of the entities other than the State of Ohio, if any, in the name of which all or a part of the property is being appropriated, all with the prior consent of the legislative or corporate authority of any such entities.

Plaintiff hereby incorporates "Exhibit A" into this Petition.

- 5. Prior to or at the time of filing this Petition, Plaintiff has deposited with the Clerk of this Court a sum of money equal to the amount he determined to be the fair market value of the property, and the rights, titles, interests and estates therein, to be appropriated, and any damages to the residue thereof.
- 6. Plaintiff has filed with the Fairfield County Engineer a copy of the highway plans for the purpose of making available a description of the nature of the improvement or use which requires the appropriation, including any specifications, elevations, and grade changes already determined at the time of the filing of this petition, in sufficient detail to permit a determination of the nature, extent, and effect of the taking and improvement.

WHEREFORE, Plaintiff prays the Court will:

[A] Find that Plaintiff has complied with R.C. 163.01, et seq., and is entitled to appropriate the subject property.

- [B] Enter a judgment ordering the conveyance of the title to such property to the State of Ohio and/or to the entities other than the State of Ohio, if any, identified in "Exhibit A," upon the consideration of the sum of money deposited by Plaintiff with the Clerk of this Court.
- [C] Grant Plaintiff all such other relief to which he might be shown to be entitled.

All in accordance with law.

BETTY D. MONTGOMERY Attorney General of Ohio

FREDERICK C. SCHOCH (0008215)

Assistant Attorney General 140 East Town Street, 12th Floor Columbus, Ohio 43215-6001

(614) 466-4751 - FAX (614) 466-1756

E-mail: fschoch@ag.state.oh.us

Attorney for Plaintiff

10.25.01
Iss summons w/copy ut complaint upon all
Oblindants / by artificed mail

#### **FINDINGS, DECLARATIONS & RESOLUTIONS**

WHEREAS, I find it necessary to make, construct or improve U.S. Route 33, Section 0.41, Fairfield County, Ohio;

WHEREAS, it is necessary for the public convenience and welfare to acquire certain property for highway purposes, namely Parcel(s) 2-WL1, 2-WL2, 2-WDV, 2-CH, 2-U, 2-T1, 2-T2, 2-T3 and 2-BS1, which property is more particularly described below; and, the names and addresses of the owners of said of property are:

Eichhorn Limited Partnership c/o CPM Statutory Agent Corporation, Registered Agent 366 E. Broad Street Columbus, Ohio 43215

Lamar Outdoor Advertising 5551 Corporate Blvd., Suite A Baton Rouge, LA 70808

Stereo Limited, Inc.
c/o Damon A. Pfeifer, Registered Agent
5 Cemetery Road
Canal Winchester, Ohio 43110
(Vol. 88, Pg. 39, Lease recorded December 30, 1993,
Fairfield Co. Records of Leases,
THESE FACTS SHOWN FOR INFORMATION ONLY)

Ohio Bureau of Workman's Compensation
c/o Attorney General Betty D. Montgomery
Revenue Recovery Section
101 East Town Street, 2<sup>nd</sup> & 3<sup>rd</sup> Floors
Columbus, Ohio 43215-5148
(1995JD92416, Case No. 9CB2, Judgment Lien recorded September 5, 1995,
Fairfield Co. Records of Liens,
THESE FACTS SHOWN FOR INFORMATION ONLY)

Barbara Curtiss, or successor Fairfield County Auditor 210 E. Main Street Lancaster, Ohio 43130

John Slater, or successor Fairfield County Treasurer 210 E. Main Street Lancaster, Ohio 43130 WHEREAS, I have been unable to purchase all such property because I have not been able to agree with all the owners thereof; and, it is necessary to acquire such property by appropriation; and,

WHEREAS, I have determined that \$752,950 for Parcels 2-WL1, 2-WL2, 2-WDV, 2-CH, 2-U, 2-T1, 2-T2 & 2-T3 and \$39,600 for Parcel 2-BS1 is the fair market value of the property, and the rights, titles, interests and estates therein, and the structures, if any, situated thereon, to be appropriated, together with any damages to the residue thereof.

#### BE IT DECLARED AND RESOLVED THAT:

- 1. I find it necessary to appropriate the hereinafter specifically described property, and rights, titles, interests and estates therein, and the structures, if any, situated thereon, for the purpose of making, constructing or improving the hereinabove mentioned highway which shall be open to the public, without charge.
- 2. Prior to or at the time of filing an action to appropriate the subject property, and the rights, titles, interests, and estates therein, and the structures, if any, situated thereon, the hereinabove mentioned sum of money shall be deposited with the Clerk of the court in which the action is brought.
- 3. In accordance with R.C. 163.06(B), it is necessary to forthwith enter upon and occupy said property and/or the structures situated thereon.
- 4. The legal description of the property, and rights, titles, interests and estates therein to be appropriated are:

#### PARCEL 2-WL1 FAI-33-0.41

#### ALL RIGHT, TITLE AND INTEREST IN FEE SIMPLE IN THE FOLLOWING DESCRIBED PROPERTY INCLUDING LIMITATION OF ACCESS

The lands herein described are situated in Section 29, Township 15N, Range 20W, Violet Township, Fairfield County, State of Ohio. Being further described as follows:

Being a parcel of land lying on the right side of the centerline of a survey for Fai-33-0.41, made by the Ohio Department of Transportation and being located within the following described points in the boundary thereof:

Beginning at an iron pin found on the northeast corner of Section 29 of Violet Township.

thence along the east line of section 29 S 04°43'56" W a distance of 1,661.64 feet to a point on the southerly property line of Douglas E. Kellogg (551/663), said point being located 1.78' left of centerline station 59+17.08 of the proposed centerline of Diley Rd. and being THE TRUE POINT OF BEGINNING.

thence, S 04°43'56" W a distance of 983.95 feet to a point on the northerly property line of (John A. and Mildred M. Brown), said point being located 44.81' Lt. of Sta. 49+36.42 of the proposed centerline of Diley Rd. and 75.01' Rt. of Sta. 314+38.67 of the existing centerline of U.S.R. 33;

thence, along said property line N 86°42'18" W a distance of 739.54 feet to a point on the existing Limited Access line, said point being located 80.50' Lt. of Sta. 321+63.60 of the existing centerline of U.S.R 33;

thence, N 84°54'59" W a distance of 1,927.96 feet passing iron pins set at 362.80', 925.59' and 1426.42' to a set iron pin on the easterly property line of the CXS Transportation, Inc. (operated by Indiana and Ohio Railway)(171/439), said pin being located 165.06' Lt. of Sta. 340+79.06 of the existing centerline of U.S.R. 33;

thence, N 04°34'56" E a distance of 284.35 feet passing an iron pin set at 49.60' along said property line to a set iron pin, said pin being located 115.00' Rt. of Sta. 341+27.86 of the existing centerline of U.S.R. 33;

thence, along the proposed Limited Access line S 83°10'47" E a distance of 606.41 feet to a set iron pin, said pin being located 140.00' Rt. of Sta. 335+00.00 of the existing centerline of U.S.R. 33;

thence, along the said proposed Limited Access line S 86°10'09" E a distance of 375.13 feet to a set iron pin, said pin being located 150.00' Rt. of Sta. 331+25.00 of the existing centerline of U.S.R. 33;

thence, S 05°21'30" W a distance of 30.00 feet to a set iron pin, said pin being located 120.00' Rt. of Sta. 331+25.00 of the existing centerline of U.S.R. 33;

thence, S 88°04'31" E a distance of 50.09 feet to a set iron pin, said pin being located 123.00' Rt. of Sta. 330+75.00 of the existing centerline of U.S.R. 33;

thence, N 64°05'26" E a distance of 502.38 feet to a set iron pin, said pin being located 90.00' Rt. of Sta. 325+30.00 of the proposed baseline of Ramp A;

thence, N 53°31'12" E a distance of 568.10 feet to a set iron pin, said pin being located 105.00' Rt. of Sta. 319+75.00 of the proposed baseline of Ramp A;

thence, N 75°54'37" E a distance of 261.15 feet to a set iron pin, said pin being located 90.00' Rt. of Sta. 317+50.00 of the proposed baseline of Ramp A;

thence, S 86°27'25" E a distance of 412.23 feet to a set iron pin, said pin being located 120.00' Lt. of Sta. 58+90.00 of the proposed centerline of Diley Rd.;

thence, N 11°23'30" E a distance of 27.06 feet to a set iron pin on the southerly property line of Douglas E. Kellogg (551/663), said pin being located 116.90' Lt. of Sta. 59+16.88 of the proposed centerline of Diley Rd.;

thence, S 85°17'28" E a distance of 115.12 feet to the place of beginning.

**EXHIBIT A** 

It is understood that the above parcel of land described covers 33.975 acres, more or less.

All set iron pins are 3/4" x 30" solid steel rods with 2" aluminum caps stamped "ODOT R/W - District 5".

Bearings are shown for project use only and are from the Ohio State Plane Coordinate System, South Zone, NAD 83 as established by GPS measurements in 1999.

Said stations being the Station numbers as stipulated in the hereinbefore mentioned survey and as shown by plans on file in the Ohio Department of Transportation, Columbus Ohio.

Description prepared from an actual field survey by The Ohio Department of Transportation under the supervision of Thomas E. Andrews, P.S. #6964, December 12, 2000.

Prior Instrument Reference: OR 1135, Page 1452, Fairfield County Recorder's Office.

The above described 33.975 acres, more or less, of which the present road occupies 12.970 acres, more or less, are to be deleted from Auditor's Parcel 037-02154-00.

Owner, his heirs, executors, administrators, successors and assigns forever, are hereby divested of any and all abutter's rights, including access rights in, over and to the above described real estate, including such rights with respect to any highway facility constructed thereon.

# PARCEL 2-WL2 FAI-33-0.41 ALL RIGHT, TITLE AND INTEREST IN FEE SIMPLE IN THE FOLLOWING DESCRIBED PROPERTY INCLUDING LIMITATION OF ACCESS

The lands herein described are situated in Section 29, Township 15N, Range 20W, Violet Township, Fairfield County, State of Ohio. Being further described as follows:

Being a parcel of land lying on the left side of the centerline of a survey of Diley Rd. for Fai-33-0.41, made by the Ohio Department of Transportation and being located within the following described points in the boundary thereof:

Beginning at an iron pin found on the northeast corner of Section 29 of Violet Township.

thence along the east line of section 29 S 04°43'56" W a distance of 1,143.72 feet to a point on the proposed Limited Access line, said point being located 2.48' left of centerline station 64+35.00 of the proposed centerline of Diley Rd. and being THE TRUE POINT OF BEGINNING.

thence, along said section line S 04°43′56" W a distance of 142.97 feet to a point on the northerly property line of Douglas E. Kellogg (551/663), said point being located 2.29' Lt. of Sta. 62+92.03 of the proposed centerline of Diley Rd.;

**EXHIBIT A** 

thence, along said property line N 76°57'59" W a distance of 83.17 feet to a set iron pin, said pin being located 84.60' Lt. of Sta. 63+03.93 of the proposed centerline of Diley Rd.;

thence, along the proposed Limited Access line N 06°49'09" E a distance of 131.15 feet to a set iron pin, said pin being located 80.00' Lt. of Sta. 64+35.00 of the proposed centerline of Diley Rd. and 65.00' Lt. of Sta. 10+80.00 of Service Rd. 8;

thence, along said proposed Limited Access line S 85°11'26" E a distance of 77.52 feet to the place of beginning.

It is understood that the above parcel of land described covers 0.252 acres, more or less.

All set iron pins are 3/4" x 30" solid steel rods with 2" aluminum caps stamped "ODOT R/W - District 5".

Bearings are shown for project use only and are from the Ohio State Plane Coordinate System, South Zone, NAD 83 as established by GPS measurements in 1999.

Said stations being the Station numbers as stipulated in the hereinbefore mentioned survey and as shown by plans on file in the Ohio Department of Transportation, Columbus Ohio.

Description prepared from an actual field survey by The Ohio Department of Transportation under the supervision of Thomas E. Andrews, P.S. #6964, December 12, 2000.

Prior Instrument Reference: OR 1135, Page 1452, Fairfield County Recorder's Office.

The above described 0.252 acres, more or less, of which the present road occupies 0.089 acres, more or less, are to be deleted from Auditor's Parcel 037-02154-00.

Owner, his heirs, executors, administrators, successors and assigns forever, are hereby divested of any and all abutter's rights, including access rights in, over and to the above described real estate, including such rights with respect to any highway facility constructed thereon.

#### PARCEL 2-WDV FAI-33-0.41

ALL RIGHT, TITLE AND INTEREST IN FEE SIMPLE IN THE FOLLOWING DESCRIBED PROPERTY WITHOUT LIMITATION OF EXISTING ACCESS RIGHTS IN THE NAME, AND FOR THE USE OF THE BOARD OF FAIRFIELD COUNTY COMMISSIONERS

Situated in the State of Ohio, County of Fairfield, Township of Violet, Section 29, Township 15N, Range 20W and bounded and described as follows:

Being a parcel of land lying on the left side of the centerline of a survey of Diley Rd. for Fai-33-0.41, made by the Ohio Department of Transportation and being located within the following described points in the boundary thereof:

Beginning at an iron pin found on the northeast corner of Section 29 of Violet Township.

thence, along the east line of section 29, S 04°43'56" W a distance of 223.73 feet to a point on the section line, said point being located 0.41' right of centerline station 73+55.00 of the proposed centerline of Diley Rd. and being THE TRUE POINT OF BEGINNING.

thence, along said section line S 04°43'56" W a distance of 919.99 feet to a point, said point being located 2.48' Lt. of centerline Sta. 64+35.00 of the proposed centerline of Diley Rd.;

thence, along the proposed Right-Of-Way N 85°11'26" W a distance of 77.52 feet to a set iron pin, said pin being located 80.00' Lt. of Sta. 64+35.00 of the proposed centerline of Diley Rd. and 65.00' Lt. of Sta. 10+80.00 of Service Rd. 8;

thence, continuing along said Right-Of-Way line N 86°28'16" W a distance of 378.48 feet to a set iron pin, said pin being located 73.46' Lt. of Sta. 14+58.39 of the proposed centerline of Service Rd. 8 and 47.31' Lt. of Sta. 20+23.46 of Service Rd. 9;

thence, along said Right-Of-Way line S 02°06'55' W a distance of 245.58 feet to a set iron pin on the northerly property line of Douglas E. Kellogg (596/484), said pin being located 58.86' Lt. of Sta. 22+68.77 of the proposed centerline of Service Rd. 9;

thence, along said property line N 85°16'00' W a distance of 70.29 feet to a point, said point being located 11.43' Rt. of Sta. 22+68.86 of the proposed centerline of Service Rd. 9;

thence, along said property line S 04°44'00' W a distance of 24.14 feet to a set iron pin on the westerly property line of Douglas E. Kellogg (596/484), said pin being located 11.40' Rt. of Sta. 22+93.00 of the proposed centerline of Service Rd. 9;

thence, along said Right-Of-Way line N 85°11'24' W a distance of 73.60 feet to a set iron pin, said pin being located 85.00' Rt. of Sta. 22+93.00 of the proposed centerline of Service Rd. 9;

thence, along said Right-Of-Way line N 01°55'38' E a distance of 388.49 feet to a set iron pin, said pin being located 45.00' Rt. of Sta. 16+10.24 of the proposed centerline of Service Rd. 8;

thence, along said Right-Of-Way line S 87°54'23' E a distance of 527.58 feet to a set iron pin, said pin being located 83.25' Lt. of Sta. 65+70.00 of the proposed centerline of Diley Rd. and 70.00' Rt. of Sta. 10+83.25 of Service Rd. 8;

thence, along said Right-Of-Way line N 06°34'17' E a distance of 784.61 feet to a set iron pin, said pin being located 55.00' Lt. of Sta. 73+55.00 of the proposed centerline of Diley Rd.;

thence, along said Right-Of-Way line S 85°58'17' E a distance of 55.41 feet passing an iron pin set at 25.00' to the place of beginning.

It is understood that the parcel of land described covers 3.875 acres, more or less.

**EXHIBIT A** 

All set iron pins are 3/4" x 30" solid steel rods with 2" aluminum caps stamped "ODOT R/W - District 5".

Bearings are shown for project use only and are from the Ohio State Plane Coordinate System, South Zone, NAD 83 as established by GPS measurements in 1999.

Said stations being the Station numbers as stipulated in the hereinbefore mentioned survey and as shown by plans on file in the Ohio Department of Transportation, Columbus Ohio.

Description prepared from an actual field survey by The Ohio Department of Transportation under the supervision of Thomas E. Andrews, P.S. #6964, December 12, 2000.

Prior Instrument Reference: OR 1135, Page 1452, Fairfield County Recorder's Office.

The above described 3.875 acres, more or less, of which the present road occupies 0.596 acres, more or less, are to be deleted from Auditor's Parcel 037-02154-00.

Owner, for himself and his heirs, executors, administrators, successors and assigns, reserves all existing rights of ingress and egress to and from any residual area.

## PARCEL 2-CH FAI-33-0.41 PERPETUAL EASEMENT TO CONSTRUCT AND MAINTAIN A CHANNEL

A perpetual easement for the construction and maintenance of a perpetual watercourse, ditch, channel or other drainage facility upon the lands hereinafter described. Owner herein retains the right to use said lands for any and all other purposes provided that such use does not interfere with nor impair the exercise of the easement herein granted.

The lands herein described are situated in Section 29, Township 15N, Range 20W, Violet Township, Fairfield County, State of Ohio. Being further described as follows:

Being a parcel of land lying on the right side of the centerline of survey for Fai-33-0.41, made by the Ohio Department of Transportation, and being located within the following described points in the boundary thereof.

Beginning at a point, said point being located 135.70' Rt. of Sta. 339+30.00 of the existing centerline of U.S.R. 33.

thence, N 10°59'55" W a distance of 167.34 feet through the lands of Herbert Eichhorn (454/316) to a point, said point being located 290.00' Rt. of Sta. 340+00.00 of the existing centerline of U.S.R. 33;

thence, N 78°27'53"E a distance of 60.43 feet continuing through said lands to a point, said point being located 314.00' Rt. of Sta. 339+38.00 of the existing centerline of U.S.R. 33;

thence, S 11°57'01" E a distance of 188.37 feet continuing through said lands to a point, said point being located 139.85' Rt. of Sta. 338+60.00 of the existing centerline of U.S.R. 33;

thence, N 83°10'47" W a distance of 66.76 feet to the place of beginning.

It is understood that the above described area contains 0.253 acres, more or less.

Bearings are shown for project use only and are from the Ohio State Plane Coordinate System, South Zone, NAD 83 as established by GPS measurements in 1999.

Description is based upon an actual field survey performed by the Ohio Department of Transportation in 1999 under the supervision of Thomas E. Andrews P.S. 6964.

Prior Instrument Reference: OR 1135, Page 1452, Fairfield County Recorder's Office.

The above described area is located in Auditor's Parcel 037-02154-00.

#### PARCEL 2-U FAI-33-0.41 PERPETUAL EASEMENT FOR UTILITY PURPOSES

Perpetual utility easement and right of way in the name, and for the use of Ohio Bell Telephone Company a.k.a. Ameritech Ohio, an Ohio Corporation, ("Ohio Bell") its successors and assigns forever, to construct, maintain, operate, remove, and/or reconstruct facilities and equipment used for the distribution of signals used in the provision of communication, video, and/or information services. The herein described tract of land is for the exclusive use of Ohio Bell, and any other use must be authorized in writing by Ohio Bell. Ohio Bell, its successors and assigns forever, shall have the perpetual right to re-enter the following described tract of land, at this time or any time in the future, with all necessary persons, vehicles, or equipment to perform any and all maintenance, without further compensation to Owner.

The lands herein described are situated in State of Ohio, County of Fairfield, Township of Violet, Section 29, Township 15N, Range 20W.

Being further described as follows:

Being a parcel of land lying on the right side of the centerline of survey for Fai-33-0.41 made by the Ohio Department of Transportation, and being located within the following described points in the boundary thereof.

Beginning at a set iron pin on the proposed Limited Access Right-Of-Way line for U.S.R. 33, said pin being located 115.00 feet right of centerline station 341+27.86 of the existing centerline of U.S.R. 33;

thence, N04°34'56"E a distance of 10.00 feet to a point, said point being located 124.84 feet right of centerline station 341+30.00 of the existing centerline of U.S.R. 33;

thence, \$83°10'47"E a distance of 606.54 feet to a point, said point being located 150.00 feet right of centerline station 335+00.00 of the existing centerline of U.S.R. 33;

thence, S86°10'09"E a distance of 471.05 feet to a point, said point being located 162.56 feet right of centerline station 330+29.00 of the existing centerline of U.S.R. 33;

thence, N64°05'26"E a distance of 441.70 feet to a point, said point being located 100.01 feet right of centerline station 325+29.00 of the existing centerline of U.S.R. 33;

thence, N53°31'12"E a distance of 569.15 feet to a point, said point being located 115.18 feet right of centerline station 319+75.00 of the existing centerline of U.S.R. 33;

thence, N75°54'37"E a distance of 264.68 feet to a point, said point being located 100.12 feet right of centerline station 317+50.00 of the existing centerline of U.S.R. 33;

thence, S86°27'25"E a distance of 415.16 feet to a point, said point being located 118.84 feet left of centerline station 59+00.00 of the proposed centerline of Diley Rd.;

thence, S11°23'30"W a distance of 10.09 feet to a set iron pin, said pin being located 120.00 feet left of centerline station 58+90.00 of the proposed centerline of Diley Rd.;

thence, N86°27'25"W a distance of 412.23 feet to a set iron pin, said pin being located 90.00 feet right of baseline station 317+50.00 of the proposed baseline of Ramp A;

thence, \$75°54'37"W a distance of 261.15 feet to a set iron pin, said pin being located 105.00 feet right of baseline station 319+75.00 of the proposed baseline of Ramp A;

thence, S53°31'12"W a distance of 568.10 feet to a set iron pin, said pin being located 90.00 feet right of baseline station 325+30.00 of the proposed baseline of Ramp A;

thence, S64°05'26"W a distance of 502.38 feet to a set iron pin, said pin being located 123.00 feet right of centerline station 330+75.00 of the existing centerline of U.S.R. 33;

thence, N88°04'31"W a distance of 50.09 feet to a set iron pin, said pin being located 120.00 feet right of centerline station 331+25.00 of the existing centerline of U.S.R. 33;

thence, N05°21'30"E a distance of 30.00 feet to a set iron pin, said pin being located 150.00 feet right of centerline station 331+25.00 of the existing centerline of U.S.R. 33;

thence, N86°10'09"W a distance of 375.13 feet to a set iron pin, said pin being located 140.00 feet right of centerline station 335+00.00 of the existing centerline of U.S.R. 33;

thence, N83°10'47"W a distance of 606.41 feet to the place of beginning.

It is understood that the parcel of land described covers 0.685 acres, more or less.

All set iron pins are 3/4" x 30" solid steel rods with 2" aluminum caps stamped "ODOT R/W - District 5".

Bearings are shown for project use only and are from the Ohio State Plane Coordinate System, South Zone, NAD 83 as established by GPS measurements in 1999.

Description is based upon an actual field survey performed by the Ohio Department of Transportation in 1999 under the supervision of Thomas E. Andrews P.S. 6964.

Prior Instrument Reference: OR 1135, Page 1452, Fairfield County Recorder's Office.

The above described area is located in Auditor's Parcel 037-02154-00.

#### PARCEL 2-T1 FAI-33-0.41

### TEMPORARY EASEMENT FOR THE PURPOSE OF PERFORMING THE WORK NECESSARY TO REMOVE A TWO-STORY WOOD BARN

The lands herein described are situated in State of Ohio, County of Fairfield, Township of Violet, Section 29, Township 15N, Range 20W; and lying on the right side of a survey made by the Ohio Department of Transportation for Fai-33-0.41, and being located within the following described points in the boundary thereof:

Beginning at a point on the proposed Limited Access line of Existing U.S.R. 33, said point being located 142.20 feet right of centerline station 335+95.00 of the existing centerline of U.S.R. 33;

thence, N 05°50'46" W a distance of 48.79 feet to a point, said point being located 190.00' Rt. of Sta. 336+05.00 of the existing centerline of U.S.R. 33;

thence, N 85°57'06" E a distance of 59.74 feet to a point, said point being located 200.00' Rt. of Sta. 335+45.00 of the existing centerline of U.S.R. 33;

thence, S 06°51'11" E a distance of 60.58 feet to a point, said point being located 140.80' Rt. of Sta. 335+32.00 of the existing centerline of U.S.R. 33;

thence, N 83°10'47" W a distance of 62.29 feet to the place of beginning.

It is understood that the above described area contains 0.076 acres, more or less.

Description is based upon an actual field survey performed by the Ohio Department of Transportation in 1999 under the supervision of Thomas E. Andrews P.S. 6964.

Prior Instrument Reference: OR 1135, Page 1452, Fairfield County Recorder's Office.

The above described area is located in Auditor's Parcel 037-02154-00.

#### PARCEL 2-T2 FAI-33-0.41

## TEMPORARY EASEMENT FOR THE PURPOSE OF PERFORMING THE WORK NECESSARY TO GRADE AND SEED

The lands herein described are situated in State of Ohio, County of Fairfield, Township of Violet, Section 29, Township 15N, Range 20W; and lying on the right side of a survey made by the Ohio Department of Transportation for Fai-33-0.41, and being located within the following described points in the boundary thereof:

Beginning at a point on the proposed Limited Access line of U.S.R. 33, said point being located 143.07 feet right of centerline station 333+85.00 of the existing centerline of U.S.R. 33;

thence, N 05°21'30" E a distance of 17.01 feet to a point, said point being located 160.07' Rt. of Sta. 333+85.00 of the existing centerline of U.S.R. 33;

thence, S 86°10'09" E a distance of 210.07 feet to a point, said point being located 165.67' Rt. of Sta. 331+75.00 of the existing centerline of U.S.R. 33;

thence, S 05°21'30" W a distance of 17.01 feet to a point, said point being located 148.67' Rt. of Sta. 331+75.00 of the existing centerline of U.S.R. 33;

thence, N 86°10'09" W a distance of 210.07 feet to the place of beginning.

It is understood that the above described area contains 0.082 acres, more or less.

Description is based upon an actual field survey performed by the Ohio Department of Transportation in 1999 under the supervision of Thomas E. Andrews P.S. 6964.

Prior Instrument Reference: OR 1135, Page 1452, Fairfield County Recorder's Office.

The above described area is located in Auditor's Parcel 037-02154-00.

#### PARCEL 2-T3 FAI-33-0.41

### TEMPORARY EASEMENT FOR THE PURPOSE OF PERFORMING THE WORK NECESSARY TO GRADE AND SEED

The lands herein described are situated in State of Ohio, County of Fairfield, Township of Violet, Section 29, Township 15N, Range 20W; and lying on the left side of a survey for Diley Road made by the Ohio Department of Transportation for Fai-33-0.41, and being located within the following described points in the boundary thereof:

**EXHIBIT A** 

Beginning at a point on the easterly property line of Herbert Eichhorn (454/316), said point being located 11.25' Rt. of centerline station 24+10.00 of the proposed centerline of Service Rd. 9;

thence, N 85°11'24" W a distance of 38.75 feet to a point, said point being located 50.00' Rt. of Sta. 24+10.00 of the proposed centerline of Service Rd. 9;

thence, N 11°50'39" W a distance of 122.12 feet to a set iron pin, said pin being located 85.00' Rt. of Sta. 22+93.00 of the proposed centerline of Service Rd. 9;

thence, S 85°11'24" E a distance of 73.60 feet to a set iron pin, said pin being located 11.40' Rt. of Sta. 22+93.00 of the proposed centerline of Service Rd. 9;

thence, S 04°44'00" W a distance of 117.00 feet to the place of beginning.

It is understood that the above described area contains 0.151 acres, more or less.

Description is based upon an actual field survey performed by the Ohio Department of Transportation in 1999 under the supervision of Thomas E. Andrews P.S. 6964.

Prior Instrument Reference: OR 1135, Page 1452, Fairfield County Recorder's Office.

The above described area is located in Auditor's Parcel 037-02154-00.

#### PARCEL 2-BS1 FAI-33-0.41

#### ALL RIGHT, TITLE AND INTEREST IN THE FOLLOWING PROPERTY

Situated in Section 29, Township 15 North, Range 20 West, Township of Violet, County of Fairfield, State of Ohio, and being more particularly described as follows:

(1) One 12'4" x 32' double-sided billboard with six utility poles; and (2) one 13' x 32' double-sided billboard with six utility poles.

#### 2 - Eichhorn Limited Parth hip

**EXHIBIT A** 

WITNESS my hand and seal given this 22nd day of 0ctober, 2001, at Columbus, Franklin County, Ohio.

GORDON PROCTOR

Director.

Ohio Department of Transportation

#### **CERTIFICATE OF AUTHENTICITY**

This is to certify that the foregoing constitutes an authentic copy of an entry made on this the <a href="mailto:22nd">22nd</a> day of <a href="mailto:0ctober">0ctober</a>, 2001, in Volume <a href="mailto:30">30</a>, Page <a href="mailto:284">284</a> of the Real Estate Administration Section of the Journal of the Ohio Director of Transportation; in attestation of which the Seal of the Ohio Department of Transportation has been affixed hereto.

Deborah M. Garrett, Recorder

CERTIFIED M A IL E R. MOORE 1-800-882-3811 FORM #35662

> LAMAR OUTDOOR ANVERTISING 1 SOSL CORPORATE BLUD., SUITE A LINE 1

BATON ROUGE, LA 20808

REFERENCE:





1-800-882-3811 FORM #35662 CERTIFIED M A FROM MOORE

REFERENCE:

DHIO BUREAU OF WORKMAN'S COMPENSATION C/O ATTORNEY GENERAL BETTY D MONTGOMERY REVENUE RECOVERY SECTION 101 E TOWN ST 2ND & 3RD FLOORS COLUMBUS, OH 43215-5148

LINE 4-

ARTICLE

LINE 1

STEREO LIMITED, INC C/O DAMON A PPEIFER, REGISTERED AGENT 5 CEMETERY RD

CANAL WINCHESTER, OH 43110

44



<u>\_\_</u>\_

REFERENCE: ... P. 000 010 361

71.06 4575 1292 4032 9012 AHTICLE NUMBER



CERTIFIED
M A FIG. R R.,
MOORE
1-800-882-3811
FORM #35662

 $\overline{\phantom{a}}$ 

REFERENCE: F 000 010 360

JOHN SLATER, OR SUCCESSOR FAIRFIELD COUNTY TREASURER 210 EAST MAIN ST

LINE 1

LANCASTER, OH 43130

71.06 4575 1.292 4032 9005 NUMBER

EICHMORN LIMITED PARTMERSMIF EZO CPM STATUTORY AGENT CORFORMITON, REGISTERED AG

REFERENCE:

LINE 1

MATTEED MATTEED MATTEED MOONE 1-800-882-3811 FORM #35682

LINE 1

BARBARA CURTISS, OR SUCCESSOR FAIRFIELD COUNTY AUDITOR 210 E MAIN ST

LANCASTER, OH 43130

REFERENCE:

C E R T I F I E B., A FFOM MOORE 1-800-882-3811 FORM #35662

#### IN THE COURT OF COMMON PLEAS, FAIRFIELD COUNTY, OHIO

Gordon Proctor, Director Department of Transportation State of Ohio

v.

Plaintiff.

Eichhorn Limited Partnership, et al.

Defendants

2004 1 23 AN 10: 03

CLUBERTS
TS
Case No. 2001-CV-706

FAIR

CV 94 360IN COMPUTER

362

### JUDGMENT ENTRY ON SETTLEMENT WITH DEFENDANT LAMAR ADVERTISING COMPANY

It appears to the Court that the Defendant Lamar Advertising Company (hereinafter "Lamar") and Plaintiff, Director of Transportation, agree upon the amount of compensation and damages due to Lamar by reason of the appropriation of the Lamar's property as described more fully herein. The parties have agreed that Lamar shall receive the sum of Seventy-Five Thousand Dollars and No Cents (\$75,000.00), which shall be full payment for said appropriation of property. This settlement solely concerns two advertising structures owned by Defendant Lamar Outdoor Advertising.

Lamar in consideration of the foregoing agreed compensation does hereby release all claims that were or might have been raised with the instant action for further compensation including interest, resulting from the reconstruction and improvement of U.S. Route 33, Section 0.41, Fairfield County, Ohio, and from the appropriation of said property.

In conformity with said Agreement, it is hereby ORDERED, ADJUDGED and DECREED that said Director of Transportation shall deposit with the Clerk of this Court, a sufficient sum, to wit: Thirty-Five Thousand Four Hundred Dollars and No Cents (\$35,400.00), which when added to the original deposit herein made for the two billboards of Thirty-Nine Thousand Six Hundred Dollars and No Cents (\$39,600.00) equals the total amount of the agreed settlement of Seventy-Five Thousand Dollars and No Cents (\$75,000.00) with Defendant Lamar.

It is hereby **ORDERED**, **ADJUDGED** and **DECREED** that the date of acquisition of the hereinafter described property by the State of Ohio is April 16, 2002.

It is further **ORDERED**, **ADJUDGED** and **DECREED** that all right, title, and interest in the property described in the Petition as Parcel 2-BS1 (two billboards) be vested in the State of Ohio. The above listed parcels are completely described as follows.

## PARCEL 2-BS1 FAI-33-0.41 ALL RIGHT, TITLE AND INTEREST IN THE FOLLOWING PROPERTY

Situated in Section 29. Township 15 North, Range 20 West, Township of Violet, County of Fairfield, State of Ohio, and being more particularly described as follows:

It is further *ORDERED*, *ADJUDGED* and *DECREED* that Parcel 2-BS1, is hereby duly vested in the State of Ohio as these interests may appear, free and clear of all claims of the owners of said lands and any person or persons having or claiming an interest there, to wit:

NAME

**ADDRESS** 

Lamar Outdoor Advertising Company

6640 Taylor Road Columbus, Ohio This settlement shall in no way affect the terms the Judgment Entry on Settlement with Defendant Eichhorn Limited Partnership filed <u>January 13, 2004</u>. Plaintiff shall pay all court costs accrued in this action.

APPROVED: JIM PETRO

Attorney General of Ohio

FREDERICK C. SCHOCH (0008215)

Assistant Attorney General 150 East Gay Street, 17th Floor

Columbus, Ohio 43215 Phone: (614) 466-4751 Fax (614) 466-1756

Attorney for Plaintiff

FRANKLIN E. ECK, JR. (00419

SHULER, PLANK & BRAHM 145 East Rich Street, 4<sup>th</sup> Floor Columbus, Ohio 43215-5240

Phone (614) 228- 4546 Attorney for Defendant Lamar Outdoor Advertising